

# Datortomografi för misstänkt kranskärlssjukdom

## Bilaga 1 Sökstrategi

### PubMed 1950–2010 (december)

#### Sökstrategi: diagnostisk tillförlitlighet av DTKA

Coronary artery disease	AND	Coronary angiography	AND	Sensitivity and specificity	NOT	Editorial (PT)
Coronary stenosis		Tomography, x-ray computed		Predictive value of tests		Letter (PT)
Coronary disease		Tomography, spiral computed		Prospective studies		Comment (PT)
		64-slice (TW)				

Limits: English, Swedish, Norwegian, Danish, 2009 t o m 2010

#### Sökstrategi: ekonomiska aspekter

Coronary artery disease	AND	Computed tomography (TI, AB)	AND	Economics
Coronary stenosis		CT (TI, AB)		Cost (TI, AB)
Coronary artery disease		Cat scan (TI, AB)		Costs (TI, AB)
(TI, AB)		Tomography, emission-computed		Economic (TI, AB)
CAD (TI, AB)		Tomography, x-ray computed		Economics (TI, AB)
		Four-dimensional computed tomography		Willingness to pay (TI, AB)
		Tomography, spiral computed		QALY (TI, AB)
		MSCT (TI, AB)		Quality adjusted life years (TI, AB)
		CTCA (TI, AB)		Quality-adjusted life years
				Economics (SB)

### Cochrane Library version 4–2010

#### Sökstrategi: diagnostisk tillförlitlighet av DTKA

Coronary artery disease	AND	Computed tomography (AT)
Coronary stenosis		CT (AT)
Coronary artery disease		Cat scan (AT)
(AT)		MSCT (AT)
CAD (AT)		CTCA (AT)
		Coronary angiography (AT)
		Cardiac imaging technique (AT)
		Cardiac imaging techniques (AT)
		Cardiac imaging technologies (AT)
		Coronary angiography
		Tomography, emission-computed
		Tomography, x-ray computed
		Tomography

### Embase

#### Sökstrategi: diagnostisk tillförlitlighet av DTKA

Coronary artery disease	AND	Angiography	AND	Sensitivity	NOT	Conference abstract
Coronary stenosis		Computed tomography		Predictive		Conference paper

Limits: English, Swedish, Norwegian, Danish, 2009 t o m 2010

Söktermerna i PubMed har utgjorts av MeSH-terminer (NLM:s kontrollerade nyckelord, Medical Subject Heading) om inget annat anges.

**AB** = abstract; **PT** = publication type; **SB** = subset; **TI** = title; **TW** = text word

Söktermerna i Cochrane Library har utgjorts av MeSH-terminer (NLM:s kontrollerade nyckelord, Medical Subject Heading) om inget annat anges.

**AT** = all text

Söktermerna i Embase har utgjorts av nyckelord specifika för databasen.

## Bilaga 2 Exkluderade studier

### Exklusionsorsak: Uppfyller inte inklusionskriterier (diagnostik)

- Arnoldi E, Gebregziabher M, Schoepf UJ, Goldenberg R, Ramos-Duran L, Zwerner PL, et al. Automated computer-aided stenosis detection at coronary CT angiography: initial experience. *Eur Radiol* 2010;20(5):1160-7.
- Bamberg F, Sommer WH, Schenkle JC, Becker CR, Nikolaou K, Reiser MF, et al. Systolic acquisition of coronary dual-source computed tomography angiography: feasibility in an unselected patient population. *Eur Radiol* 2010;20(6):1331-6.
- Bastarrika G, Ramos-Duran L, Rosenblum MA, Kang DK, Rowe GW, Schoepf UJ. Adenosine-stress dynamic myocardial CT perfusion imaging: initial clinical experience. *Invest Radiol* 2010;45(6):306-13.
- Blankstein R, Murphy MK, Nasir K, Gazelle GS, Batlle JC, Al-Mallah M, et al. Perceived usefulness of cardiac computed tomography as assessed by referring physicians and its effect on patient management. *Am J Cardiol* 2010;105(9):1246-53.
- Boogers MJ, Schuijf JD, Kitslaar PH, Van Werkhoven JM, De Graaf FR, Boersma E, et al. Automated quantification of stenosis severity on 64-slice CT: A comparison with quantitative coronary angiography. *JACC Cardiovasc Imaging* 2010;3(7):699-709.
- Carrascosa P, Capunay C, Deviggiano A, Bettinotti M, Goldsmith A, Tajer C, et al. Feasibility of 64-slice gadolinium-enhanced cardiac CT for the evaluation of obstructive coronary artery disease. *Heart* 2010;96(19):1543-9.
- Chan RH, Javali S, Ellins ML, Montgomery A, Sheth T. Utility of 64 detector coronary computed tomographic angiography in patients with and without prior equivocal stress tests. *Int J Cardiovasc Imaging* 2011;27(1):135-41.
- Chao SP, Law WY, Kuo CJ, Hung HF, Cheng JJ, Lo HM, et al. The diagnostic accuracy of 256-row computed tomographic angiography compared with invasive coronary angiography in patients with suspected coronary artery disease. *Eur Heart J* 2010;31(15):1916-23.
- Choudhary G, Shin V, Punjani S, Ritter N, Sharma SC, Wu WC. The role of calcium score and CT angiography in the medical management of patients with normal myocardial perfusion imaging. *J Nucl Cardiol* 2010;17(1):45-51.
- Fang XM, Chen HW, Hu XY, Bao J, Chen Y, Yang ZY, et al. Dual-source CT coronary angiography without heart rate or rhythm control in comparison with conventional coronary angiography. *Int J Cardiovasc Imaging* 2010;26(3):323-31.
- Fazel P, Peterman MA, Schussler JM. Three-year outcomes and cost analysis in patients receiving 64-slice computed tomographic coronary angiography for chest pain. *Am J Cardiol* 2009;104(4):498-500.
- George RT, Arbab-Zadeh A, Miller JM, Kitagawa K, Chang HJ, Bluemke DA, et al. Adenosine stress 64- and 256-row detector computed tomography angiography and perfusion imaging: a pilot study evaluating the transmural extent of perfusion abnormalities to predict atherosclerosis causing myocardial ischemia. *Circ Cardiovasc Imaging* 2009;2(3):174-82.
- Gouya H, Varenne O, Trinquart L, Touze E, Vignaux O, Spaulding C, et al. Coronary artery stenosis in high-risk patients: 64-section CT and coronary angiography--prospective study and analysis of discordance. *Radiology* 2009;252(2):377-85.
- Hay CS, Morse RJ, Morgan-Hughes GJ, Gosling O, Shaw SR, Roobottom CA. Prognostic value of coronary multidetector CT angiography in patients with an intermediate probability of significant coronary heart disease. *Br J Radiol* 2010;83(988):327-30.
- Jinzaki M, Sato K, Tanami Y, Yamada M, Anzai T, Kawamura A, et al. Diagnostic accuracy of angiographic view image for the detection of coronary artery stenoses by 64-detector row CT: a pilot study comparison with conventional post-processing methods and axial images alone. *Circ J* 2009;73(4):691-8.
- Kachenoura N, Gaspar T, Lodato JA, Bardo DM, Newby B, Gips S, et al. Combined assessment of coronary anatomy and myocardial perfusion using multidetector computed tomography for the evaluation of coronary artery disease. *Am J Cardiol* 2009;103(11):1487-94.
- Klass O, Kleinhans S, Walker MJ, Olszewski M, Feuerlein S, Juchems M, et al. Coronary plaque imaging with 256-slice multidetector computed tomography: interobserver variability of volumetric lesion parameters with semiautomatic plaque analysis software. *Int J Cardiovasc Imaging* 2010;26(6):711-20.
- Korenstein D, McGinn T. Evidence-based medicine: the accuracy of CT angiography for coronary artery disease. *Mt Sinai J Med* 2009;76(4):415-8.
- LaBounty TM, Kim RJ, Lin FY, Budoff MJ, Weinsaft JW, Min JK. Diagnostic accuracy of coronary computed tomography angiography as interpreted on a mobile handheld phone device. *JACC Cardiovasc Imaging* 2010;3(5):482-90.
- Langer C, Wiemer M, Peterschroder A, Franzke K, Mellwig KP, van Buuren F, et al. Stratification for noninvasive coronary angiography: patient preselection considering atypical angina pectoris, conventional cardiovascular risk assessment, and calcium scoring. *Eur J Cardiovasc Prev Rehabil* 2009;16(2):201-9.
- Lazoura O, Vlychou M, Vassiou K, Rountas C, Ioannis F. 128-detector-row computed tomography coronary angiography evaluating coronary artery disease: who avoids cardiac catheterization? *Angiology* 2010;61(2):174-8.
- Leschka S, Stolzmann P, Desbiolles L, Baumueller S, Goetti R, Schertler T, et al. Diagnostic accuracy of high-pitch dual-source CT for the assessment of coronary stenoses: First experience. *Eur Radiol* 2009;19(12):2896-903.
- Malago R, D'Onofrio M, Baglio I, Brunelli S, Tavella D, Beltrame F, et al. Choice strategy of different dose-saving protocols in 64-slice MDCT coronary angiography. *Radiol Med* 2009;114(8):1196-213.
- Malago R, D'Onofrio M, Tavella D, Mantovani W, Brunelli S, Pezzato A, et al. Diagnostic accuracy in coronary stenosis: comparison between visual score and quantitative analysis (quantitative computed tomographic angiography) in coronary angiography by multidetector computed tomography-coronary angiography and quantitative analysis (quantitative coronary angiography) in conventional coronary angiography. *J Comput Assist Tomogr* 2010;34(5):652-9.
- Marano R, De Cobelli F, Floriani I, Becker C, Herzog C, Centonze M, et al. Italian multicenter, prospective study to evaluate the negative predictive value of 16- and 64-slice MDCT imaging in patients scheduled for coronary angiography (NIMISCAD-Non Invasive Multicenter Italian Study for Coronary Artery Disease). *Eur Radiol* 2009;19:1114-23.
- Maurovich-Horvat P, Mori T, Kerecsen G, Fovenyi J, Sallai T, Soos P, et al. Assessment of coronary artery calcification using dual-source computed tomography in adult asymptomatic patients with type 1 diabetes mellitus. *Med Sci Monit* 2010;16(7):MT59-64.
- Meijss MF, de Vries JJ, Rutten A, Budde RP, de Vos AM, Meijboom WB, et al. Does slice thickness affect diagnostic performance of 64-slice CT coronary angiography in stable and unstable angina patients with a positive calcium score? *Acta Radiol* 2010;51(4):427-30.
- Mendoza-Rodriguez V, Llerena LR, Llerena LD, Rodriguez L, Olivares E, Linares R, et al. Ischemic heart disease diagnosed by 64 slice computed tomography coronary angiography. *Internet Journal of Cardiology* 2009;7(1).
- Menon M, Lesser JR, Hara H, Birkett R, Knickelbine T, Longe T, et al. Multidetector CT coronary angiography for patient triage to invasive coronary angiography: Performance and cost in ambulatory patients with equivocal or suspected inaccurate noninvasive stress tests. *Catheter Cardiovasc Interv* 2009;73(4):497-502.

- Miller JM, Dewey M, Vavere AL, Rochitte CE, Niinuma H, Arbab-Zadeh A, et al. Coronary CT angiography using 64 detector rows: Methods and design of the multi-centre trial CORE-64. *Eur Radiol* 2009;19(4):816-28.
- Mir-Akbari H, Ripsweden J, Jensen J, Pichler P, Sylven C, Cederlund K, et al. Limitations of 64-detector-row computed tomography coronary angiography: calcium and motion but not short experience. *Acta Radiol* 2009;50(2):174-80.
- Nasis A, Leung MC, Antonis PR, Cameron JD, Lehman SJ, Hope SA, et al. Diagnostic accuracy of noninvasive coronary angiography with 320-detector row computed tomography. *Am J Cardiol* 2010;106(10):1429-35.
- Ovrehus KA, Jensen JK, Jensen JM, Munkholm H, Norgaard BL. [Cardiac computer tomography in the investigation of atypical chest pain]. *Ugeskr Laeger* 2009;171(38):2728-32.
- Pazhenkottil AP, Herzog BA, Husmann L, Buechel RR, Burger IA, Valenta I, et al. Non-invasive assessment of coronary artery disease with CT coronary angiography and SPECT: a novel dose-saving fast-track algorithm. *Eur J Nucl Med Mol Imaging* 2010;37(3):522-7.
- Plass A, Azemaj N, Scheffel H, Desbiolles L, Alkadhi H, Genoni M, et al. Accuracy of dual-source computed tomography coronary angiography: evaluation with a standardised protocol for cardiac surgeons. *Eur J Cardiothorac Surg* 2009;36(6):1011-7.
- Pontone G, Andreini D, Bartorelli AL, Cortinovis S, Mushtaq S, Bertella E, et al. Diagnostic accuracy of coronary computed tomography angiography: a comparison between prospective and retrospective electrocardiogram triggering. *J Am Coll Cardiol* 2010;54(4):346-55.
- Reimann AJ, Tsiflikas I, Brodoefel H, Scheuering M, Rinck D, Kopp AF, et al. Efficacy of computer aided analysis in detection of significant coronary artery stenosis in cardiac using dual source computed tomography. *Int J Cardiovasc Imaging* 2009;25(2):195-203.
- Santana CA, Garcia EV, Faber TL, Sirineni GK, Esteves FP, Sanyal R, et al. Diagnostic performance of fusion of myocardial perfusion imaging (MPI) and computed tomography coronary angiography. *J Nucl Cardiol* 2009;16(2):201-11.
- Saur SC, Alkadhi H, Stolzmann P, Baumuller S, Leschka S, Scheffel H, et al. Effect of reader experience on variability, evaluation time and accuracy of coronary plaque detection with computed tomography coronary angiography. *Eur Radiol* 2010;20(7):1599-606.
- Selcoki Y, Yilmaz OC, Kankilic MN, Akin K, Eryonucu B. Diagnostic accuracy of 64-slice computed tomography in patients with suspected or proven coronary artery disease. *Turk Kardiyol Dern Ars* 2010;38(2):95-100.
- Sirol M, Sanz J, Henry P, Rymer R, Leber A. Evaluation of 64-slice MDCT in the real world of cardiology: a comparison with conventional coronary angiography. *Arch Cardiovasc Dis* 2009;102(5):433-9.
- Sosnowski M, Pysz P, Gola A, Szymanski L, Tendera M. Coronary artery visualization using a 64-row multi-slice computed tomography in unselected patients with definite or suspected coronary artery disease: a comparison with invasive coronary angiography. *Cardiol* 2009;16(5):413-7.
- Tsiflikas I, Drosch T, Brodoefel H, Thomas C, Reimann A, Till A, et al. Diagnostic accuracy and image quality of cardiac dual-source computed tomography in patients with arrhythmia. *Int J Cardiol* 2010;143(1):79-85.
- Venkatesh V, Ellins ML, Yang S, Natarajan M, Amlani S, Sheth T. Incremental detection of coronary artery disease by assessment of non-calcified plaque on coronary CT angiography. *Clin Radiol* 2009;64(3):250-5.
- Wertman BM, Cheng VY, Kar S, Gransar H, Berg RA, Naik H, et al. Characterization of complex coronary artery stenosis morphology by coronary computed tomographic angiography. *JACC Cardiovasc Imaging* 2009;2(8):950-8.
- Xu Y, Tang L, Zhu X, Xu H, Tang J, Yang Z, et al. Comparison of dual-source CT coronary angiography and conventional coronary angiography for detecting coronary artery disease. *Int J Cardiovasc Imaging* 2010;26 Suppl 1:75-81.
- Yang L, Zhang Z, Fan Z, Xu C, Zhao L, Yu W, et al. 64-MDCT coronary angiography of patients with atrial fibrillation: influence of heart rate on image quality and efficacy in evaluation of coronary artery disease. *AJR Am J Roentgenol* 2009;193(3):795-801.
- Zheng M, Li J, Xu J, Chen K, Zhao H, Huan Y. Dual-source computed tomographic coronary angiography: image quality and stenosis diagnosis in patients with high heart rates. *Tex Heart Inst J* 2009;36(2):117-24.
- ### Exklusionsorsak: Uppfyller inte inklusionskriterier (hälsoekonomi)
- Amemiya S, Takao H. Computed tomographic coronary angiography for diagnosing stable coronary artery disease - A cost-utility and cost-effectiveness analysis. *Circ J* 2009;73(7):1263-70.
- Genders TS, Meijboom WB, Meijss MF, Schuijff JD, Mollet NR, Weustink AC, et al. CT coronary angiography in patients suspected of having coronary artery disease: decision making from various perspectives in the face of uncertainty. *Radiology* 2009;253(3):734-44.
- Halpern EJ, Savage MP, Fischman DL, Levin DC. Cost-effectiveness of coronary CT angiography in evaluation of patients without symptoms who have positive stress test results. *AJR Am J Roentgenol* 2010;194(5):1257-62.
- Stacul F, Sironi D, Grisi G, Belgrano M, Salvi A, Cova M. 64-Slice CT coronary angiography versus conventional coronary angiography: activity-based cost analysis. *Radiol Med* 2009;114(2):239-52.
- ### Exklusionsorsak: Publikationsform
- Achenbach S, Daniel WG. Non-invasive imaging - Cardiac imaging in the patient with chest pain: Coronary CT angiography. *Heart* 2010;96(15):1241-6.
- Achenbach S, Raggi P. Imaging of coronary atherosclerosis by computed tomography. *Eur Heart J* 2010 Jun;31(12):1442-8.
- Boogers MJ, Schuijff JD. Quantification of stenosis severity on multidetector row computed tomography. *Europ Intervention* 2010;6 Suppl G:G57-64.
- ### Exklusionsorsak: Uppfyller inte basala kvalitetskrav
- 64-slice computed tomographic angiography for the diagnosis of intermediate risk coronary artery disease. An evidence based analysis. *Ontario Health Technology Assessment Series* 2010;10(11):1-44.
- Alessandri N, Di Matteo A, Rondoni G, Petrassi M, Tufani F, Ferrari R, et al. Heart imaging: the accuracy of the 64-MSCT in the detection of coronary artery disease. *Eur Rev Med Pharmacol Sci* 2009;13(3):163-71.
- Baumuller S, Leschka S, Desbiolles L, Stolzmann P, Scheffel H, Seifert B, et al. Dual-source versus 64-section CT coronary angiography at lower heart rates: comparison of accuracy and radiation dose. *Radiology* 2009;253(1):56-64.
- Chow BJ, Abraham A, Wells GA, Chen L, Ruddy TD, Yam Y, et al. Diagnostic accuracy and impact of computed tomographic coronary angiography on utilization of invasive coronary angiography. *Circ Cardiovasc Imaging* 2009;2(1):16-23.
- Guo SL, Guo YM, Zhai YN, Ma B, Wang P, Yang Kh. Diagnostic accuracy of first generation dual-source computed tomography in the assessment of coronary artery disease: a meta-analysis from 24 studies. *Int J Cardiovasc Imaging* 2010. [Epub ahead of print].
- Jeong HC, Ahn Y, Jeong MH, Chung JW, Cho JS, Shim du S, et al. Characteristics of patients with a significant stenosis in a conventional coronary angiogram with a normal multi-detector computed tomographic coronary angiogram. *Int Heart J* 2009;50(1):13-22.

Maffei E, Palumbo A, Martini C, Meijboom W, Tedeschi C, Spagnolo P, et al. Diagnostic accuracy of 64-slice computed tomography coronary angiography in a large population of patients without revascularisation: registry data and review of multicentre trials. *Radiol Med* 2010;115(3):368-84.

Rivera JJ, Nasir K, Choi EK, Yoon YE, Chun EJ, Choi SI, et al. Detection of occult coronary artery disease in asymptomatic individuals with diabetes mellitus using non-invasive cardiac angiography. *Atherosclerosis* 2009;203(2):442-8.

Medical Advisory Secretariat. 64-Slice computed tomographic angiography for the diagnosis of intermediate risk coronary artery disease: an evidence-based analysis. *Ont Health Technol Assess Ser* [Internet]. 2010; 10(11). Toronto: Medical Advisory Secretariat, Ontario Ministry of Health and Long-Term Care (MAS); 2010.

Sheikh M, Ben-Nakhi A, Shukkur AM, Sinan T, Al-Rashdan I. Accuracy of 64-multidetector-row computed tomography in the diagnosis of coronary artery disease. *Med Princ Pract* 2009;18(4):323-8.

Ugolini P, Pressacco J, Lesperance J, Berry C, L'Allier PL, Ibrahim R, et al. Evaluation of coronary atheroma by 64-slice multidetector computed tomography: Comparison with intravascular ultrasound and angiography. *Can J Cardiol* 2009;25(11):641-7.

Van Lingen R, Kakani N, Veitch A, Manghat NE, Roobottom CA, Morgan-Hughes GJ. Prognostic and accuracy data of multidetector CT coronary angiography in an established clinical service. *Clin Radiol* 2009;64(6):601-7.

Wehrschuetz M, Wehrschuetz E, Schuchlenz H, Schaffler G. Accuracy of MSCT coronary angiography with 64 row CT scanner - Facing the facts. *Clin Med Insights Cardiol* 2010;4:15-22.

Weustink AC, Mollet NR, Neefjes LA, Meijboom WB, Galema TW, van Mieghem CA, et al. Diagnostic accuracy and clinical utility of noninvasive testing for coronary artery disease. *Ann Intern Med* 2010;152(10):630-9.