



## Literature search

| PubMed via NLM 180216<br>Antisocial behaviour and motivational interviewing/CBT |  |             |
|---|--|-------------|
|   | Search terms   | Items found |
| Population:   |  |             |
| 1.  | (((((("Attention Deficit and Disruptive Behavior Disorders"[Mesh]) OR "Child Behavior Disorders"[Mesh]) OR "Child Development Disorders, Pervasive"[Mesh]) OR "Criminal Behavior"[Mesh>NoExp]) OR "Juvenile Delinquency"[Mesh]) OR "Runaway Behavior"[Mesh]) OR "Violence"[Mesh]) OR "Acting Out"[Mesh]) OR "Aggression"[Mesh]   | 187726      |
| 2.  | ("Criminal Behavior"[Title/Abstract] OR "Juvenile Delinquency"[Title/Abstract] OR "Runaway Behavior"[Title/Abstract] OR "Violence"[Title/Abstract] OR "Behavior Disorders"[Title/Abstract] OR "Addiction"[Title/Abstract] OR "Drug Abuse"[Title/Abstract] OR "Substance Use Disorder"[Title/Abstract] OR "Acting Out"[Title/Abstract] OR "Aggressive Behavior"[Title/Abstract] OR "Conduct Disorder"[Title/Abstract] OR "Autism Spectrum Disorders"[Title/Abstract] OR "Autistic Thinking"[Title/Abstract] OR "Attention Deficit Disorder"[Title/Abstract] OR "Attention Deficit Disorder with Hyperactivity"[Title/Abstract] OR "Oppositional Defiant Disorder"[Title/Abstract] OR "Deviant Behavior"[Title/Abstract] OR Aspergers[Title/Abstract] OR Autism[Title/Abstract] OR Autistic[Title/Abstract] OR ADHD[Title/Abstract] OR "PROBLEM children"[Title/Abstract] OR "DEVIANT behaviour"[Title/Abstract] OR "antisocial"[Title/Abstract] OR "anti-social"[Title/Abstract]) | 175084      |
| 3.  | 1 OR 2   | 285040      |
| Intervention:   |  |             |
| 4.  | ("Motivational Interviewing"[Mesh]) OR "Cognitive Therapy"[Mesh]   | 23847       |
| 5.  | ("CBT"[Title/Abstract] OR "COGNITIVE therapy"[Title/Abstract] OR "BEHAVIOUR therapy"[Title/Abstract] OR "COGNITIVE psychotherapy"[Title/Abstract] OR "COGNITIVE-behavior therapy"[Title/Abstract] OR "COGNITIVE-behaviour therapy"[Title/Abstract] OR "COGNITIVE-behavioral therapy"[Title/Abstract] OR "COGNITIVE-behavioural therapy"[Title/Abstract] OR "BEHAVIORAL therapy"[Title/Abstract] OR "BEHAVIOURAL therapy"[Title/Abstract] OR "BEHAVIOR therapy"[Title/Abstract] OR "MOTIVATIONAL counseling"[Title/Abstract] OR "MOTIVATIONAL enhancement"[Title/Abstract] OR "MOTIVATIONAL interviewing"[Title/Abstract] OR "MOTIVATIONAL interview"[Title/Abstract])  | 23375       |
| 6.  | 4 OR 5   | 37957       |
| Study types:  |  |             |
| 7.  | Systematic [sb]  | 353031      |
| Final   | 3 AND 6 AND 7  | 321         |

The search result, usually found at the end of the documentation, forms the list of abstracts

[MeSH] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

[MeSH>NoExp] = Does not include terms found below this term in the MeSH hierarchy

[MAJR] = MeSH Major Topic

[TIAB] = Title or abstract

[TI] = Title

[AU] = Author

[TW] = Text Word

Systematic[SB] = Filter for retrieving systematic reviews

\* = Truncation

“ “ = Citation Marks; searches for an exact phrase



| SocINDEX with fulltext via ebsco.com 2017-12-18<br>Antisocial behaviour and motivational interviewing/CBT |  |             |
|---|--|-------------|
|   | Search terms   | Items found |
| Population:   |  |             |
| 1.  | ((DE "DELINQUENT behavior" OR DE "DELINQUENT behavior in children") OR (DE "BEHAVIOR disorders" OR DE "ATTENTION-deficit hyperactivity disorder" OR DE "BEHAVIOR disorders in adolescence" OR DE "BEHAVIOR disorders in children" OR DE "CONDUCT disorders in adolescence" OR DE "CONDUCT disorders in children" OR DE "PROBLEM children")) OR (DE "DEVIANT behavior") | 10 557      |
| 2.  | (DE "AUTISM spectrum disorders" OR DE "AUTISM" OR DE "AUTISM spectrum disorders in women") OR (DE "AUTISTIC youth")  | 1 622       |
| 3.  | TI "DELINQUENT behavior" OR TI "DELINQUENT behaviour" OR TI "BEHAVIOR disorder" OR TI "BEHAVIOUR disorder" OR TI "BEHAVIOR disorders" OR TI "BEHAVIOUR disorders" OR TI "ATTENTION-deficit hyperactivity disorder" OR TI "ADHD" OR TI "BEHAVIOR disorders" OR TI "BEHAVIOUR disorders" OR TI "CONDUCT disorders" OR TI "CONDUCT disorder"                              | 2 017       |
| 4.  | AB "DELINQUENT behavior" OR AB "DELINQUENT behaviour" OR AB "BEHAVIOR disorder" OR AB "BEHAVIOUR disorder" OR AB "BEHAVIOR disorders" OR AB "BEHAVIOUR disorders" OR AB "ATTENTION-deficit hyperactivity disorder" OR AB "ADHD" OR AB "BEHAVIOR disorders" OR AB "BEHAVIOUR disorders" OR AB "CONDUCT disorders" OR AB "CONDUCT disorder"                              | 5 271       |
| 5.  | TI "PROBLEM children" OR TI "DEVIANT behavior" OR TI "ACTING-out" OR TI "Juvenile DELINQUENCY" OR TI "JUVENILE crime" OR TI "AUTISM" OR TI "AUTISTIC" OR TI "antisocial" OR TI "anti-social"   | 5 826       |
| 6.  | AB "PROBLEM children" OR AB "DEVIANT behavior" OR AB "ACTING-out" OR AB "Juvenile DELINQUENCY" OR AB "JUVENILE crime" OR AB "AUTISM" OR AB "AUTISTIC" OR AB "antisocial" OR AB "anti-social"   | 15 936      |
| 7.  | 1 OR 2 OR 3 OR 4 OR 5 OR 6   | 28 341      |
| Intervention:   |  |             |
| 8.  | ((DE "MOTIVATIONAL interviewing") OR (DE "BEHAVIOR therapy")) OR (DE "COGNITIVE therapy" OR DE "EXPOSURE therapy")   | 3 977       |
| 9.  | TI "CBT" OR TI "COGNITIVE therapy" OR TI "BEHAVIOUR therapy" OR TI "COGNITIVE psychotherapy" OR TI "COGNITIVE-behavior therapy" OR TI "COGNITIVE-behaviour therapy" OR TI "COGNITIVE-behavioral therapy" OR TI "COGNITIVE-behavioural therapy" OR TI "BEHAVIORAL therapy" OR TI "BEHAVIOURAL therapy" OR TI "BEHAVIOR therapy"   | 900         |
| 10.   | AB "CBT" OR AB "COGNITIVE therapy" OR AB "BEHAVIOUR therapy" OR AB "COGNITIVE psychotherapy" OR AB "COGNITIVE-behavior therapy" OR AB "COGNITIVE-behaviour therapy" OR AB "COGNITIVE-behavioral therapy" OR AB "COGNITIVE-behavioural therapy" OR AB "BEHAVIORAL therapy" OR AB "BEHAVIOURAL therapy" OR AB "BEHAVIOR therapy"   | 2 252       |
| 11.   | TI "MOTIVATIONAL counseling" OR TI "MOTIVATIONAL enhancement" OR TI "MOTIVATIONAL interviewing" OR TI "MOTIVATIONAL interview"   | 268         |
| 12.   | AB "MOTIVATIONAL counseling" OR AB "MOTIVATIONAL enhancement" OR AB "MOTIVATIONAL interviewing" OR AB "MOTIVATIONAL interview"   | 701         |
| 13.   | 8 OR 9 OR 10 OR 11 OR 12   | 5 374       |
| Final   | 7 AND 13   | 375         |

The search result, usually found at the end of the documentation, forms the list of abstracts

AB = Abstract

AU = Author

DE = Term from the thesaurus

MH = Term from the "Cinahl Headings" thesaurus

MM = Major Concept

TI = Title

TX = All Text. Performs a keyword search of all the database's searchable fields

ZC = Methodology Index

\* = Truncation

" " = Citation Marks; searches for an exact phrase



PsycINFO via ebsco.com 2017-12-18

**Antisocial behaviour and motivational interviewing/CBT Systematic reviews**

|               | Search terms   | Items found |
|---------------|--|-------------|
| Population:   |  |             |
| 1.            | DE "Antisocial Behavior" OR DE "Criminal Behavior" OR DE "Juvenile Delinquency" OR DE "Runaway Behavior" OR DE "Violence" OR DE "Behavior Disorders" OR DE "Addiction" OR DE "Drug Abuse" OR DE "Substance Use Disorder" OR DE "Acting Out" OR DE "Aggressive Behavior" OR DE "Conduct Disorder" OR DE "Autism Spectrum Disorders" OR DE "Autistic Thinking" OR DE "Attention Deficit Disorder" OR DE "Attention Deficit Disorder with Hyperactivity" OR DE "Oppositional Defiant Disorder"  | 207 471     |
| 2.            | TI ( "Criminal Behavior" OR "Juvenile Delinquency" OR "Runaway Behavior" OR "Violence" OR "Behavior Disorders" OR "Addiction" OR "Drug Abuse" OR "Substance Use Disorder" OR "Acting Out" OR "Aggressive Behavior" OR "Conduct Disorder" OR "Autism Spectrum Disorders" OR "Autistic Thinking" OR "Attention Deficit Disorder" OR "Attention Deficit Disorder with Hyperactivity" OR "Oppositional Defiant Disorder" ) OR TI "Deviant Behavior" OR TI Aspergers OR TI Autism OR TI Autistic OR TI ADHD OR TI "PROBLEM children" OR TI "DEVIANT behaviour" OR TI "antisocial" OR TI "anti-social" | 92 905      |
| 3.            | AB ( "Criminal Behavior" OR "Juvenile Delinquency" OR "Runaway Behavior" OR "Violence" OR "Behavior Disorders" OR "Addiction" OR "Drug Abuse" OR "Substance Use Disorder" OR "Acting Out" OR "Aggressive Behavior" OR "Conduct Disorder" OR "Autism Spectrum Disorders" OR "Autistic Thinking" OR "Attention Deficit Disorder" OR "Attention Deficit Disorder with Hyperactivity" OR "Oppositional Defiant Disorder" ) OR AB "Deviant Behavior" OR AB Aspergers OR AB Autism OR AB Autistic OR AB ADHD OR AB "PROBLEM children" OR AB "DEVIANT behaviour" OR AB "antisocial" OR AB "anti-social" | 202 887     |
| 4.            | 1 OR 2 OR 3  | 295 010     |
| Intervention: |  |             |
| 5.            | (DE "Motivational Interviewing") OR (DE "Cognitive Behavior Therapy" OR DE "Acceptance and Commitment Therapy")  | 19 632      |
| 6.            | TI "CBT" OR TI "COGNITIVE therapy" OR TI "BEHAVIOUR therapy" OR TI "COGNITIVE psychotherapy" OR TI "COGNITIVE-behavior therapy" OR TI "COGNITIVE-behaviour therapy" OR TI "COGNITIVE-behavioral therapy" OR TI "COGNITIVE-behavioural therapy" OR TI "BEHAVIORAL therapy" OR TI "BEHAVIOURAL therapy" OR TI "BEHAVIOR therapy"   | 12 853      |
| 7.            | AB "CBT" OR AB "COGNITIVE therapy" OR AB "BEHAVIOUR therapy" OR AB "COGNITIVE psychotherapy" OR AB "COGNITIVE-behavior therapy" OR AB "COGNITIVE-behaviour therapy" OR AB "COGNITIVE-behavioral therapy" OR AB "BEHAVIORAL therapy" OR AB "BEHAVIOURAL therapy" OR AB "BEHAVIOR therapy"   | 30 567      |
| 8.            | TI "MOTIVATIONAL counseling" OR TI "MOTIVATIONAL enhancement" OR TI "MOTIVATIONAL interviewing" OR TI "MOTIVATIONAL interview"   | 1 439       |
| 9.            | AB "MOTIVATIONAL counseling" OR AB "MOTIVATIONAL enhancement" OR AB "MOTIVATIONAL interviewing" OR AB "MOTIVATIONAL interview"   | 3 574       |
| 10.           | 5 OR 6 OR 7 OR 8 OR 9  | 41 128      |
| Study types:  |  |             |
| 11.           | DE "Meta Analysis" OR ZC "systematic review" OR ZC "meta analysis"   | 34 432      |
| 12.           | TX (systematic* N3 review*) OR TX (metaanaly* OR meta-analy* OR "meta analy*")   | 52 101      |
| 13.           | TX ((systematic* n3 bibliographic*) OR (systematic* n3 literature) OR (comprehensive* n3 literature) OR (comprehensive* n3 bibliographic*) OR (integrative n3 review) OR (information n2 synthesis) OR (data n2 synthesis) OR (data n2 extract*)) OR JN ("Cochrane Database of Systematic Reviews")  | 16 236      |
| 14.           | 11 OR 12 OR 13   | 59 516      |
| Final         | 4 AND 10 AND 14  | 206         |



Psychology and behavios via ebsco.com 2017-12-18

#### Antisocial behaviour and motivational interviewing/CBT

|               | Search terms  | Items found |
|---------------|---|-------------|
| Population:   |   |             |
| 1.            | (((((((DE "DELINQUENT behavior" OR DE "DELINQUENT behavior in children") OR (DE "BEHAVIOR disorders in children")) OR (DE "ATTENTION-deficit hyperactivity disorder" OR DE "ATTENTION-deficit disorder in adolescence" OR DE "ATTENTION-deficit disorder in adults")) OR (DE "ATTENTION-deficit-disordered youth")) OR (DE "ATTENTION-deficit-disordered children")) OR (DE "BEHAVIOR disorders in adolescence")) OR (DE "BEHAVIOR disorders in children")) OR (DE "CONDUCT disorders in children" OR DE "AGGRESSION (Psychology) in children" OR DE "JUVENILE delinquency" OR DE "JUVENILE homicide" OR DE "PYROMANIA in children") OR (DE "OPPOSITIONAL defiant disorder in children")) OR (DE "PROBLEM children")) OR (DE "PROBLEM youth" OR DE "AT-risk students")) OR (DE "AT-risk youth") | 9 569       |
| 2.            | (DE "AUTISM spectrum disorders" OR DE "ASPERGER'S syndrome" OR DE "AUTISM spectrum disorders in children") AND (DE "AUTISM" OR DE "ASPERGER'S syndrome" OR DE "AUTISM in adolescence" OR DE "AUTISM in children")   | 824         |
| 3.            | TI ( "Criminal Behavior" OR "Juvenile Delinquency" OR "Runaway Behavior" OR "Violence" OR "Behavior Disorders" OR "Addiction" OR "Drug Abuse" OR "Substance Use Disorder" OR "Acting Out" OR "Aggressive Behavior" OR "Conduct Disorder" OR "Autism Spectrum Disorders" OR "Autistic Thinking" OR "Attention Deficit Disorder" OR "Attention Deficit Disorder with Hyperactivity" OR "Oppositional Defiant Disorder" ) OR TI "Deviant Behavior" OR TI Aspergers OR TI Autism OR TI Autistic OR TI ADHD OR TI "PROBLEM children" OR TI "DEVIANT behaviour" OR TI "antisocial" OR TI "anti-social"  | 18 287      |
| 4.            | AB ( "Criminal Behavior" OR "Juvenile Delinquency" OR "Runaway Behavior" OR "Violence" OR "Behavior Disorders" OR "Addiction" OR "Drug Abuse" OR "Substance Use Disorder" OR "Acting Out" OR "Aggressive Behavior" OR "Conduct Disorder" OR "Autism Spectrum Disorders" OR "Autistic Thinking" OR "Attention Deficit Disorder" OR "Attention Deficit Disorder with Hyperactivity" OR "Oppositional Defiant Disorder" ) OR AB "Deviant Behavior" OR AB Aspergers OR AB Autism OR AB Autistic OR AB ADHD OR AB "PROBLEM children" OR AB "DEVIANT behaviour" OR AB "antisocial" OR AB "anti-social"  | 36 658      |
| 5.            | 1 OR 2 OR 3 OR 4  | 42 852      |
| Intervention: |   |             |
| 6.            | ((DE "MOTIVATIONAL interviewing") AND (DE "BEHAVIOR therapy" OR DE "ACCEPTANCE & commitment therapy" OR DE "BEHAVIOR therapy for children")) OR (DE "COGNITIVE therapy")  | 3 656       |
| 7.            | TI "CBT" OR TI "COGNITIVE therapy" OR TI "BEHAVIOUR therapy" OR TI "COGNITIVE psychotherapy" OR TI "COGNITIVE-behavior therapy" OR TI "COGNITIVE-behaviour therapy" OR TI "COGNITIVE-behavioral therapy" OR TI "COGNITIVE-behavioural therapy" OR TI "BEHAVIORAL therapy" OR TI "BEHAVIOURAL therapy" OR TI "BEHAVIOR therapy"  | 1 990       |
| 8.            | AB "CBT" OR AB "COGNITIVE therapy" OR AB "BEHAVIOUR therapy" OR AB "COGNITIVE psychotherapy" OR AB "COGNITIVE-behavior therapy" OR AB "COGNITIVE-behaviour therapy" OR AB "COGNITIVE-behavioral therapy" OR AB "COGNITIVE-behavioural therapy" OR AB "BEHAVIORAL therapy" OR AB "BEHAVIOURAL therapy" OR AB "BEHAVIOR therapy"  | 4 621       |
| 9.            | TI "MOTIVATIONAL counseling" OR TI "MOTIVATIONAL enhancement" OR TI "MOTIVATIONAL interviewing" OR TI "MOTIVATIONAL interview"  | 275         |
| 10.           | AB "MOTIVATIONAL counseling" OR AB "MOTIVATIONAL enhancement" OR AB "MOTIVATIONAL interviewing" OR AB "MOTIVATIONAL interview"  | 633         |
| 11.           | 6 OR 7 OR 8 OR 9 OR 10  | 6 816       |
| Final         | 5 AND 11  | 471         |



| ASSIA via ProQuest 2018-02-02<br>Antisocial behaviour and motivational interviewing/CBT |  |             |
|---|--|-------------|
|   | Search terms   | Items found |
| Population:   |  |             |
| 1.  | (MAINSUBJECT.EXACT("Aggression") OR MAINSUBJECT.EXACT("Antisocial behaviour")) OR (MAINSUBJECT.EXACT("Conduct disorders") OR MAINSUBJECT.EXACT("Attention deficit hyperactivity disorder") OR MAINSUBJECT.EXACT("Oppositional defiant disorder") OR MAINSUBJECT.EXACT("Behaviour disorders") OR MAINSUBJECT.EXACT("Disruptive behaviour disorders") OR MAINSUBJECT.EXACT("Attention deficit disorder")) OR MAINSUBJECT.EXACT.EXPLODE("Autism") | 18 503      |
| 2.  | ab("DELINQUENT behavior") OR ab("DELINQUENT behaviour") OR ab("BEHAVIOR disorder") OR ab("BEHAVIOUR disorder") OR ab("BEHAVIOR disorders") OR ab("BEHAVIOUR disorders") OR ab("ATTENTION-deficit hyperactivity disorder") OR ab("adhd") OR ab("BEHAVIOR disorders") OR ab("BEHAVIOUR disorders")   | 9 321       |
| 3.  | ti("DELINQUENT behavior") OR ti("DELINQUENT behaviour") OR ti("BEHAVIOR disorder") OR ti("BEHAVIOUR disorder") OR ti("BEHAVIOR disorders") OR ti("BEHAVIOUR disorders") OR ti("ATTENTION-deficit hyperactivity disorder") OR ti("adhd") OR ti("BEHAVIOR disorders") OR ti("BEHAVIOUR disorders")   | 6 054       |
| 4.  | ti("CONDUCT disorders") OR ti("CONDUCT disorder") OR ti("PROBLEM children") OR ti("DEVIANT behavior") OR ti("anti-social") OR ti("Juvenile DELINQUENCY") OR ti("JUVENILE crime") OR ti("AUTISM") OR ti("AUTISTIC") OR ti("antisocial")   | 13 530      |
| 5.  | ab("CONDUCT disorders") OR ab("CONDUCT disorder") OR ab("PROBLEM children") OR ab("DEVIANT behavior") OR ab("anti-social") OR ab("Juvenile DELINQUENCY") OR ab("JUVENILE crime") OR ab("AUTISM") OR ab("AUTISTIC") OR ab("antisocial")   | 20 000      |
| 6.  | 1 OR 2 OR 3 OR 4 OR 5  | 35 348      |
| Intervention:   |  |             |
| 7.  | MAINSUBJECT.EXACT.EXPLODE("Motivational interviewing") OR MAINSUBJECT.EXACT.EXPLODE("Cognitive behaviour therapy")   |             |
| 8.  | ab("CBT") OR ab("COGNITIVE behavior therapy") OR ab("COGNITIVE behaviour therapy") OR ab("COGNITIVE psychotherapy") OR ab("COGNITIVE-behavior therapy") OR ab("COGNITIVE-behaviour therapy") OR ab("COGNITIVE-behavioral therapy") OR ab("COGNITIVE-behavioural therapy") OR ab("BEHAVIORAL therapy") OR ab("BEHAVIOURAL therapy")   |             |
| 9.  | ti("CBT") OR ti("COGNITIVE behavior therapy") OR ti("COGNITIVE behaviour therapy") OR ti("COGNITIVE psychotherapy") OR ti("COGNITIVE-behavior therapy") OR ti("COGNITIVE-behaviour therapy") OR ti("COGNITIVE-behavioral therapy") OR ti("COGNITIVE-behavioural therapy") OR ti("BEHAVIORAL therapy") OR ti("BEHAVIOURAL therapy")   |             |
| 10.   | ti("BEHAVIOR therapy") OR ti("BEHAVIOUR therapy") OR ti("COGNITIVE therapy") OR ti("MOTIVATIONAL counseling") OR ti("MOTIVATIONAL enhancement") OR ti("MOTIVATIONAL interviewing") OR ti("MOTIVATIONAL interview")   |             |
| 11.   | ab("BEHAVIOR therapy") OR ab("BEHAVIOUR therapy") OR ab("COGNITIVE therapy") OR ab("MOTIVATIONAL counseling") OR ab("MOTIVATIONAL enhancement") OR ab("MOTIVATIONAL interviewing") OR ab("MOTIVATIONAL interview")   |             |
| 12.   | 7 OR 8 OR 9 OR 10 OR 11  | 10 072      |
| Final   | 6 AND 12   | 440/332     |

AB = Abstract

AF = Author affiliation

All = Performs a keyword search in most of the database's searchable fields, except full text

AU = Author

SU.EXACT = Term from the Sociological thesaurus

SU.EXACT.EXPLODE = Includes terms found below this term in the Sociological thesaurus

TI = Title

\* = Truncation

“ “ = Citation Marks; searches for an exact phrase

? = Wildcard, used to replace any single character either inside or at the right end of a word



Sociological Abstracts via ProQuest 2018-02-02  
**Antisocial behaviour and motivational interviewing/CBT**

|               | <b>Search terms</b>  | <b>Items found</b> |
|---------------|--|--------------------|
| Population:   |  |                    |
| 1.            | MAINSUBJECT.EXACT("Deviant Behavior") OR (MAINSUBJECT.EXACT("Aggression") OR MAINSUBJECT.EXACT("Deviant Behavior") OR MAINSUBJECT.EXACT("Behavior Problems") OR MAINSUBJECT.EXACT("Attention Deficit Disorder")) OR MAINSUBJECT.EXACT("Autism")  |                    |
| 2.            | ab("DELINQUENT behavior") OR ab("DELINQUENT behaviour") OR ab("BEHAVIOR disorder") OR ab("BEHAVIOUR disorder") OR ab("BEHAVIOR disorders") OR ab("BEHAVIOUR disorders") OR ab("ATTENTION-deficit hyperactivity disorder") OR ab("adhd")  |                    |
| 3.            | ti("DELINQUENT behavior") OR ti("DELINQUENT behaviour") OR ti("BEHAVIOR disorder") OR ti("BEHAVIOUR disorder") OR ti("BEHAVIOR disorders") OR ti("BEHAVIOUR disorders") OR ti("ATTENTION-deficit hyperactivity disorder") OR ti("adhd")  |                    |
| 4.            | ti("CONDUCT disorders") OR ti("CONDUCT disorder") OR ti("PROBLEM children") OR ti("DEVIANT behavior") OR ti("anti-social") OR ti("Juvenile DELINQUENCY") OR ti("JUVENILE crime") OR ti("AUTISM") OR ti("AUTISTIC") OR ti("antisocial")   |                    |
| 5.            | ab("CONDUCT disorders") OR ab("CONDUCT disorder") OR ab("PROBLEM children") OR ab("DEVIANT behavior") OR ab("anti-social") OR ab("Juvenile DELINQUENCY") OR ab("JUVENILE crime") OR ab("AUTISM") OR ab("AUTISTIC") OR ab("antisocial")   |                    |
| 6.            | 1 OR 2 OR 3 OR 4 OR 5  | 26 036             |
| Intervention: |  |                    |
| 7.            | MAINSUBJECT.EXACT.EXPLODE("Behavior Modification")   |                    |
| 8.            | ab("CBT") OR ab("COGNITIVE behavior therapy") OR ab("COGNITIVE behaviour therapy") OR ab("COGNITIVE psychotherapy") OR ab("COGNITIVE-behavior therapy") OR ab("COGNITIVE-behaviour therapy") OR ab("COGNITIVE-behavioral therapy") OR ab("COGNITIVE-behavioural therapy") OR ab("BEHAVIORAL therapy") OR ab("BEHAVIOURAL therapy") |                    |
| 9.            | ti("CBT") OR ti("COGNITIVE behavior therapy") OR ti("COGNITIVE behaviour therapy") OR ti("COGNITIVE psychotherapy") OR ti("COGNITIVE-behavior therapy") OR ti("COGNITIVE-behaviour therapy") OR ti("COGNITIVE-behavioral therapy") OR ti("COGNITIVE-behavioural therapy") OR ti("BEHAVIORAL therapy") OR ti("BEHAVIOURAL therapy") |                    |
| 10.           | ti("BEHAVIOR therapy") OR ti("BEHAVIOUR therapy") OR ti("COGNITIVE therapy") OR ti("MOTIVATIONAL counseling") OR ti("MOTIVATIONAL enhancement") OR ti("MOTIVATIONAL interviewing") OR ti("MOTIVATIONAL interview")   |                    |
| 11.           | ab("BEHAVIOR therapy") OR ab("BEHAVIOUR therapy") OR ab("COGNITIVE therapy") OR ab("MOTIVATIONAL counseling") OR ab("MOTIVATIONAL enhancement") OR ab("MOTIVATIONAL interviewing") OR ab("MOTIVATIONAL interview")   |                    |
| 12.           | 7 OR 8 OR 9 OR 10 OR 11  | 4 850              |
| Final         | 6 AND 12   | 399                |

AB = Abstract

AF = Author affiliation

All = Performs a keyword search in most of the database's searchable fields, except full text

AU = Author

SU.EXACT = Term from the Sociological thesaurus

SU.EXACT.EXPLODE = Includes terms found below this term in the Sociological thesaurus

TI = Title

\* = Truncation

" " = Citation Marks; searches for an exact phrase

? = Wildcard, used to replace any single character either inside or at the right end of a word