



**Bilaga 5 Översikt över
resultat och kunskapsluckor
SBU Utvärderar: Diagnostik
och behandling av
provocerad
vulvodyni/Diagnostics and
treatment of provoked
vestibulodynia**

Rapport nr: 326

Tabell 1 Översikt över resultat och kunskapsluckor.

Typ av behandling	Intervention	Kontrollgrupp	Antal studier	Referens	Samlags-smärta	Smärta vid tryck	Sexuell funktion	Livskvalitet	Psykisk ohälsa	Biverkningar
Läkemedel peroralt	Gabapentin	Placebo	1 RCT	[1, 2]	⊕000	⊕000	⊕000	-	-	X
	Desipramin	Placebo	1 RCT	[3]	⊕000	⊕000	⊕000	-	⊕000	X
	Desipramin + lidokain	Placebo	1 RCT	[3]	⊕000	⊕000	⊕000	-	⊕000	X
	Palmitoyletanolamid + transpolydatin	Placebo	1 RCT	[4]	⊕000	-	-	-	-	X
Läkemedel topiskt	Nifedipin	Placebo	1 NRSI	[5]	⊕000	⊕000	-	-	-	X
	Fibroblastlysat	Placebo	1 RCT	[6]	⊕000	⊕000	-	-	-	X
	Lidokain	Placebo	1 RCT	[3]	⊕000	⊕000	⊕000	-	⊕000	X
	Östrogen	Placebo	1 RCT	[7]	⊕000	-	⊕000	-	-	X
	Diazepam	Placebo	1 RCT	[8]	⊕000	-	-	-	-	X
	Natriumkromoglikat	Placebo	1 RCT	[9]	⊕000	-	-	-	-	X
Läkemedel injektion	Botulinumtoxin	Placebo	3 RCT	[10-12]	⊕000	⊕000	⊕000	-	-	X
	Enoxaparin subkutant	Placebo	1 RCT	[13]	⊕000	⊕000	-	-	-	X
Fysioterapi	EMG biofeedback	Lidokain	1 RCT	[14]	⊕000	⊕000	⊕000	⊕000	-	X
	Traditionell akupunktur	Icke-traditionell akupunktur	1 RCT	[15]	⊕000	⊕000	-	-	-	X
	Fysioterapi kombinerad	Lidokain	1 RCT	[16]	⊕⊕00*	-	⊕⊕00*	-	-	X
	TENS vaginalt	Simulerad behandling	1 RCT	[17]	⊕000	-	⊕000	-	-	-
Psykologisk behandling	KBT i grupp	Hydrokortison	1 RCT	[18]	⊕000	⊕000	⊕000	-	-	-
	KBT i grupp	Biofeedback och vestibulektomi (3-arm)	1 RCT	[19, 20]	⊕000	-	⊕000	-	-	-
	Mindfulnessbaserad kognitiv terapi	KBT	1 NRSI	[21, 22]	⊕000	⊕000	⊕000	-	-	-
	KBT	Fysioterapi	1 RCT	[23]	⊕000	⊕000	⊕000	-	-	-
	Mindfulnessbaserad KBT	Utbildning och stöd	1 RCT	[24]		⊕000	⊕000	-	⊕000	-
Övriga behandlingsmetoder	Lågeffektlasrar	Simulerad behandling	1 RCT	[25]	⊕000	⊕000	⊕000	-	-	X
	Transkraniell elektrisk stimulering	Simulerad behandling	1 RCT	[26]	⊕000	⊕000	-	-	⊕000	X
	Stötvågsbehandling	Simulerad behandling	1 RCT	[27]	⊕000	⊕000	⊕000	-	-	X

KBT = Kognitiv beteendeterapi, NRSI = Icke-randomiserad studie med kontrollgrupp, RCT = randomiserad kontrollerad studie, TENS = Transkutan elektrisk nervstimulering

⊕○○○ = Resultatet har mycket låg tillförlitlighet (kunskapslucka enligt SBU:s definition)

⊕⊕○○ = Resultatet har låg tillförlitlighet

– = Det saknas studier som har undersökt utfallsmåttet (kunskapslucka enligt SBU:s definition)

X = Det finns studier som har undersökt utfallsmåttet men resultatets tillförlitlighet är inte bedömt

*Resultatet var till fördel för interventionen.

Referenser

1. Bachmann GA, Brown CS, Phillips NA, Rawlinson LA, Yu X, Wood R, et al. Effect of gabapentin on sexual function in Vulvodynia: A randomized, placebo-controlled trial. *Obstetrical and Gynecological Survey*. 2019;74(2):82-83. Available from: <https://doi.org/10.1016/j.ajog.2018.10.021>.
2. Brown CS, Bachmann GA, Wan J, Foster DC, Gabapentin Study G. Gabapentin for the Treatment of Vulvodynia: A Randomized Controlled Trial. *Obstetrics & Gynecology*. 2018;131(6):1000-07. Available from: <https://doi.org/10.1097/AOG.0000000000002617>.
3. Foster DC, Kotok MB, Huang LS, Watts A, Oakes D, Howard FM, et al. Oral desipramine and topical lidocaine for vulvodynia: a randomized controlled trial. *Obstetrics & Gynecology*. 2010;116(3):583-93. Available from: <https://doi.org/10.1097/AOG.0b013e3181e9e0ab>.
4. Murina F, Graziottin A, Felice R, Radici G, Tognocchi C. Vestibulodynia: synergy between palmitoylethanolamide + transpolydatin and transcutaneous electrical nerve stimulation. *Journal of Lower Genital Tract Disease*. 2013;17(2):111-16. Available from: <https://doi.org/10.1097/LGT.0b013e3182652316>.
5. Bornstein J, Tuma R, Farajun Y, Azran A, Zarfati D. Topical nifedipine for the treatment of localized provoked vulvodynia: a placebo-controlled study. *Journal of Pain*. 2010;11(12):1403-09. Available from: <https://doi.org/10.1016/j.jpain.2010.03.016>.
6. Donders GG, Bellen G. Cream with cutaneous fibroblast lysate for the treatment of provoked vestibulodynia: a double-blind randomized placebo-controlled crossover study. *Journal of Lower Genital Tract Disease*. 2012;16(4):427-36. Available from: <https://doi.org/10.1097/LGT.0b013e31825a2274>.
7. Langlais EL, Lefebvre J, Maheux-Lacroix S, Bujold E, Fortier M, Bouchard C. Treatment of Secondary Vestibulodynia with Conjugated Estrogen Cream: A Pilot, Double-Blind, Randomized Placebo-Controlled Trial. *Journal of Obstetrics & Gynaecology Canada: JOGC*. 2017;39(6):453-58. Available from: <https://doi.org/10.1016/j.jogc.2016.10.011>.
8. Murina F, Felice R, Di Francesco S, Oneda S. Vaginal diazepam plus transcutaneous electrical nerve stimulation to treat vestibulodynia: A randomized controlled trial. *European Journal of Obstetrics, Gynecology, & Reproductive Biology*. 2018;228:148-53. Available from: <https://doi.org/10.1016/j.ejogrb.2018.06.026>.
9. Nyirjesy P, Sobel JD, Weitz MV, Leaman DJ, Small MJ, Gelone SP. Cromolyn cream for recalcitrant idiopathic vulvar vestibulitis: results of a placebo controlled study. *Sexually Transmitted Infections*. 2001;77(1):53-57. Available from: <https://doi.org/10.1136/sti.77.1.53>.
10. Diomande I, Gabriel N, Kashiwagi M, Ghisu GP, Welter J, Fink D, et al. Subcutaneous botulinum toxin type A injections for provoked vestibulodynia: a randomized placebo-controlled trial and exploratory subanalysis. *Archives of Gynecology & Obstetrics*. 2019;299(4):993-1000. Available from: <https://doi.org/10.1007/s00404-019-05043-w>.
11. Haraldson P, Muhlrads H, Hedding U, Nilsson K, Bohm-Starke N. Botulinum Toxin A as a Treatment for Provoked Vestibulodynia: A Randomized Controlled Trial. *Obstet Gynecol*. 2020;136(3):524-32. Available from: <https://doi.org/10.1097/AOG.0000000000004008>.
12. Petersen CD, Giraldo A, Lundvall L, Kristensen E. Botulinum toxin type A—a novel treatment for provoked vestibulodynia? Results from a randomized, placebo controlled, double blinded study. *Journal of Sexual Medicine*. 2009;6(9):2523-37. Available from: <https://doi.org/10.1111/j.1743-6109.2009.01378.x>.
13. Farajun Y, Zarfati D, Abramov L, Livoff A, Bornstein J. Enoxaparin treatment for vulvodynia: a randomized controlled trial. *Obstetrics & Gynecology*. 2012;120(3):565-72. Available from: <https://doi.org/10.1097/AOG.0b013e3182657de6>.
14. Danielsson I, Torstensson T, Brodda-Jansen G, Bohm-Starke N. EMG biofeedback versus topical lidocaine gel: a randomized study for the treatment of women with vulvar vestibulitis.

- Acta Obstetricia et Gynecologica Scandinavica. 2006;85(11):1360-67. Available from: <https://doi.org/10.1080/00016340600883401>.
15. Hullender Rubin LE, Mist SD, Schnyer RN, Chao MT, Leclair CM. Acupuncture Augmentation of Lidocaine for Provoked, Localized Vulvodynia: A Feasibility and Acceptability Study. *Journal of Lower Genital Tract Disease*. 2019;23(4):279-86. Available from: <https://doi.org/10.1097/LGT.0000000000000489>.
 16. Morin M, Dumoulin C, Bergeron S, Mayrand MH, Khalife S, Waddell G, et al. Multimodal physical therapy versus topical lidocaine for provoked vestibulodynia: a prospective, multicenter, randomized trial. *American Journal of Obstetrics & Gynecology*. 2020;18:18. Available from: <https://doi.org/https://dx.doi.org/10.1016/j.ajog.2020.08.038>.
 17. Murina F, Bianco V, Radici G, Felice R, Di Martino M, Nicolini U. Transcutaneous electrical nerve stimulation to treat vestibulodynia: a randomised controlled trial. *BJOG: An International Journal of Obstetrics & Gynaecology*. 2008;115(9):1165-70. Available from: <https://doi.org/10.1111/j.1471-0528.2008.01803.x>.
 18. Bergeron S, Khalife S, Dupuis MJ, McDuff P. A randomized clinical trial comparing group cognitive-behavioral therapy and a topical steroid for women with dyspareunia. *Journal of Consulting & Clinical Psychology*. 2016;84(3):259-68. Available from: <https://doi.org/10.1037/ccp0000072>.
 19. Bergeron S, Binik YM, Khalife S, Pagidas K, Glazer HI, Meana M, et al. A randomized comparison of group cognitive--behavioral therapy, surface electromyographic biofeedback, and vestibulectomy in the treatment of dyspareunia resulting from vulvar vestibulitis. *Pain*. 2001;91(3):297-306.
 20. Bergeron S, Khalife S, Glazer HI, Binik YM. Surgical and behavioral treatments for vestibulodynia: two-and-one-half year follow-up and predictors of outcome. *Obstetrics & Gynecology*. 2008;111(1):159-66. Available from: <https://doi.org/10.1097/01.AOG.0000295864.76032.a7>.
 21. Brotto LA, Bergeron S, Zdaniuk B, Basson R. Mindfulness and cognitive behavior therapy for provoked vestibulodynia: Mediators of treatment outcome and long-term effects. *Journal of Consulting & Clinical Psychology*. 2020;88(1):48-64.
 22. Brotto LA, Bergeron S, Zdaniuk B, Driscoll M, Grabovac A, Sadownik LA, et al. A Comparison of Mindfulness-Based Cognitive Therapy Vs Cognitive Behavioral Therapy for the Treatment of Provoked Vestibulodynia in a Hospital Clinic Setting. *Journal of Sexual Medicine*. 2019;16(6):909-23. Available from: <https://doi.org/10.1016/j.jsxm.2019.04.002>.
 23. Goldfinger C, Pukall CF, Thibault-Gagnon S, McLean L, Chamberlain S. Effectiveness of Cognitive-Behavioral Therapy and Physical Therapy for Provoked Vestibulodynia: A Randomized Pilot Study. *Journal of Sexual Medicine*. 2016;13(1):88-94. Available from: <https://doi.org/10.1016/j.jsxm.2015.12.003>.
 24. Guillet AD, Cirino NH, Hart KD, Leclair CM. Mindfulness-Based Group Cognitive Behavior Therapy for Provoked Localized Vulvodynia: A Randomized Controlled Trial. *Journal of Lower Genital Tract Disease*. 2019;23(2):170-75. Available from: <https://doi.org/10.1097/LGT.0000000000000456>.
 25. Lev-Sagie A, Kopitman A, Brzezinski A. Low-Level Laser Therapy for the Treatment of Provoked Vestibulodynia-A Randomized, Placebo-Controlled Pilot Trial. *Journal of Sexual Medicine*. 2017;14(11):1403-11. Available from: <https://doi.org/10.1016/j.jsxm.2017.09.004>.
 26. Morin A, Leonard G, Gougeon V, Cyr MP, Waddell G, Bureau YA, et al. Efficacy of transcranial direct-current stimulation in women with provoked vestibulodynia. *American Journal of Obstetrics & Gynecology*. 2017;216(6):584.e81-84.e11.
 27. Gruenwald I, Gutzeit O, Petrusseva A, Gartman I, Lowenstein L. Low-Intensity Shockwave for Treatment of Vestibulodynia: A Randomized Controlled Therapy Trial. *Journal of Sexual Medicine*. 2021;05:05. Available from: <https://doi.org/https://dx.doi.org/10.1016/j.jsxm.2020.11.006>.