## Bilaga till rapport



Behandling av hetsätningsstörning, rapport 248 (2016)

## Bilaga 2 Exkluderade studier

Följande studier uppfyller inte våra urvalskriterier och är därför exkluderade

- 1. Antiepileptic drugs are an emerging option in the management of some eating disorders AUTHOR ADDRESSES SOURCE Drugs and Therapy Perspectives (2009) 25:9 (9-12). Date of Publication: 2009.0.
- 2. Position of the American Dietetic Association: Nutrition intervention in the treatment of anorexia nervosa, bulimia nervosa, and other eating disorders. AUTHOR ADDRESSES SOURCE Journal of the American Dietetic Association (2006) 106:12 (2073-2082). Date of Publication: Dec 2006.0.
- 3. The following abstracts were presented as posters at the 2014 NEI Psychopharmacology Congress. CNS spectrums. 2015;20:61-92.
- 4. Abiles V, Rodriguez-Ruiz S, Abiles J, Obispo A, Gandara N, Luna V, et al. Effectiveness of cognitive-behavioral therapy in morbidity obese candidates for bariatric surgery with and without binge eating disorder. Nutricion hospitalaria. 2013;28:1523-9.
- 5. Adriaens A, Pieters G, Vancampfort D, Probst M, Vanderlinden J. A cognitive-behavioural program (one day a week) for patients with obesity and binge eating disorder: Short-term follow-up data. Psihologijske Teme. 2008;17:361-72.
- 6. Agras WS, Telch CF, Arnow B, Eldredge K, Detzer MJ, Henderson J, et al. Does interpersonal therapy help patients with binge eating disorder who fail to respond to cognitive-behavioral therapy? J Consult Clin Psychol. 1995;63:356-60.
- 7. Agras WS, Telch CF, Arnow B, Eldredge K, Marnell M. One-year follow-up of cognitive-behavioral therapy for obese individuals with binge eating disorder. J Consult Clin Psychol. 1997;65:343-7.
- 8. Aguera Z, Riesco N, Jimenez-Murcia S, Islam MA, Granero R, Vicente E, et al. Cognitive behaviour therapy response and dropout rate across purging and nonpurging bulimia nervosa and binge eating disorder: DSM-5 implications. BMC Psychiatry. 2013;13:285.
- 9. Alger SA, Schwalberg MD, Bigaouette JM, Michalek AV, Howard LJ. Effect of a tricyclic antidepressant and opiate antagonist on binge-eating behavior in normoweight bulimic and obese, binge-eating subjects. American journal of clinical nutrition. 1991;53:865-71.
- 10. Alger-Mayer S, Rosati C, Polimeni JM, Malone M. Preoperative binge eating status and gastric bypass surgery: A long-term outcome study. Obesity surgery. 2009;19:139-45.
- 11. Allison KC, Studt SK, Berkowitz RI, Hesson LA, Moore RH, Dubroff JG, et al. An open-label efficacy trial of escitalopram for night eating syndrome. Eating Behaviors. 2013;14:199-203.
- 12. Appolinario JC, Bacaltchuk J, Sichieri R, Claudino AM, Godoy-Matos A, Morgan C, et al. A randomized, double-blind, placebo-controlled study of sibutramine in the treatment of binge-eating disorder. Archives of general psychiatry. 2003;60:1109-16.

- 13. Appolinario JC, Coutinho W, Fontenelle L. Topiramate for binge-eating disorder. The American journal of psychiatry. 2001;158(6):967-8.
- 14. Appolinario JC, Fontenelle LF, Papelbaum M, Bueno JR, Coutinho W. Topiramate use in obese patients with binge eating disorder: an open study. Canadian journal of psychiatry Revue canadienne de psychiatrie. 2002;47:271-3.
- 15. Appolinario JC, Godoy-Matos A, Fontenelle LF, Carraro L, Cabral M, Vieira A, et al. An open-label trial of sibutramine in obese patients with binge-eating disorder. The Journal of clinical psychiatry. 2002;63:28-30.
- 16. Aragona M, Pucci D, Balbi A. [Integrated day-hospital treatment in subjects with overeating disorders]. Rivista di psichiatria. 2013;48:315-20.
- 17. Balestrieri M, Isola M, Baiano M, Ciano R. Psychoeducation in Binge Eating Disorder and EDNOS: a pilot study on the efficacy of a 10-week and a 1-year continuation treatment. Eating and weight disorders: EWD. 2013;18:45-51.
- 18. Banasiak SJ, Paxton SJ, Hay P. Guided self-help for bulimia nervosa in primary care: a randomized controlled trial. Psychological medicine. 2005;35:1283-94.
- 19. Barnes RD, White MA, Martino S, Grilo CM. A randomized controlled trial comparing scalable weight loss treatments in primary care. Obesity (Silver Spring, Md). 2014;22:2508-16.
- 20. Bauer C, Fischer A, Keller U. Effect of sibutramine and of cognitive-behavioural weight loss therapy in obesity and subclinical binge eating disorder. Diabetes, obesity & metabolism. 2006;8:289-95.
- 21. Birchall H. Interpersonal psychotherapy in the treatment of eating disorders. European Eating Disorders Review. 1999;7:315-20.
- 22. Blom TJ, Mingione CJ, Guerdjikova AI, Keck PE, Jr., Welge JA, McElroy SL. Placebo response in binge eating disorder: a pooled analysis of 10 clinical trials from one research group. European eating disorders review: the journal of the Eating Disorders Association. 2014;22:140-6.
- 23. Blomquist KK, Grilo CM. Predictive significance of changes in dietary restraint in obese patients with binge eating disorder during treatment. The International journal of eating disorders. 2011;44:515-23.
- 24. Boan J, Kolotkin RL, Westman EC, McMahon RL, Grant JP. Binge eating, quality of life and physical activity improve after Roux-en-Y gastric bypass for morbid obesity. Obesity surgery. 2004;14:341-8.
- 25. Boutelle KN, Zucker NL, Peterson CB, Rydell SA, Cafri G, Harnack L. Two novel treatments to reduce overeating in overweight children: A randomized controlled trial. Journal of Consulting and Clinical Psychology S2- Journal of Consulting Psychology. 2011;79:759-71.
- 26. Brauhardt A, de Zwaan M, Herpertz S, Zipfel S, Svaldi J, Friederich HC, et al. Therapist adherence in cognitive-behavioral therapy for binge-eating disorder. Psychotherapeut. 2015;60(3):199-204.
- 27. Brennan BP, Roberts JL, Fogarty KV, Reynolds KA, Jonas JM, Hudson JI. Memantine in the treatment of binge eating disorder: an open-label, prospective trial. The International journal of eating disorders. 2008;41:520-6.

- 28. Brownley KA, Berkman ND, Sedway JA, Lohr KN, Bulik CM. Binge eating disorder treatment: a systematic review of randomized controlled trials. The International journal of eating disorders. 2007;40:337-48.
- 29. Busetto L, Pisent C, Segato G, De Marchi F, Favretti F, Lise M, et al. The influence of a new timing strategy of band adjustment on the vomiting frequency and the food consumption of obese women operated with laparoscopic adjustable silicone gastric banding (LAP-BAND). Obesity surgery. 1997;7:505-12.
- 30. Calandra C, Russo RG, Luca M. Bupropion versus sertraline in the treatment of depressive patients with binge eating disorder: retrospective cohort study. The Psychiatric quarterly. 2012;83:177-85.
- 31. Carter JC, Kelly AC. Autonomous and controlled motivation for eating disorders treatment: Baseline predictors and relationship to treatment outcome. British Journal of Clinical Psychology S2- British Journal of Social & Clinical Psychology. 2015;54:76-90.
- 32. Castellini G, Mannucci E, Lo Sauro C, Benni L, Lazzeretti L, Ravaldi C, et al. Different moderators of cognitive-behavioral therapy on subjective and objective binge eating in bulimia nervosa and binge eating disorder: a three-year follow-up study. Psychotherapy and psychosomatics. 2012;81:11-20.
- 33. Castelnuovo G, Manzoni GM, Villa V, Cesa GL, Pietrabissa G, Molinari E. The STRATOB study: design of a randomized controlled clinical trial of Cognitive Behavioral Therapy and Brief Strategic Therapy with telecare in patients with obesity and binge-eating disorder referred to residential nutritional rehabilitation. Trials. 2011;12:114.
- 34. Castonguay LG, Pincus AL, Agras WS, Hines CE, III. The role of emotion in group cognitive-behavioral therapy for binge eating disorder: When things have to feel worse before they get better. Psychotherapy Research. 1998;8:225-38.
- 35. Cesa GL, Manzoni GM, Bacchetta M, Castelnuovo G, Conti S, Gaggioli A, et al. Virtual reality for enhancing the cognitive behavioral treatment of obesity with binge eating disorder: Randomized controlled study with one-year follow-up. Journal of medical Internet research. 2013;15:139-51.
- 36. Chen EY, Matthews L, Allen C, Kuo JR, Linehan MM. Dialectical behavior therapy for clients with binge-eating disorder or bulimia nervosa and borderline personality disorder. The International journal of eating disorders. 2008;41:505-12.
- 37. Choudhary S, Thapa K. Dialectical behavior therapy for managing interpersonal relationships. Psychological Studies. 2012;57:46-54.
- 38. Compare A, Callus E, Grossi E. Mindfulness trait, eating behaviours and body uneasiness: a case-control study of binge eating disorder. Eating and weight disorders: EWD. 2012;17:e244-51.
- 39. Crow SJ. Group interpersonal psychotherapy may be as effective as group cognitive behavioural therapy for overweight people with binge eating disorder. Evidence-based mental health. 2003;6(2):56.

- 40. Dalle Grave R, Calugi S, Petroni ML, Di Domizio S, Marchesini G. Weight management, psychological distress and binge eating in obesity. A reappraisal of the problem. Appetite. 2010;54:269-73.
- 41. Davidsen AH, Poulsen S, Waaddegaard M, Lindschou J, Lau M. Feedback versus no feedback in improving patient outcome in group psychotherapy for eating disorders (F-EAT): protocol for a randomized clinical trial. Trials. 2014;15:138.
- 42. de Zwaan M, Herpertz S, Zipfel S, Tuschen-Caffier B, Friederich HC, Schmidt F, et al. INTERBED: internet-based guided self-help for overweight and obese patients with full or subsyndromal binge eating disorder. A multicenter randomized controlled trial. Trials. 2012;13:220.
- 43. DeBar LL, Striegel-Moore RH, Wilson GT, Perrin N, Yarborough BJ, Dickerson J, et al. Guided self-help treatment for recurrent binge eating: replication and extension. Psychiatric services (Washington, DC). 2011;62:367-73.
- 44. DeBar LL, Wilson GT, Yarborough BJ, Burns B, Oyler B, Hildebrandt T, et al. Cognitive Behavioral Treatment for Recurrent Binge Eating in Adolescent Girls: A Pilot Trial. Cognitive and behavioral practice. 2013;20:147-61.
- 45. Devlin MJ, Goldfein JA, Carino JS, Wolk SL. Open treatment of overweight binge eaters with phentermine and fluoxetine as an adjunct to cognitive-behavioral therapy. The International journal of eating disorders. 2000;28:325-32.
- 46. Doggrell SA. New indications for topiramate: alcohol dependency and binge-eating disorder. Expert opinion on pharmacotherapy. 2008;9:869-73.
- 47. Duchesne M, Appolinario JC, Range BP, Fandino J, Moya T, Freitas SR. The use of a manual-driven group cognitive behavior therapy in a Brazilian sample of obese individuals with binge-eating disorder. Revista brasileira de psiquiatria (Sao Paulo, Brazil: 1999). 2007;29:23-5.
- 48. Dunn EC, Neighbors C, Larimer ME. Motivational enhancement therapy and self-help treatment for binge eaters. Psychology of addictive behaviors: journal of the Society of Psychologists in Addictive Behaviors. 2006;20:44-52.
- 49. Eldredge KL, Stewart Agras W, Arnow B, Telch CF, Bell S, Castonguay L, et al. The effects of extending cognitive-behavioral therapy for binge eating disorder among initial treatment nonresponders. The International journal of eating disorders. 1997;21:347-52.
- 50. Fairburn CG, Bailey-Straebler S, Basden S, Doll HA, Jones R, Murphy R, et al. A transdiagnostic comparison of enhanced cognitive behaviour therapy (CBT-E) and interpersonal psychotherapy in the treatment of eating disorders. Behav Res Ther. 2015;70:64-71.
- 51. Farci AM, Piras S, Murgia M, Chessa A, Restivo A, Gessa GL, et al. Disulfiram for binge eating disorder: an open trail. Eat Behav. 2015;16:84-7.
- 52. Faulconbridge LF, Wadden TA, Thomas JG, Jones-Corneille LR, Sarwer DB, Fabricatore AN. Changes in depression and quality of life in obese individuals with binge eating disorder: bariatric surgery versus lifestyle modification. Surgery for obesity and related diseases: official journal of the American Society for Bariatric Surgery. 2013;9:790-6.

- 53. Fichter MM, Quadflieg N, Gnutzmann A. Binge eating disorder: treatment outcome over a 6-year course. Journal of psychosomatic research. 1998;44:385-405.
- 54. Fichter MM, Quadflieg N, Hedlund S. Long-term course of binge eating disorder and bulimia nervosa: relevance for nosology and diagnostic criteria. The International journal of eating disorders. 2008;41:577-86.
- 55. Friederich HC, Schild S, Wild B, de Zwaan M, Quenter A, Herzog W, et al. Treatment outcome in people with subthreshold compared with full-syndrome binge eating disorder. Obesity (Silver Spring, Md). 2007;15:283-7.
- 56. Gallagher ME, Tasca GA, Ritchie K, Balfour L, Bissada H. Attachment anxiety moderates the relationship between growth in group cohesion and treatment outcomes in Group Psychodynamic Interpersonal Psychotherapy for women with binge eating disorder. Group Dynamics: Theory, Research, and Practice. 2014;18:38-52.
- 57. Gelber D, Levine J, Belmaker RH. Inositol treatment on bulimia nervosa and binge eating: a~controlled study. European neuropsychopharmacology. 1999;9:S353.
- 58. Geliebter A, Hashim SA, Gluck ME. Appetite-related gut peptides, ghrelin, PYY, and GLP-1 in obese women with and without binge eating disorder (BED). Physiology & behavior. 2008;94:696-9.
- 59. Geller J, Brown KE, Srikameswaran S. The efficacy of a brief motivational intervention for individuals with eating disorders: A randomized control trial. International Journal of Eating Disorders. 2011;44:497-505.
- 60. Ghaderi A. Attrition and outcome in self-help treatment for bulimia nervosa and binge eating disorder: a constructive replication. Eat Behav. 2006;7:300-8.
- 61. Ghaderi A, Scott B. Pure and guided self-help for full and sub-threshold bulimia nervosa and binge eating disorder. Br J Clin Psychol. 2003;42:257-69.
- 62. Ginsberg DL. Zonisamide Effective for Binge-Eating Disorder. Primary Psychiatry. 2004;11:14-5.
- 63. Ginsberg DL. Memantine for binge-eating disorder? Just hold the MSG. Primary Psychiatry. 2005;12:33.
- 64. Gluck ME, Geliebter A, Lorence M. Cortisol stress response is positively correlated with central obesity in obese women with binge eating disorder (BED) before and after cognitive-behavioral treatment. Annals of the New York Academy of Sciences. 2004;1032:202-7.
- 65. Goodrick GK, Poston WS, Kimball KT, Reeves RS, Foreyt JP. Nondieting versus dieting treatment for overweight binge-eating women. J Consult Clin Psychol. 1998;66:363-8.
- 66. Graham L, Walton M. Investigating the use of CD-Rom CBT for bulimia nervosa and binge eating disorder in an NHS adult outpatient eating disorders service. Behav Cogn Psychother. 2011;39:443-56.
- 67. Greeno CG, Wing RR. A double-blind, placebo-controlled trial of the effect of fluoxetine on dietary intake in overweight women with and without binge-eating disorder. The American journal of clinical nutrition. 1996;64:267-73.

- 68. Grilo Carlos M, Crosby Ross D, Wilson GT, Masheb Robin M. 12-month follow-up of fluoxetine and cognitive behavioral therapy for binge eating disorder. [References]. J Consult Clin Psychol. 2012;80(6):1108-13.
- 69. Grilo CM. Cognitive behavioural therapy does not improve outcome in obese women with binge eating disorder receiving a comprehensive very low calorie diet programme. Evidence-based mental health. 2006;9(1):12.
- 70. Grilo CM, Berman RM, Daniels E, McGlashan TH, Wilson GT, Heninger GR, et al. Cognitive-behavior therapy and fluoxetine for binge eating disorder. 152nd Annual Meeting of the American Psychiatric Association Washington DC, USA 15-20th May, 1999. 1999;0.
- 71. Grilo CM, Masheb RM. Rapid response predicts binge eating and weight loss in binge eating disorder: findings from a controlled trial of orlistat with guided self-help cognitive behavioral therapy. Behaviour research and therapy. 2007;45:2537-50.
- 72. Grilo CM, Masheb RM, Crosby RD. Predictors and moderators of response to cognitive behavioral therapy and medication for the treatment of binge eating disorder. J Consult Clin Psychol. 2012;80:897-906.
- 73. Grilo CM, White MA, Gueorguieva R, Wilson GT, Masheb RM. Predictive significance of the overvaluation of shape/weight in obese patients with binge eating disorder: findings from a randomized controlled trial with 12-month follow-up. Psychol Med. 2013;43:1335-44.
- 74. Grilo CM, White MA, Masheb RM, Gueorguieva R. Predicting meaningful outcomes to medication and self-help treatments for binge-eating disorder in primary care: The significance of early rapid response. J Consult Clin Psychol. 2015;83:387-94.
- 75. Grilo CM, White MA, Wilson GT, Gueorguieva R, Masheb RM. Rapid response predicts 12-month post-treatment outcomes in binge-eating disorder: theoretical and clinical implications. Psychol Med. 2012;42:807-17.
- 76. Guerdjikova AI, Fitch A, McElroy SL. Successful Treatment of Binge Eating Disorder With Combination Phentermine/Topiramate Extended Release. The primary care companion for CNS disorders. 2015;17(2).
- 77. Guerdjikova AI, Kotwal R, McElroy SL. Response of recurrent binge eating and weight gain to topiramate in patients with binge eating disorder after bariatric surgery. Obesity surgery. 2005;15:273-7.
- 78. Hilbert A. Cognitive-behavioral therapy for binge eating disorder in adolescents: study protocol for a randomized controlled trial. Trials. 2013;14:312.
- 79. Hilbert A, Saelens BE, Stein RI, Mockus DS, Welch RR, Matt GE, et al. Pretreatment and process predictors of outcome in interpersonal and cognitive behavioral psychotherapy for binge eating disorder. J Consult Clin Psychol. 2007;75:645-51.
- 80. Hill DM, Craighead LW, Safer DL. Appetite-focused dialectical behavior therapy for the treatment of binge eating with purging: a preliminary trial. International journal of eating disorders. 2011;44:249-61.
- 81. Hoopes SP, Reimherr FW, Hedges DW, Rosenthal NR, Kamin M, Karim R, et al. Treatment of Bulimia Nervosa with Topiramate in a Randomized, Double-Blind,

- Placebo-Controlled Trial, Part 1: Improvement in Binge and Purge Measures. Journal of Clinical Psychiatry. 2003;64:1335-41.
- 82. Hugo P, Segwick P, Black A, Lacey H. Telephone counselling The EDA approach. European Eating Disorders Review. 1999;7:300-9.
- 83. Jacobi C, Volker U, Trockel MT, Taylor CB. Effects of an Internet-based intervention for subthreshold eating disorders: a randomized controlled trial. Behaviour research and therapy. 2012;50:93-9.
- 84. Jones M, Luce KH, Osborne MI, Taylor K, Cunning D, Doyle AC, et al. Randomized, controlled trial of an internet-facilitated intervention for reducing binge eating and overweight in adolescents. Pediatrics. 2008;121:453-62.
- 85. Keating L, Tasca GA, Gick M, Ritchie K, Balfour L, Bissada H. Change in attachment to the therapy group generalizes to change in individual attachment among women with binge eating disorder. Psychotherapy (Chicago, Ill). 2014;51:78-87.
- 86. Klein AS, Skinner JB, Hawley KM. Adapted group-based dialectical behaviour therapy for binge eating in a practicing clinic: clinical outcomes and attrition. European eating disorders review: the journal of the Eating Disorders Association. 2012;20:e148-53.
- 87. Klein AS, Skinner JB, Hawley KM. Targeting binge eating through components of dialectical behavior therapy: preliminary outcomes for individually supported diary card self-monitoring versus group-based DBT. Psychotherapy (Chicago, Ill). 2013;50:543-52.
- 88. Kluge M, Schuld A, Himmerich H, Dalal M, Schacht A, Wehmeier PM, et al. Clozapine and olanzapine are associated with food craving and binge eating: results from a randomized double-blind study. Journal of clinical psychopharmacology. 2007;27:662-6.
- 89. Kong S. Day treatment programme for patients with eating disorders: randomized controlled trial. J Adv Nurs. 2005;51:5-14.
- 90. Kristeller JL, Hallett CB. An Exploratory Study of a Meditation-based Intervention for Binge Eating Disorder. J Health Psychol. 1999;4:357-63.
- 91. Lacey JH. Bulimia nervosa, binge eating, and psychogenic vomiting: a controlled treatment study and long term outcome. Br Med J (Clin Res Ed). 1983;286:1609-13.
- 92. LaRose JG, Fava JL, Steeves EA, Hecht J, Wing RR, Raynor HA. Daily self-weighing within a lifestyle intervention: impact on disordered eating symptoms. Health psychology: official journal of the Division of Health Psychology, American Psychological Association. 2014;33:297-300.
- 93. Leombruni P, Piero A, Brustolin A, Mondelli V, Levi M, Campisi S, et al. A 12 to 24 weeks pilot study of sertraline treatment in obese women binge eaters. Human psychopharmacology. 2006;21:181-8.
- 94. Ljotsson B, Lundin C, Mitsell K, Carlbring P, Ramklint M, Ghaderi A. Remote treatment of bulimia nervosa and binge eating disorder: a randomized trial of Internet-assisted cognitive behavioural therapy. Behaviour research and therapy. 2007;45:649-61.

- 95. Loeb KL, Wilson GT, Gilbert JS, Labouvie E. Guided and unguided self-help for binge eating. Behaviour research and therapy. 2000;38:259-72.
- 96. Maranhao MF, Estella NM, Cury ME, Amigo VL, Picasso CM, Berberian A, et al. The effects of repetitive transcranial magnetic stimulation in obese females with binge eating disorder: a protocol for a double-blinded, randomized, sham-controlled trial. BMC Psychiatry. 2015;15:194.
- 97. Marchesini G, Natale S, Chierici S, Manini R, Besteghi L, Di Domizio S, et al. Effects of cognitive-behavioural therapy on health-related quality of life in obese subjects with and without binge eating disorder. International journal of obesity and related metabolic disorders: journal of the International Association for the Study of Obesity. 2002;26:1261-7.
- 98. Marcus MD, Wing RR, Ewing L, Kern E, McDermott M, Gooding W. A double-blind, placebo-controlled trial of fluoxetine plus behavior modification in the treatment of obese binge-eaters and non-binge-eaters. AmJPsychiatry. 1990;147:876-81.
- 99. Marrazzi MA, Markham KM, Kinzie J, Luby ED. Binge eating disorder: response to naltrexone. International journal of obesity and related metabolic disorders: journal of the International Association for the Study of Obesity. 1995;19:143-5.
- 100. Masheb RM, Grilo CM. Weight loss expectations in patients with binge-eating disorder. Obesity research. 2002;10:309-14.
- 101. Masheb RM, Grilo CM. Examination of predictors and moderators for self-help treatments of binge-eating disorder. J Consult Clin Psychol. 2008;76:900-4.
- 102. Masheb RM, Grilo CM, Rolls BJ. An RCT for obesity and binge eating disorder: Low-energy-density nutrition counseling and cognitive behavioral therapy. Obesity (Silver Spring). 2011;19:S113-s4.
- 103. Maxwell H, Tasca GA, Gick M, Ritchie K, Balfour L, Bissada H. The impact of attachment anxiety on interpersonal complementarity in early group therapy interactions among women with binge eating disorder. Group Dynamics: Theory, Research, and Practice. 2012;16:255-71.
- 104. Maxwell H, Tasca GA, Ritchie K, Balfour L, Bissada H. Change in attachment insecurity is related to improved outcomes 1-year post group therapy in women with binge eating disorder. Psychotherapy (Chicago, Ill). 2014;51:57-65.
- 105. McElroy S, Hudson JI, Capece JA, Beyers K, Fisher AC, Rosenthal NR. Topiramate for the treatment of moderate to severe binge eating disorder associated with obesity A double-blind, placebo-controlled study. Neuropsychopharmacology. 2005;30:S138.
- 106. McElroy SL, Arnold LM, Shapira NA, Keck PE, Jr., Rosenthal NR, Karim MR, et al. Topiramate in the treatment of binge eating disorder associated with obesity: A randomized, placebo-controlled trial: Correction. The American Journal of Psychiatry S2- American Journal of Insanity. 2003;160:612.
- 107. McElroy SL, Guerdjikova AI, Winstanley EL, O'Melia AM, Mori N, Keck Jr PE, et al. Sodium oxybate in the treatment of binge eating disorder: An open-label, prospective study. International Journal of Eating Disorders. 2011;44:262-8.

- 108. McElroy SL, Kotwal R, Hudson JI, Nelson EB, Keck Jr PE. Zonisamide in the treatment of binge-eating disorder: An open-label, prospective trial. Journal of Clinical Psychiatry. 2004;65:50-6.
- 109. McElroy SL, Shapira NA, Arnold LM, Keck Jr PE, Rosenthal NR, Wu SC, et al. Topiramate in the long-term treatment of binge-eating disorder associated with obesity. Journal of Clinical Psychiatry. 2004;65:1463-9.
- 110. McElroy SL, Shapira NA, Arnold LM, Keck PE, Jr., Rosenthal NR, Wu S-C, et al. 'Topiramate in the Long-Term Treatment of Binge-Eating Disorder Associated With Obesity': Correction. Journal of Clinical Psychiatry S2- Diseases of the Nervous System. 2005;66:138.
- 111. Milano W, Petrella C, Capasso A. Treatment of Binge Eating Disorder with sertraline: A randomized controlled trial. Biomed Res. 2005;16:89-91.
- 112. Milano W, Petrella C, Casella A, Capasso A, Carrino S, Milano L. Use of sibutramine, an inhibitor of the reuptake of serotonin and noradrenaline, in the treatment of binge eating disorder: a placebo-controlled study. Advances in therapy. 2005;22:25-31.
- 113. Mitchell JE, Gosnell BA, Roerig JL, Zwaan M, Wonderlich SA, Crosby RD, et al. Effects of sibutramine on binge eating, hunger, and fullness in a laboratory human feeding paradigm. Obesity research. 2003;11:599-602.
- 114. Murphy S, Russell L, Waller G. Integrated psychodynamic therapy for bulimia nervosa and binge eating disorder: Theory, practice and preliminary findings. European Eating Disorders Review. 2005;13:383-91.
- 115. Mushquash AR, McMahan M. Dialectical behavior therapy skills training reduces binge eating among patients seeking weight-management services: preliminary evidence. Eating and Weight Disorders. 2015;20(3):415-8.
- 116. Neumeister A, Winkler A, Wober-Bingol C. Addition of naltrexone to fluoxetine in the treatment of binge eating disorder. The American journal of psychiatry. 1999;156(5):797.
- 117. Noma S, Uwatoko T, Yamamoto H, Hayashi T. Effects of milnacipran on binge eating--A pilot study. [References]. Neuropsychiatr Dis Treat. 2008;4(1):295-300.
- 118. O'Reardon JP, Allison KC, Martino NS, Lundgren JD, Heo M, Stunkard AJ, et al. A randomized, placebo-controlled trial of sertraline in the treatment of night eating syndrome. AmJPsychiatry. 2006;163:893-8.
- 119. O'Reardon JP, Groff KE, Stunkard AJ, Allison KC, Author A, Weight, et al. Night eating syndrome and results from the first placebo-controlled trial of treatment, with the SSRI medication, sertraline: Implications for clinical practice. Progress in Neurotherapeutics and Neuropsychopharmacology. 2008;3:241-57.
- 120. Pacanowski CR, Senso MM, Oriogun K, Crain AL, Sherwood NE. Binge eating behavior and weight loss maintenance over a 2-year period. Journal of obesity. 2014;2014:249315.
- 121. Palmer RL, Birchall H, McGrain L, Sullivan V. Self-help for bulimic disorders: a randomised controlled trial comparing minimal guidance with face-to-face or

- telephone guidance. The British journal of psychiatry: the journal of mental science. 2002;181:230-5.
- 122. Park EC, Waller G, Gannon K. Early improvement in eating attitudes during cognitive behavioural therapy for eating disorders: the impact of personality disorder cognitions. Behav Cogn Psychother. 2014;42:224-37.
- 123. Pataky Z, Gasteyger C, Ziegler O, Rissanen A, Hanotin C, Golay A. Efficacy of rimonabant in obese patients with binge eating disorder. Experimental and clinical endocrinology & diabetes: official journal, German Society of Endocrinology [and] German Diabetes Association. 2013;121:20-6.
- 124. Pendleton VR, Goodrick GK, Poston WS, Reeves RS, Foreyt JP. Exercise augments the effects of cognitive-behavioral therapy in the treatment of binge eating. The International journal of eating disorders. 2002;31:172-84.
- 125. Peterson CB, Crosby RD, Wonderlich SA, Mitchell JE, Crow SJ, Engel S. Predicting group cognitive-behavioral therapy outcome of binge eating disorder using empirical classification. Behaviour research and therapy. 2013;51:526-32.
- 126. Pimenta F, Leal I, Maroco J, Ramos C. Brief cognitive-behavioral therapy for weight loss in midlife women: a controlled study with follow-up. International journal of women's health. 2012;4:559-67.
- 127. Pisetsky EM, Durkin NE, Crosby RD, Berg KC, Mitchell JE, Crow SJ, et al. Examination of early group dynamics and treatment outcome in a randomized controlled trial of group cognitive behavior therapy for binge eating disorder. Behaviour research and therapy. 2015;73:74-8.
- 128. Pla-Sanjuanelo J, Ferrer-Garcia M, Gutierrez-Maldonado J, Riva G, Andreu-Gracia A, Dakanalis A, et al. Identifying specific cues and contexts related to bingeing behavior for the development of effective virtual environments. Appetite. 2015;87:81-9.
- 129. Ramanouskaya T. Comparison of individual and group cognitive behavioral therapy for binge eating disorder. A randomized, two -year follow-up study. Obes Facts. 2014;7:133.
- 130. Reas DL, Grilo CM. Review and meta-analysis of pharmacotherapy for binge-eating disorder. Obesity (Silver Spring, Md). 2008;16:2024-38.
- 131. Reas DL, Grilo CM. Current and emerging drug treatments for binge eating disorder. Expert opinion on emerging drugs. 2014;19:99-142.
- 132. Rigaud DJ, Brayer V, Roblot A, Brindisi MC, Vergès B. Efficacy of tube feeding in binge-eating/vomiting patients: a 2-month randomized trial with 1-year follow-up. JPEN J Parenter Enteral Nutr. 2011;35:356-64.
- 133. Riva G, Bacchetta M, Baruffi M, Rinaldi S, Vincelli F, Molinari E. Virtual reality-based experiential cognitive treatment of obesity and binge-eating disorders. Clinical Psychology & Psychotherapy. 2000;7:209-19.
- 134. Robinson A. Integrative Response Therapy for Binge Eating Disorder. Cognitive and behavioral practice. 2013;20:93-105.

- 135. Robinson P, Serfaty M. Getting better byte by byte: a pilot randomised controlled trial of email therapy for bulimia nervosa and binge eating disorder. European eating disorders review: the journal of the Eating Disorders Association. 2008;16:84-93.
- 136. Roosen MA, Safer D, Adler S, Cebolla A, van Strien T. Group dialectical behavior therapy adapted for obese emotional eaters; a pilot study. Nutricion hospitalaria. 2012;27:1141-7.
- 137. Rubio MA, Author A, Unidad de Obesidad N, Clinica Y Dietetica SdEYNH, Clinico San Carlos cMLsnMS, Correspondence A, et al. Topiramate for the long-term treatment of binge eating disorder associated with obesity ORIGINAL (NON-ENGLISH) TITLE Topiramato en el tratamiento a largo plazo del trastorno por atracon asociado a la obesidad. Revista Espanola de Obesidad. 2009;7:402-7.
- 138. Ruwaard J, Lange A, Broeksteeg J, Renteria-Agirre A, Schrieken B, Dolan CV, et al. Online cognitive-behavioural treatment of bulimic symptoms: a randomized controlled trial. Clin Psychol Psychother. 2013;20:308-18.
- 139. Safer DL, Joyce EE. Does rapid response to two group psychotherapies for binge eating disorder predict abstinence? Behaviour research and therapy. 2011;49:339-45.
- 140. Safer DL, Lively TJ, Telch CF, Agras WS. Predictors of relapse following successful dialectical behavior therapy for binge eating disorder. The International journal of eating disorders. 2002;32:155-63.
- 141. Schmidt do Prado-Lima PA, Bacaltchuck J. Topiramate in treatment-resistant depression and binge-eating disorder. Bipolar disorders. 2002;4(4):271-3.
- 142. Schmidt U, Lee S, Beecham J, Perkins S, Treasure J, Yi I, et al. A randomized controlled trial of family therapy and cognitive behavior therapy guided self-care for adolescents with bulimia nervosa and related disorders. The American journal of psychiatry. 2007;164:591-8.
- 143. Shelley-Ummenhofer J, MacMillan PD. Cognitive-behavioural treatment for women who binge eat. Canadian journal of dietetic practice and research: a publication of Dietitians of Canada = Revue canadienne de la pratique et de la recherche en dietetique: une publication des Dietetistes du Canada. 2007;68:139-42.
- 144. Shingleton RM, Thompson-Brenner H, Thompson DR, Pratt EM, Franko DL. Gender differences in clinical trials of binge eating disorder: An analysis of aggregated data. J Consult Clin Psychol. 2015;83:382-6.
- 145. Silveira RO, Zanatto V, Appolinario JC, Kapczinski F. An open trial of reboxetine in obese patients with binge eating disorder. Eating and weight disorders: EWD. 2005:10:e93-6.
- 146. Smith SR, Blundell JE, Burns C, Ellero C, Schroeder BE, Kesty NC, et al. Pramlintide treatment reduces 24-h caloric intake and meal sizes and improves control of eating in obese subjects: a 6-wk translational research study. Am J Physiol Endocrinol Metab. 2007;293:E620-7.
- 147. Steffen KJ, Mitchell JE, le Grange D, Crow SJ, Attia E, Bulik CM, et al. A prevalence study and description of alli use by patients with eating disorders. The International journal of eating disorders. 2010;43:472-9.

- 148. Steinberg DM, Tate DF, Bennett GG, Ennett S, Samuel-Hodge C, Ward DS. Daily self-weighing and adverse psychological outcomes: a randomized controlled trial. Am J Prev Med. 2014;46:24-9.
- 149. Stice E, Ragan J. Exercise augments the effects of cognitive-behavioral therapy in the treatment of binge eating. International Journal of Eating Disorders. 2002;31:172-84.
- 150. Strain GW. Binge eating disorder and bariatric surgery. Journal of the Academy of Nutrition and Dietetics. 2012;112(4):483; author reply -4.
- 151. Striegel-Moore RH, Wilson GT, DeBar L, Perrin N, Lynch F, Rosselli F, et al. Cognitive behavioral guided self-help for the treatment of recurrent binge eating. J Consult Clin Psychol. 2010;78:312-21.
- 152. Stunkard A. Binge eating disorder and the treatment of obesity. Obesity research. 1994;2(3):279-80.
- 153. Stunkard A, Berkowitz R, Tanrikut C, Reiss E, Young L. d-fenfluramine treatment of binge eating disorder. The American journal of psychiatry. 1996;153:1455-9.
- 154. Suplicy H, Boguszewski CL, Dos Santos CMC, Do Desterro De Figueiredo M, Cunha DR, Radominski R. A comparative study of five centrally acting drugs on the pharmacological treatment of obesity. International journal of obesity. 2014;38:1097-103.
- 155. Sysko R, Hildebrandt T, Wilson GT, Wilfley DE, Agras WS. Heterogeneity moderates treatment response among patients with binge eating disorder. J Consult Clin Psychol. 2010;78:681-90.
- 156. Tanofsky-Kraff M, Shomaker LB, Wilfley DE, Young JF, Sbrocco T, Stephens M, et al. Targeted prevention of excess weight gain and eating disorders in high-risk adolescent girls: a randomized controlled trial. The American journal of clinical nutrition. 2014:100:1010-8.
- 157. Tasca GA, Balfour L, Ritchie K, Bissada H. Developmental changes in group climate in two types of group therapy for binge-eating disorder: A growth curve analysis. Psychotherapy Research. 2006;16:499-514.
- 158. Tasca GA, Ritchie K, Demidenko N, Balfour L, Krysanski V, Weekes K, et al. Matching women with binge eating disorder to group treatment based on attachment anxiety: outcomes and moderating effects. Psychotherapy research: journal of the Society for Psychotherapy Research. 2013;23(3):301-14.
- 159. Telch CF, Agras WS, Rossiter EM, Wilfley D, Kenardy J. Group cognitive-behavioral treatment for the nonpurging bulimic: an initial evaluation. J Consult Clin Psychol. 1990;58:629-35.
- 160. Tomba E, Offidani E, Tecuta L, Schumann R, Ballardini D. Psychological well-being in out-patients with eating disorders: a controlled study. The International journal of eating disorders. 2014;47:252-8.
- 161. Traviss GD, Heywood-Everett S, Hill AJ. Guided self-help for disordered eating: A randomised control trial. Behaviour research and therapy. 2011;49:25-31.

- 162. Wadden TA, Faulconbridge LF, Jones-Corneille LR, Sarwer DB, Fabricatore AN, Thomas JG, et al. Binge eating disorder and the outcome of bariatric surgery at one year: a prospective, observational study. Obesity (Silver Spring, Md). 2011;19:1220-8.
- 163. Wallace LM, Masson PC, Safer DL, von Ranson KM. Change in emotion regulation during the course of treatment predicts binge abstinence in guided self-help dialectical behavior therapy for binge eating disorder. Journal of eating disorders. 2014;2:35.
- 164. Vancampfort D, De Herdt A, Vanderlinden J, Lannoo M, Soundy A, Pieters G, et al. Health related quality of life, physical fitness and physical activity participation in treatment-seeking obese persons with and without binge eating disorder. Psychiatry research. 2014;216:97-102.
- 165. Vancampfort D, Probst M, Adriaens A, Pieters G, De Hert M, Stubbs B, et al. Changes in physical activity, physical fitness, self-perception and quality of life following a 6-month physical activity counseling and cognitive behavioral therapy program in outpatients with binge eating disorder. Psychiatry research. 2014;219:361-6.
- 166. Vander Wal JS, Gang CH, Griffing GT, Gadde KM. Escitalopram for treatment of night eating syndrome: A 12-Week, randomized, placebo-controlled trial. Journal of Clinical Psychopharmacology. 2012;32:341-5.
- 167. Vanderlinden J, Adriaensen A, Vancampfort D, Pieters G, Probst M, Vansteelandt K. A cognitive- behavioral therapeutic program for patients with obesity and binge eating disorder: short- and long- term follow-up data of a prospective study. Behavior modification. 2012;36:670-86.
- 168. Vella-Zarb RA, Mills JS, Westra HA, Carter JC, Keating L. A Randomized controlled trial of motivational interviewing + self-help versus psychoeducation + self-help for binge eating. The International journal of eating disorders. 2015;48:328-32.
- 169. Vella-Zarb RA, Mills JS, Westra HA, Carter JC, Keating L. A randomized controlled trial of motivational interviewing + self-help versus psychoeducation + self-help for binge eating. International Journal of Eating Disorders. 2014;0.
- 170. Wells AM, Garvin V, Dohm FA, Striegel-Moore RH. Telephone-based guided self-help for binge eating disorder: a feasibility study. The International journal of eating disorders. 1997;21:341-6.
- 171. Wilfley DE, Crow SJ, Hudson JI, Mitchell JE, Berkowitz RI, Blakesley V, et al. Efficacy of sibutramine for the treatment of binge eating disorder: a randomized multicenter placebo-controlled double-blind study. The American journal of psychiatry. 2008;165:51-8.
- 172. Wilson GT. Treatment of binge eating disorder. The Psychiatric clinics of North America. 2011;34:773-83.
- 173. Wilson GT, Wilfley DE, Agras WS, Bryson SW. Allegiance Bias and Therapist Effects: Results of a Randomized Controlled Trial of Binge Eating Disorder. Clinical psychology: a publication of the Division of Clinical Psychology of the American Psychological Association. 2011;18:119-25.

- 174. Wisniewski L, Ben-Porath DD. Dialectical behavior therapy and eating disorders: The use of contingency management procedures to manage dialectical dilemmas. American Journal of Psychotherapy. 2015;69(2):129-40.
- 175. Wnuk SM, Greenberg L, Dolhanty J. Emotion-Focused Group Therapy for Women With Symptoms of Bulimia Nervosa. Eating disorders. 2014;0:1-9.
- 176. Wolff GE, Clark MM. Changes in eating self-efficacy and body image following cognitive-behavioral group therapy for binge eating disorder: a clinical study. Eat Behav. 2001;2:97-104.
- 177. Woolhouse H, Knowles A, Crafti N. Adding mindfulness to CBT programs for binge eating: a mixed-methods evaluation. Eating disorders. 2012;20:321-39.
- 178. Ziauddeen H, Chamberlain SR, Nathan PJ, Koch A, Maltby K, Bush M, et al. Effects of the mu-opioid receptor antagonist GSK1521498 on hedonic and consummatory eating behaviour: A proof of mechanism study in binge-eating obese subjects. Molecular Psychiatry. 2013;18:1287-93.
- 179. Zunker C, Peterson CB, Cao L, Mitchell JE, Wonderlich SA, Crow S, et al. A receiver operator characteristics analysis of treatment outcome in binge eating disorder to identify patterns of rapid response. Behaviour research and therapy. 2010;48:1227-31.
- 180. Eating disorders: Core interventions in the treatment and management of anorexia nervosa, bulimia nervosa and related eating disorders (Structured abstract). Health Technology Assessment Database, 2004; 0 (1): 35.
- 181. Treatments for binge eating disorder. 2008; 0.
- 182. Alternatives to inpatient admission for adolescents with eating disorders (Structured abstract). Health Technology Assessment Database, 2010; 0 (1).
- 183. Agras WS. Pharmacotherapy of bulimia nervosa and binge eating disorder: longer-term outcomes. Psychopharmacol Bull, 1997; 33 (3): 433-6.
- 184. Berger U,Schaefer JM,Wick K,Brix C,Bormann B,Sowa M, et al. Effectiveness of reducing the risk of eating-related problems using the German school-based intervention program, "Torera", for preadolescent boys and girls. Prev Sci, 2014; 15 (4): 557-69.
- 185. Berkman ND,Bulik CM,Brownley KA,Lohr KN,Sedway JA,Rooks A, et al. Management of eating disorders (Structured abstract). Database of Abstracts of Reviews of Effects, 2006; 0 (1).
- 186. Dixon JB, Eaton LL, Vincent V, Michaelson R. LAP-BAND for BMI 30-40: 5-year health outcomes from the multicenter pivotal study. Int J Obes (Lond), 2015; 0.
- 187. Hayes, Inc. Treatments for binge eating disorder (Structured abstract). Health Technology Assessment Database, 2008; 0 (1).
- 188. Leung SF,Ma J, Russell J. Enhancing motivation to change in eating disorders with an online self-help program. Int J Ment Health Nurs, 2013; 22 (4): 329-39.
- 189. Levine MD, Marcus MD, Moulton P. Exercise in the treatment of binge eating disorder. Int J Eat Disord, 1996; 19 (2): 171-7.

- 190. Lynch FL,Striegel-Moore RH,Dickerson JF,Perrin N,Debar L,Wilson GT, et al. Cost-effectiveness of guided self-help treatment for recurrent binge eating. J Consult Clin Psychol, 2010; 78 (3): 322-33.
- 191. Marzola E,Knatz S,Murray SB,Rockwell R,Boutelle K,Eisler I, et al. Short-term intensive family therapy for adolescent eating disorders: 30-month outcome. European Eating Disorders Review, 2014; 23 (3): 210-18.
- 192. Ochner CN, Geliebter A. Binge eating disorder. Obesity Management, 2007; 3 (4): 161-64.
- 193. Olmsted MP, Kaplan AS, Rockert W. Relative efficacy of a 4-day versus a 5-day day hospital program. Int J Eat Disord, 2003; 34 (4): 441-9.
- 194. Palmer RL,Birchall H,McGrain L, Sullivan V. Self-help for bulimic disorders: a randomised controlled trial comparing minimal guidance with face-to-face or telephone guidance. Br J Psychiatry, 2002; 181230-5.
- 195. Robinson A. Integrative Response Therapy for Binge Eating Disorder. Cogn Behav Pract, 2013; 20 (1): 93-105.
- 196. Striegel-Moore RH,Dohm FA,Wilfley DE,Pike KM,Bray NL,Kraemer HC, et al. Toward an understanding of health services use in women with binge eating disorder. Obes Res, 2004; 12 (5): 799-806.
- 197. Williamson DA, Martin CK. Binge eating disorder: a review of the literature after publication of DSM-IV. Eat Weight Disord, 1999; 4 (3): 103-14.
- 198. Wilson GT. Cognitive behavior therapy for eating disorders: progress and problems. Behav Res Ther, 1999; 37S79-95.
- 199. Zendegui EA, West JA, Zandberg LJ. Binge eating frequency and regular eating adherence: The role of eating pattern in cognitive behavioral guided self-help. Eating Behaviors, 2014; 15 (2): 241-43.