

## Bilaga 3 Exkluderade artiklar

### Ej översikt, eller ej relevant översikt

- Aguirre RTP, Slater H. Suicide postvention as suicide prevention: Improvement and expansion in the United States. *Death Stud* 2010;34:529-40.
- Ali F, Lucock M. 'It's like getting a group hug and you can cry there and be yourself and they understand'. Family members' experiences of using a suicide bereavement peer support group. *Bereave Care* 2020;39:51-8.
- Barlow CA, Jeannette WS, Chugh U, Rawlinson D, Hides E, Leith J. An evaluation of a suicide bereavement Peer Support Program. *Death Stud* 2010;34:915-30.
- Berardelli I, Erbuto D, Rogante E, Sarubbi S, Lester D, Pompili M. Making Sense of the Unique Pain of Survivors: A Psychoeducational Approach for Suicide Bereavement. *Front Psychol* 2020;11.
- Bowden C. Waves: A psycho-educational programme for adults bereaved by suicide. *Bereave Care* 2011;30:25-31.
- Braiden HJ, McCann M, Barry H, Lindsay C. Piloting a therapeutic residential for children, young people and families bereaved through suicide in Northern Ireland. *Child Care Pract* 2009;15:81-93.
- Campbell FR, Cataldie L, McIntosh J, Millet K. An active postvention program. *Crisis* 2004;25:30-2.
- Cohen JA, Mannarino AP. Trauma-focused CBT for traumatic grief in military children. *Journal of Contemporary Psychotherapy* 2011;41:219-27.
- Comans T, Visser V, Scuffham P. Cost effectiveness of a community-based crisis intervention program for people bereaved by suicide. *Crisis* 2013;34:390-397.
- Constantino RE, Sekula LK, Rubinstein EN. Group intervention for widowed survivors of suicide. *Suicide Life Threat Behav* 2001;31:428-41.
- Daigle MS, Labelle RJ. Pilot evaluation of a group therapy program for children bereaved by suicide. *Crisis* 2012;33:350-7.
- De Groot M, De Keijser J, Neeleman J, Kerkhof A, Nolen W, Burger H. Cognitive behaviour therapy to prevent complicated grief among relatives and spouses bereaved by suicide: Cluster randomised controlled trial. *BMJ* 2007;334:994-6.
- De Groot M, Kollen BJ. Course of bereavement over 8-10 years in first degree relatives and spouses of people who committed suicide: Longitudinal community based cohort study. *BMJ (Online)* 2013;347.
- Feigelman B, Feigelman W. Surviving after suicide loss: The healing potential of suicide survivor support groups. *Illn Crises Loss* 2008;16:285-304.
- Feigelman B, Feigelman W. Suicide survivor support groups: Comings and goings, part II. *Illn Crises Loss* 2011;19:165-85.

- Feigelman B, Feigelman W. Suicide survivor support groups: Comings and goings, part I. *Illn Crises Loss* 2011;19:57-71.
- Feigelman W, Gorman BS, Chastain Beal K, Jordan JR. Internet support groups for suicide survivors: A new mode for gaining bereavement assistance. *Omega (Westport)* 2008;57:217-43.
- Finlayson-Short L, Hetrick S, Krysinska K, Harris M, Salom C, Stefanac N, et al. Community based support for people at risk for suicide and those who care for them – areas for improvement. *Arch Suicide Res* 2020;24(2):125-57.
- Galway K, Forbes T, Mallon S, Santin O, Best P, Neff J, et al. Adapting digital social prescribing for suicide bereavement support: The findings of a consultation exercise to explore the acceptability of implementing digital social prescribing within an existing postvention service. *Int J Environ Res Public Health* 2019;16.
- Hawton K, Sutton L, Simkin S, Walker DM, Stacey G, Waters K, et al. Evaluation of a resource for people bereaved by suicide. *Crisis* 2012;33:254-64.
- Hung NC, Rabin LA. Comprehending childhood bereavement by parental suicide: A critical review of research on outcomes, grief processes, and interventions. *Death Stud* 2009;33:781-814.
- Kramer J, Boon B, Schotanus-Dijkstra M, Van Ballegooijen W, Kerkhof A, Van Der Poel A. The mental health of visitors of web-based support forums for bereaved by suicide. *Crisis* 2015;36:38-45.
- Maple M. Parental bereavement and youth suicide: an assessment of the literature. *Australian Social Work* 2005;58:179-87.
- Maple M, Pearce T, Sanford RL, Cerel J. The Role of Social Work in Suicide Prevention, Intervention, and Postvention: A Scoping Review. *Australian Social Work* 2017;70:289-301.
- Murphy SA, Johnson LC, Lohan J, Tapper VJ. Bereaved parents' use of individual, family, and community resources 4 to 60 months after a child's violent death. *Fam Community Health* 2002;25:71-82.
- Ohye B, Moore C, Charney M, Laifer LM, Blackburn AM, Bui E, et al. Intensive outpatient treatment of PTSD and complicated grief in suicide-bereaved military widows. *Death Stud* 2020.
- Peters K, Staines A, Cunningham C, Ramjan L. The Lifekeeper Memory Quilt: Evaluation of a Suicide Postvention Program. *Death Stud* 2015;39:353-9.
- Pfeffer CR, Jiang H, Kakuma T, Hwang J, Metsch M. Group Intervention for Children Bereaved by the Suicide of a Relative. *J Am Acad Child Adolesc Psychiatry* 2002;41:505-13.
- Pietilä M. Support groups: A psychological or social device for suicide bereavement? *Br J Guid Coun* 2002;30:401-14.
- Ryan M, Lister R, Flynn L. Giving voice to those bereaved by suicide: The 'nothing prepared me for this' project. *Advances in Mental Health* 2013;11:213-22.
- Sakinofsky I. The aftermath of suicide: managing survivors' bereavement. *Can J Psychiatry* 2007;52:129S-136S.

- Sandler I, Tein JY, Wolchik S, Ayers TS. The Effects of the Family Bereavement Program to Reduce Suicide Ideation and/or Attempts of Parentally Bereaved Children Six and Fifteen Years Later. *Suicide Life Threat Behav* 2016;46:S32-S38.
- Scocco P, Zerbinati L, Preti A, Ferrari A, Totaro S. Mindfulness-based weekend retreats for people bereaved by suicide (Panta Rhei): A pilot feasibility study. *Psychol Psychother* 2019;92:39-56.
- Shear MK, Reynolds CF, Simon NM, Zisook S, Wang Y, Mauro C, et al. Optimizing treatment of complicated grief a randomized clinical trial. *JAMA Psychiatry* 2016;73:685-94.
- Skritskaya NA, Mauro C, Garcia de la Garza A, Meichsner F, Lebowitz B, Reynolds CF, et al. Changes in typical beliefs in response to complicated grief treatment. *Depress Anxiety* 2020;37:81-9.
- Spuij M, Dekovic M, Boelen PA. An open trial of 'grief-help': a cognitive-behavioural treatment for prolonged grief in children and adolescents. *Clin Psychol Psychother* 2015;22:185-92.
- Supiano KP. Sense-Making in Suicide Survivorship: A Qualitative Study of the Effect of Grief Support Group Participation. *JoJ Loss Trauma* 2012;17:489-507.
- Supiano KP, Haynes LB, Pond V. The transformation of the meaning of death in complicated grief group therapy for survivors of suicide: A treatment process analysis using the meaning of loss codebook. *Death Stud* 2017;41:553-61.
- Turner R, Wooten HR, Chou WM. Changing Suicide Bereavement Narrative Through Integral Breath Therapy. *J Creat Ment Health* 2019;14:424-35.
- Veale A. Longitudinal evaluation of a therapeutic group work intervention with suicide-bereaved children. *Ir J Psychol* 2014;35:188-204.
- Visser VS, Comans TA, Scuffham PA. Evaluation of the effectiveness of a community-based crisis intervention program for people bereaved by suicide. *J Community Psychol* 2014;42:19-28.
- Wagner BPD, Hofmann L, Grafiadeli R. Psychological Interventions for People Bereaved by Suicide: A Systematic Review. *Psychiatr Prax* 2020.
- Waljarvi CM, Weiss AH, Weinman ML. A traumatic death support group program: Applying an integrated conceptual framework. *Death Stud* 2012;36:152-81.
- Wittouck C, Van Autreve S, Portzky G, van Heeringen K. A CBT-based psychoeducational intervention for suicide survivors: A cluster randomized controlled study. *Crisis* 2014;35:193-201.
- Zisook S, Katherine Shear M, Reynolds CF, Simon NM, Mauro C, Skritskaya NA, et al. Treatment of complicated grief in survivors of suicide loss: A HEAL report. *J Clin Psychiatry* 2018;79.