

Exklusionslista - Patientens delaktighet vid ADHD

Författare, titel, tidskrift	Orsak
Ahlfors, U.G., Lewander, T., Lindström, E., Malt, U.F., Lublin, H. and Malm, U., Assessment of patient satisfaction with psychiatric care: Development and clinical evaluation of a brief consumer satisfaction rating scale (UKU-ConSat), Nordic Journal of Psychiatry, 55 (2001) 71-90. Accession: 2001-05905-002.	Fel grupp, (utvärdering av UKU-ConSat).
Antrop I, Stock P, Verté S, Wiersema JR, Baeyens D, Roeyers H. ADHD and delay aversion: the influence of non-temporal stimulation on choice for delayed rewards. Journal of Child Psychology and Psychiatry. 2006;47(11):1152-8.	Fel område. Teorie och testing ang. symptom
Babcock T, Ornstein CS. Comorbidity and its impact in adult patients with attention-deficit/hyperactivity disorder: a primary care perspective. Postgrad Med. 2009 May;121(3):73-82.	Inte patients röst.
Bacchini D, Affuso G, Trotta T. Temperament, ADHD and peer relations among schoolchildren: The mediating role of school bullying. Aggressive Behavior. 2008;34(5):447-59.	Inte patientens röst.
Baird, G.L., Scott, W.D., Dearing, E. and Hamill, S.K., Cognitive self-regulation in youth with and without learning disabilities: Academic self-efficacy, theories of intelligence, learning vs. performance goal preferences, and effort attributions, Journal of Social and Clinical Psychology, 28 (2009) 881-908. Accession: 2009-16708-004. First Author & Affiliation: Baird, Grayson L.	Fel grupp. Unga med eller utan inlärningssvårigheter.
Bartolo PA. Communicating a diagnosis of developmental disability to parents: multiprofessional negotiation frameworks. Child: Care, Health & Development. 2002;28(1):65-71.	Oklar diagnos, endast två fall.
Biederman J, Lapey KA, Milberger S, Faraone SV. Motor preference, major depression and psychosocial dysfunction among children with attention deficit hyperactivity disorder. Journal of Psychiatric Research. 1994;28(2):171-84.	Fel ämne. Vänsterhänthet som orsak till ADHD
Blomqvist M, Augustsson M, Bertlin C, Holmberg K, Fernell E, Dahllöf G, et al. How do children with attention deficit hyperactivity disorder interact in a clinical dental examination? A video analysis. European Journal of Oral Sciences. 2005;113(3):203-9.	Inte patientens röst.
Boker H, Northoff G, Lenz C, von Schmeling C, Eppel A, Hartling F, et al. [Reconstruction of mutism. Studies of subjective experiences of former patients with the modified Landfield categories]. Psychiatr Prax. 2000 Nov;27(8):389-96.	Fel diagnos.
Bradley, E.H., Bogardus, S.T., Tinetti, M.E. and Inouye, S.K., Goal-setting in clinical medicine, Social Science & Medicine, 49 (1999) 267-278. Accession: 1999063655. Language: English. Entry Date: 19990901. Revision Date: 20091218. Publication Type: journal article	Litteraturöversikt. Fel diagnos (demens).
Brown R, Doonan S, Shellenberger S. Using children as simulated patients in communication training for residents and medical students: a pilot program. Acad Med. 2005 Dec;80(12):1114-20.	Fel fokus - patientdeltagande i utbildning.
Bussing R, Mason DM, Leon CE, Sinha K. Agreement between CASA parent reports and provider records of children's ADHD services. J Behav Health Serv Res. 2003 Oct-Dec;30(4):462-9	Ospecifierad diagnos.
Bussing R, Schoenberg NE, Perwien AR. Knowledge and information about ADHD: evidence of cultural differences among African-American and white parents. Soc Sci Med. 1998 Apr;46(7):919-28.	Föräldrars kunskap om ADHD – gammal studie.
Carpenter EM, Frankel F, Marina M, Duan N, Smalley SL. Internet	Fel fokus, behandling

Författare, titel, tidskrift	Orsak
treatment delivery of parent-adolescent conflict training for families with an ADHD teen: a feasibility study. Child & Family Behavior Therapy. 2004;26(3):1-20.	
Carpenter J, Liati A, Vickery B. They come to play: Supply effects in an economic experiment. Rationality and Society. 2010;22(1):83-102	Fel population.
Carpentier N, Ducharme F. Support network transformations in the first stages of the caregiver's career. Qualitative Health Research. 2005;15(3):289-311.	Fel diagnosgrupp.
Claveiro A. Listening to young voices: challenges of research with adolescent mental health service users. Journal of Psychiatric & Mental Health Nursing. 2004;11(3):253-60.	Diskussion. Fel patientgrupp
Clay, D., Farris, K., McCarthy, A.M., Kelly, M.W. and Howarth, R., Family perceptions of medication administration at school: errors, risk factors, and consequences, J Sch Nurs, 24 (2008) 95-102. Accession: 18363445	Inte patientens röst.
Coffey M, Thomson K, Tallett S, Matlow A. Pediatric residents' decision-making around disclosing and reporting adverse events: The importance of social context. Academic Medicine 2010;85:1619-1625.	Fel diagnos. Läkarstudenter.
Coombes L, Wratten A. The lived experience of community mental health nurses working with people who have dual diagnosis: a phenomenological study. J Psychiatr Ment Health Nurs. 2007 Jun;14(4):382-92.	Fel diagnosgrupp.
Cormier E. Parent involvement in functional assessment of problem behaviors related to adhd as a basis for intervention selection. Southern Online Journal of Nursing Research. 2009;9(4):13p.	För få deltagare
Corsello C, Hus V, Pickles A, Risi S, Cook EH, Jr., Leventhal BL, et al. Between a ROC and a hard place: Decision making and making decisions about using the SCQ. Journal of Child Psychology and Psychiatry. 2007;48(9):932-40.	Fel ämne, om utredningsinstrument.
Crawford T, Simonoff E. Parental views about services for children attending schools for the emotionally and behaviourally disturbed (EBD): a qualitative analysis. Child: Care, Health & Development. 2003;29(6):481-91.	Fel diagnosgrupp.
Cunningham CE. A family-centered approach to planning and measuring the outcome of interventions for children with attention-deficit/hyperactivity disorder. Ambul Pediatr. 2007 Jan-Feb;7(1 Suppl):60-72. Exkluderas	Litteraturöversikt.
Cunningham CE. A family-centered approach to planning and measuring the outcome of interventions for children with attention-deficit/hyperactivity disorder. J Pediatr Psychol. 2007 Jul;32(6):676-94.	Inte patientens röst.
DeVito EE, Blackwell AD, Kent L, Ersche KD, Clark L, Salmond CH, et al. The effects of methylphenidate on decision making in attention-deficit/hyperactivity disorder. Biological Psychiatry. 2008;64(7):636-9.	Fel ämne, handlar om risktagande beteende.
DosReis S, Mychailyszyn MP, Evans-Lacko SE, Beltran A, Riley AW, Myers MA. The meaning of attention-deficit/hyperactivity disorder medication and parents' initiation and continuity of treatment for their child. J Child Adolesc Psychopharmacol. 2009 Aug;19(4):377-83.	Inte patientens röst.
Drechsler R, Rizzo P, Steinhausen H-C. Decision making with uncertain reinforcement in children with attention deficit/hyperactivity disorder (ADHD). Child Neuropsychology.	Studie av ADHD-barns beslutsförmåga och handikapp.

Författare, titel, tidskrift	Orsak
2010;16(2):145-61.	
Drysdale EE, Jahoda A, Campbell E. Investigating spontaneous attributions in mothers of individuals with intellectual disabilities and self-injurious behaviour. British Journal of Learning Disabilities. 2009;37(3):197-206.	Fel diagnosgrupp.
Eisenberg GC, Hilliard JT, Gutheil TG. Ethical aspects of the right to refuse medication: a clinicolegal dilemma for the psychiatrist and patient. Psychiatr Q 1981;53:93-9.	Fel diagnosgrupp.
Eklund, M. and Gunnarsson, A.B., Satisfaction with Daily Occupations: construct validity and test-retest reliability of a screening tool for people with mental health disorders, Australian Occupational Therapy Journal, 54 (2007) 59-65. Accession: 2009543169. Language: English. Entry Date: 20070928. Revision Date: 20091218. Publication Type: journal article	Fel diagnosgrupp.
Feinberg LF, Whitlatch CJ. Decision-making for persons with cognitive impairment and their family caregivers. American Journal of Alzheimer's Disease & Other Dementias. 2002;17(4):237-44.	Fel diagnosgrupp.
Findling RL, Connor DF, Wigal T, Eagan C, Onofrey MN. A linguistic analysis of in-office dialogue among psychiatrists, parents, and child and adolescent patients with ADHD. J Atten Disord. 2009 Jul;13(1):78-86.	Studie av läkares och föräldrars olika uppfattning om barnens symtom
Fitzsimons S, Fuller R. Empowerment and its implications for clinical practice in mental health: A review. Journal of Mental Health. 2002;11(5):481-99.	Fel diagnosgrupp.
Fliers E, Vermeulen S, Rijssdijk F, Altink M, Buschgens C, Rommelse N, et al. ADHD and poor motor performance from a family genetic perspective. J Am Acad Child Adolesc Psychiatry. 2009 Jan;48(1):25-34.	Inte patientens röst
Frame K. Empowering preadolescents with ADHD: Demons or delights. Advances in Nursing Science. 2003;26(2):131-9.	Studie om ADHD-barns självuppfattning
Geurts HM, van der Oord S, Crone EA. Hot and Cool Aspects of Cognitive Control in Children with ADHD: Decision-Making and Inhibition. Journal of Abnormal Child Psychology: An official publication of the International Society for Research in Child and Adolescent Psychopathology. 2006;34(6):813-24.	Studie om ADHD-barns beslutsförmåga
Ghanizadeh A. Educating and counseling of parents of children with attention-deficit hyperactivity disorder. Patient Educ Couns. 2007 Sep;68(1):23-8	Fel fokus, om utbildning och rådgivning. Ej tillämplig för svenska förhållanden (Iran).
Goodman D, Happell B. The efficacy of family intervention in adolescent mental health. Int J Psychiatr Nurs Res. 2006 Sep;12(1):1364-77.	Litteraturöversikt.
Grisham JR, Brown TA, Savage CR, Steketee G, Barlow DH. □Neuropsychological impairment associated with compulsive hoarding. Behaviour Research and Therapy. 2007;45(7):1471-83.	Fel population
HaileMariam A, Bradley-Johnson S, Johnson CM. Pediatrician's preferences of ADHD information from schools. School Psychology Review. 2002;31(1):94-105.	Ej aktuell för svenska förhållanden
Harpur RA, Thompson M, Daley D, Abikoff H, Sonuga-Barke EJ. The attention-deficit/hyperactivity disorder medication-related attitudes of patients and their parents. J Child Adolesc Psychopharmacol. 2008 Oct;18(5):461-73.	Metodutveckling
Hayward, B., Cluster A personality disorders: considering the 'odd-eccentric' in psychiatric nursing, International Journal of Mental Health Nursing, 16 (2007) 15-21. Accession: 2009519667. Language:	Review

Författare, titel, tidskrift	Orsak
English. Entry Date: 20071005. Revision Date: 20090619. Publication Type: journal article. Journal Subset: Australia & New Zealand	
Hellstrom O, Lindqvist P, Mattsson B. A phenomenological analysis of doctor-patient interaction: a case study. Patient Education & Counseling. 1998;33(1):83-9.	Endast ett fall > 10 år.
Hellwig-Brida S, Mangold S, Goldbeck L. [The parent questionnaire "ADHD-knowledge and motivation for treatment" - development and first results]. Z Kinder Jugendpsychiatr Psychother. 2009 Sep;37(5):441-9.	Handlar om metodutveckling.
Hermansen MS, Miller PJ. The lived experience of mothers of ADHD children undergoing chiropractic care: a qualitative study. Clinical Chiropractic.	Handlar inte om patientens röst.
Honeycutt C, Sleath B, Bush PJ, Campbell W, Tudor G. Physician use of a participatory decision-making style with children with ADHD and their parents. Patient Educ Couns. 2005 Jun;57(3):327-32.	Gruppdiskussion bland läkare om beslutsfattande hos ADHD-barn.
I kOB, Duffy A, Nicholl H. Impact of childhood chronic illnesses on siblings: a literature review. Br J Nurs. 2009 Dec 10-2010 Jan 13;18(22):1358, 60-5.	Litteraturöversikt.
Johansson H, Eklund M. Patients' opinion on what constitutes good psychiatric care. Scandinavian Journal of Caring Sciences. 2003;17(4):339-46. Saknas	Fel fokus.
Johnston C, Fine S. Methods of evaluating methylphenidate in children with attention deficit hyperactivity disorder: Acceptability, satisfaction, and compliance. Journal of Pediatric Psychology. 1993;18(6):717-30.	För gammal.
Johnston C, Hommersen P, Seipp C. Acceptability of behavioral and pharmacological treatments for attention-deficit/hyperactivity disorder: relations to child and parent characteristics. Behav Ther. 2008 Mar;39(1):22-32.	Handlar inte om patientens röst.
Kendall J, Leo MC, Perrin N, Hatton D. Modeling ADHD child and family relationships. West J Nurs Res. 2005 Jun;27(4):500-18.	Ej primärstudie.
Kjellman, B. and Isberg, E., [What do parents of children with ADHD/DAMP think? They are mostly relieved when their children's problems come to sight], Lakartidningen, 97 (2000) 4758-60. Accession: 11079328	Debattartikel – ingen studie
Klasen H, Goodman R. Parents and GPs at cross-purposes over hyperactivity: a qualitative study of possible barriers to treatment. Br J Gen Pract. 2000 Mar;50(452):199-202.	Oklar diagnos.
Kumar, G. and Steer, R.A., Factorial validity of the Conners' Parent Rating Scale-revised: short form with psychiatric outpatients, J Pers Assess, 80 (2003) 252-9. Accession: 12763699	För liten population.
Lammers, J. and Happell, B., Consumer participation in mental health services: looking from a consumer perspective, Journal of Psychiatric & Mental Health Nursing, 10 (2003) 385-392. Accession: 2004023105. Language: English. Entry Date: 20040130. Revision Date: 20091218. Publication Type: journal article	Odefinierad patientgrupp.
Law J, Plunkett C, Taylor J, Gunning M. Developing policy in the provision of parenting programmes: integrating a review of reviews with the perspectives of both parents and professionals. Child Care Health Dev. 2009 May;35(3):302-12.	Litteraturöversikt. Föräldrahandedning.
Lehti AH, Johansson EE, Bengs C, Danielsson U, Hammarstrom A. "The Western gaze"--an analysis of medical research publications	Review

Författare, titel, tidskrift	Orsak
concerning the expressions of depression, focusing on ethnicity and gender. Health Care Women Int. 2010 Feb;31(2):100-12.	
Lynch G, Hedderman E. Tackling a long waiting list in a child and adolescent mental health service. Irish Journal of Psychological Medicine. 2006;23(3):103-6.	Fel fokus. Om att minimera köerna till ADHD-utredning inom barnpsykiatri på Irland.
Matos M, Torres R, Santiago R, Jurado M, Rodríguez I. Adaptation of Parent-Child Interaction Therapy for Puerto Rican Families: A Preliminary Study. Family Process. 2006;45(2):205-22.	Okontrollerad behandling av ADHD-barn och deras föräldrar i Puerto Rico.
McGuinness TM. Helping parents decide on ADHD treatment for their children. J Psychosoc Nurs Ment Health Serv. 2008 Aug;46(8):23-7.	Fel fokus, handlar om tillgängliga behandlingar.
McLeod JD, Fettes DL, Jensen PS, Pescosolido BA, Martin JK. Public knowledge, beliefs, and treatment preferences concerning attention-deficit hyperactivity disorder. Psychiatric Services. 2007;58(5):626-31.	Inte patientens röst.
Miller AR, Condin CJ, McKellin WH, Shaw N, Klassen AF, Sheps S. Continuity of care for children with complex chronic health conditions: parents' perspectives. BMC Health Serv Res. 2009;9:242.	För liten population.
Miller, A.R., Johnston, C., Klassen, A.F., Fine, S. and Papsdorf, M., Family physicians' involvement and self-reported comfort and skill in care of children with behavioral and emotional problems: a population-based survey, BMC Fam Pract, 6 (2005) 12. Accession: 15762982	Fel förhållanden. Fel setting.
Mills MJ. The rights of involuntary patients to refuse pharmacotherapy: what is reasonable? Bull Am Acad Psychiatry Law 1980;8:313-34.	För gammal studie.
Northup J, George T, Jones K, Broussard C. A comparison of reinforcer assessment methods: The utility of verbal and pictorial choice procedures. Journal of Applied Behavior Analysis. 1996;29(2):201-12.	Fel fokus. Handlar om träning, verbalt duktiga barn.
Olaniyan O, dosReis S, Garriett V, Mychailyszyn MP, Anixt J, Rowe PC, et al. Community perspectives of childhood behavioral problems and ADHD among African American parents. Ambul Pediatr. 2007 May-Jun;7(3):226-31.	Endast 3/31 med erfarenhet.
Parent W, Kregel J, Johnson A. Consumer satisfaction: A survey of individuals with severe disabilities who receive supported employment services. Focus on Autism and Other Developmental Disabilities. 1996;11(4):207-21.	Fel diagnosgrupp.
Perry CE, Hatton D, Kendall J. Latino parents' accounts of attention deficit hyperactivity disorder. J Transcult Nurs. 2005 Oct;16(4):312-21.	Fel förhållanden. Fel område, latino
Power TJ, Mautone JA, Manz PH, Frye L, Blum NJ. Managing attention-deficit/hyperactivity disorder in primary care: a systematic analysis of roles and challenges. Pediatrics. 2008;121(1):e65-72.	Inte patientens röst.
Raine P, Truman C, Southerst A. The development of a community gym for people with mental health problems: Influences on psychological accessibility. Journal of Mental Health. 2002;11(1):43-53.	Fel patientgrupp.
Richards, M. and Vostanis, P., Interprofessional perspectives on transitional mental health services for young people aged 16-19 years, Journal of Interprofessional Care, 18 (2004) 115-128. Accession: 2005058913. Language: English. Entry Date: 20050401. Revision Date: 20091218. Publication Type: journal article	Fel område.
Rostain AL, Power TJ, Atkins MS. Assessing parents' willingness to	> 15 år

Författare, titel, tidskrift	Orsak
pursue treatment for children with attention-deficit hyperactivity disorder. J Am Acad ChildPsychiatry. 1993 Jan;32(1):175-81.	
Rothe EM. Considering cultural diversity in the management of ADHD in Hispanic patients. J Natl Med Assoc. 2005 Oct;97(10 Suppl):17S-23S.	Litteraturöversikt
Sandler, A., Glesne, C. and Geller, G., Children's and parents' perspectives on open-label use of placebos in the treatment of ADHD, Child Care Health Dev, 34 (2008) 111-20. Accession: 18171452	Metodutveckling.
Sangare J. ADHD: making the appropriate pediatric assessment. Lippincotts Prim Care Pract. 2000 Mar-Apr;4(2):193-206.	Litteraturöversikt.
Saylor KE, Buermeyer CM, Spencer TJ, Barkley RA. Adaptive changes related to medication treatment of ADHD: listening to parents of children in clinical trials of a novel nonstimulant medication. J Clin Psychiatry. 2002;63 Suppl 12:23-8.	Litteraturöversikt.
Schlander M, Schwarz O, Trott GE, Viapiano M, Bonauer N. Who cares for patients with attention-deficit/hyperactivity disorder (ADHD)? Insights from Nordbaden (Germany) on administrative prevalence and physician involvement in health care provision. Eur Child Adolesc Psychiatry. 2007 Oct;16(7):430-8.	Inte patientens röst.
Sibitz I, Amering M, Unger A, Seyringer ME, Bachmann A, Schrank B, et al. The impact of the social network, stigma and empowerment on the quality of life in patients with schizophrenia. European Psychiatry. 2011;26(1):28-33.	Fel diagnosgrupp (schizofreni).
Thompson EA, Mathie RT, Baitson ES, Barron SJ, Berkovitz SR, Brands M, et al. Towards standard setting for patient-reported outcomes in the NHS homeopathic hospitals. Homeopathy 2008;97:114-21.	Ej definierade patienter
Tirosh E, Berger J, Cohen-Ophir M, Davidovitch M, Cohen A. Learning disabilities with and without attention-deficit hyperactivity disorder: parents' and teachers' perspectives. J Child Neurol. 1998 Jun;13(6):270-6.	Inte patientens röst.
Travell C, Visser J. ADHD does bad stuff to you': young people's and parents' experiences and perceptions of Attention Deficit Hyperactivity Disorder (ADHD). Emotional & Behavioural Difficulties. 2006;11(3):205-16.	Urval inte beskrivet, dåligt beskriven metod.
Tucker, L.S., Jr., A comparison of the value preferences of emotionally disturbed adolescents and their parents with normal adolescents and their parents, Adolescence, 11 (1976) 549-67. Accession: 1007998	> 15 år
Vanmeerbeek M, Van Onckelen S, Bouuaert C, Burette P. [Gifted children and the family physician]. Presse Med. 2006 Jan;35(1 Pt 2):86-90.	Fel inklusionskriterie (på franska).