

Endometrios – diagnostik, behandling och
bemötande / Endometriosis – diagnosis,
treatment and patients' experiences, rapport
277 (2018)

Bilaga 3 Exkluderade studier

Appendix 3 Excluded studies

Diagnostik

Referens	Exklusionsorsak
Aboulghar MM, Hegazy M, Saber W, Hamed A, El Sheikhah A. Three-dimensional ultrasound versus office hysteroscopy in assessment of pain and bleeding with intrauterine contraceptive device. Middle East Fertil Soc J 2011;16:121-4.	Fel frågeställning
Acar S, Millar E, Mitkova M, Mitkov V. Value of ultrasound shear wave elastography in the diagnosis of adenomyosis. Ultrasound 2016;24:205-13.	Fel studiedesign
Adams F, Short J. Trans-vaginal ultrasound in diagnosing adenomyosis. Aust N Z J Obstet Gynaecol 2016;56:28.	Fel studiedesign
Ahmadi F, Haghghi H. Three-dimensional ultrasound manifestations of adenomyosis. Iran J Reprod Med 2013;11:847-8.	Fel studiedesign
Akturk E, Dede M, Yenen MC, Kocyigit YK, Ergun A. Comparison of nine morphological scoring systems to detect ovarian malignancy. Eur J Gynaecol Oncol 2015;36:304-8.	Fel population
Alcázar JL, Galan MJ, Mínguez JA, García-Manero M. Transvaginal color Doppler sonography versus sonohysterography in the diagnosis of endometrial polyps. J Ultrasound Med 2004;23:743-748.	Fel population
Andreotti RF, Fleischer AC. The sonographic diagnosis of adenomyosis. Ultrasound Q 2005;21:167-70.	
Ascher SM, Agrawal R, Bis KG, Brown ED, Maximovich A, Markham SM, et al. Endometriosis: appearance and detection with conventional and contrast-enhanced fat-suppressed spin-echo techniques. J Magn Reson Imaging 1995;5:251-7.	Fel studiedesign
Atri M, Reinhold C, Bret PM, Mehio AR, Chapman WB. Adenomyosis: US features with histologic correlation in an in-vitro study. Radiology 2000;215:783-90.	Fel studiedesign

Referens	Exklusionsorsak
Badawy ME, Elkholy DGE, Sherif MF, Hefedah MAE. Magnetic resonance imaging for diagnosis of pelvic lesions associated with female infertility. Middle East Fertil Soc J 2015;20:165-175.	Fel studiedesign
Baggio S, Zecchin A, Pomini P, Zanconato G, Genna M, Motton M, et al. The role of computed tomography colonography in detecting bowel involvement in women with deep infiltrating endometriosis: Comparison with clinical history, serum ca125, and transvaginal sonography. J Comput Assist Tomogr 2016;40:886-891.	Fel population
Balaban M, Idilman IS, Toprak H, Unal O, Ipek A, Kocakoc E. The utility of diffusion-weighted magnetic resonance imaging in differentiation of endometriomas from hemorrhagic ovarian cysts. Clinical imaging 2015;39:830-3.	Fel studiedesign
Banerjee R, Ofuasia E. Study to assess correlation between diagnostic imaging and histology of adenomyosis at hysterectomy. Gynecol Surg 2012;9:S61.	Fel studiedesign
Barrueto FF, Audlin KM, Gallicchio L, Miller C, MacDonald R, Alonsozana E, et al. Sensitivity of Narrow Band Imaging Compared With White Light Imaging for the Detection of Endometriosis. J Minim Invasive Gynecol 2015;22:846-52.	Fel studiedesign
Batur A, Yavuz A, Ozgokce M, Bora A, Bulut MD, Arslan H, et al. The utility of ultrasound elastography in differentiation of endometriomas and hemorrhagic ovarian cysts. J Med Ultrason 2016;43:395-400.	Otillräckligt med data
Bazot M, Darai E, Le Blanche AF, Uzan S, Boudghene F, Clement de Givry S. Fast breath-hold T2-weighted MR imaging reduces interobserver variability in the diagnosis of adenomyosis. AJR Am J Roentgenol 2003;180:1291-6.	Data finns publicerat i Bazot 2001.
Bazot M, Darai E, Rouger J, Detchev R, Cortez A, Uzan S. Limitations of transvaginal sonography for the diagnosis of adenomyosis, with histopathological correlation. Ultrasound Obstet Gynecol 2002;20:605-11.	Data finns publicerat i Bazot 2001.
Belghiti J, Thomassin-Naggara I, Zacharopoulou C, Zilberman S, Jarboui L, Bazot M, et al. Contribution of Computed Tomography Enema and Magnetic Resonance Imaging to Diagnose Multifocal and Multicentric Bowel Lesions in Patients With Colorectal Endometriosis. J Minim Invasive Gynecol 2015;22:776-84.	Fel population
Benacerraf BR, Groszmann Y, Hornstein MD, Bromley B. Deep infiltrating endometriosis of the bowel wall: the comet sign. J Ultrasound Med 2015;34:537-42.	Fel utfall

Referens	Exklusionsorsak
Botterill EM, Esler SJ, McIlwaine KT, Jagasia N, Ellett L, Maher PJ, et al. Endometriosis: Does the menstrual cycle affect magnetic resonance (MR) imaging evaluation? <i>Eur J Radiol</i> 2015;84:2071-9.	Fel studiedesign
Bromley B, Shipp TD, Benacerraf B. Adenomyosis: sonographic findings and diagnostic accuracy. <i>J Ultrasound Med</i> 2000;19:529-34; quiz 535-6.	Fel studiedesign
Brown MA. MR imaging of benign uterine disease. <i>Magn Reson Imaging Clin N Am</i> 2006;14:439-53, v.	Fel studiedesign
Carfagna P, De Cicco Nardone C, De Cicco Nardone A, Testa AC, Scambia G, Marana R, et al. The Role of Transvaginal Ultrasound in the Evaluation of Ureteral Involvement in Deep Endometriosis. <i>Ultrasound Obstet Gynecol</i> 2017;in press.	Fel population
Champaneria R, Abedin P, Daniels J, Balogun M, Khan KS. Ultrasound scan and magnetic resonance imaging for the diagnosis of adenomyosis: systematic review comparing test accuracy. <i>Acta Obstet Gynecol Scand</i> 2010;89:1374-84.	Fel studiedesign
Chung AD, Schieda N, Flood TA, Cagiannos I, Kielar AZ, McInnes MDF, et al. Suburothelial and extrinsic lesions of the urinary bladder: radiologic and pathologic features with emphasis on MR imaging. <i>Abdominal imaging</i> 2015;40:2573-88.	Fel studiedesign
Cimsit C, Yoldemir T, Guclu M, Akpinar IN. Susceptibility-weighted magnetic resonance imaging for the evaluation of deep infiltrating endometriosis: Preliminary results. <i>Acta radiol</i> 2016;57:878-885.	Fel frågeställning
Dakhly DM, Abdel Moety GA, Saber W, Gad Allah SH, Hashem AT, Abdel Salam LO. Accuracy of Hysteroscopic Endomyometrial Biopsy in Diagnosis of Adenomyosis. <i>J Minim Invasive Gynecol</i> 2016;23:364-71.	Fel studiedesign
Di Donato N, Bertoldo, Montanari G, Zannoni L, Caprara G, Seracchioli R, et al. Question mark form of uterus: a simple sonographic sign associated with the presence of adenomyosis. <i>Ultrasound Obstet Gynecol</i> 2015;46:126-7.	Fel studiedesign
Di Paola V, Manfredi R, Castelli F, Negrelli R, Mehrabi S, Pozzi Mucelli R. Detection and localization of deep endometriosis by means of MRI and correlation with the ENZIAN score. <i>Eur J Radiol</i> 2015;84:568-74.	Fel studiedesign
Di Spiezio Sardo A, Florio P, Fernandez LMS, Guerra G, Spinelli M, Di Carlo C, et al. The potential role of endometrial nerve fibers in the pathogenesis of pain during endometrial biopsy at office hysteroscopy. <i>Reprod Sci</i> 2015;22:124-31.	Fel intervention and outcome

Referens	Exklusionsorsak
Dueholm M, Lundorf E, Sorensen JS, Ledertoug S, Olesen F, Laursen H. Reproducibility of evaluation of the uterus by transvaginal sonography, hysterosonographic examination, hysteroscopy and magnetic resonance imaging. <i>Hum Reprod</i> 2002;17:195-200.	Fel studiedesign
Dueholm M, Marinovskij E, Hansen ES, Moller C, Ortoft G. Diagnostic methods for fast-track identification of endometrial cancer in women with postmenopausal bleeding and endometrial thickness greater than 5 mm. <i>Menopause</i> 2015;22:616-26.	Fel population
Edwards A, Clarke L, Piessens S, Graham E, Shekleton P. Acoustic streaming: a new technique for assessing adnexal cysts. <i>Ultrasound Obstet Gynecol</i> 2003;22:74-8.	Pågående studie
ElKattan EA, Omran EF, Al Inany HG. The accuracy of transvaginal ultrasound and uterine artery Doppler in the prediction of adenomyosis. <i>Middle East Fertil Soc J</i> 2010;15:73-78.	
El-Khayat W, Sleet ME, Mahdi EY. Comparative study of transvaginal sonography and ysteroscopy for the detection of pathological endometrial esions in women with perimenopausal bleeding. <i>Middle East Fertil Soc J</i> 2011;16:77-82.	Fel studiedesign
Ellett L, Readman E, Newman M, McIlwaine K, Villegas R, Jagasia N, et al. Are endometrial nerve fibres unique to endometriosis? A prospective case-control study of endometrial biopsy as a diagnostic test for endometriosis in women with pelvic pain. <i>Hum Reprod</i> 2015;30:2808-15.	Fel studiedesign
Exacoustos C, Luciano AA, LaMonica R, Luciano DE, Albrecht L. Two and three-dimensional ultrasound evaluation of adenomyosis and histological correlation on ultrasound targeted biopsies of the myometrium at hysterectomy. <i>J Minim Invasive Gynecol</i> 2011;18:S7.	Fel studiedesign
Exacoustos C, Zupi E, Carusotti C, Rinaldo D, Marconi D, Lanzi G, et al. Staging of pelvic endometriosis: Role of sonographic appearance in determining extension of disease and modulating surgical approach. <i>J Am Assoc Gynecol Laparosc</i> 2003;10:378-382.	Fel studiedesign
Falco ML PA, Serino C, Trezza F, Fusco R, De Luca G, et al. Role of transvaginal sonography in deep infiltrating posterior endometriosis [Ruolo dell'ecografia transvaginale nell'endometriosi profonda infiltrante posteriore]. <i>Giornale Italiano di Ostetricia e Ginecologia</i> 2011;33.:209-14.	Fel språk
Fastrez M, Artigas C, Sirtaine N, Wimana Z, Cailliet M, Rozenberg S, et al. Value of the ^{68}Ga -DOTATATE PET-CT in the diagnosis of endometriosis. A pilot study. <i>Eur J Obstet Gynecol</i> 2017;212:69-74.	Fel studiedesign

Referens	Exklusionsorsak
Fastrez M, Nogarede C, Tondeur M, Sirtaine N, Rozenberg S. Evaluation of 18FDG PET-CT in the diagnosis of endometriosis: a prospective study. Reprod Sci 2011;18:540-4.	
Fawzy M, Amer T. Efficacy of transabdominal sonoelastography in the diagnosis of caesarean section scar endometrioma: A pilot study. J Obstet Gynaecol 2015;35:832-4.	Fel utfall
Fedele L, Bianchi S, Portuese A, Borruto F, Dorta M. Transrectal ultrasonography in the assessment of rectovaginal endometriosis. Obstet Gynecol 1998;91:444-8.	Fel studiedesign
Flaxman TE, Singh SS, Morissette C, Della Zazzeri V. Three-Dimensional Ultrasound Imaging of Deep Infiltrating Endometriotic Lesions of the Bowel. J Minim Invasive Gynecol 2017;31:31.	Fel studiedesign
Fraser MA, Agarwal S, Chen I, Singh SS. Routine vs. expert-guided transvaginal ultrasound in the diagnosis of endometriosis: a retrospective review. Abdominal imaging 2015;40:587-94.	Fel studiedesign
Gerges B, Lu C, Reid S, Chou D, Chang T, Condous G. "Soft marker" evaluation of ovarian mobility in the normal and endometriotic ovary in the detection of deep endometriosis. Ultrasound Obstet Gynecol 2016;0.	Fel studiedesign
Ghezzi F, Raio L, Cromi A, Duwe DG, Beretta P, Buttarelli M, et al. "Kissing ovaries": a sonographic sign of moderate to severe endometriosis. Fertil Steril 2005;83:143-7.	Fel frågeställning
Glanc P, Salem S, Farine D. Adnexal masses in the pregnant patient: a diagnostic and management challenge. Ultrasound Q 2008;24:225-40.	Fel studiedesign
Goncalves FC, Andres MP, Passman LJ, Goncalves MO, Podgaec S. A systematic review of ultrasonography-guided transvaginal aspiration of recurrent ovarian endometrioma. Int J Gynaecol Obstet 2016;134:3-7.	Fel studiedesign
Guerriero S, Ajossa S, Garau N, Alcazar JL, Mais V, Melis GB. Diagnosis of pelvic adhesions in patients with endometrioma: the role of transvaginal ultrasonography. Fertil Steril 2010;94:742-746.	Fel studiedesign
Guerriero S, Ajossa S, Minguez JA, Jurado M, Mais V, Melis GB, et al. Accuracy of transvaginal ultrasound for diagnosis of deep endometriosis in uterosacral ligaments, rectovaginal septum, vagina and bladder: systematic review and meta-analysis. Ultrasound Obstet Gynecol 2015;46:534-45.	Fel studiedesign
Guerriero S, Ajossa S, Paoletti AM, Mais V, Angiolucci M, Melis GB. Tumor markers and transvaginal ultrasonography in the diagnosis of endometrioma. Obstet Gynecol 1996;88:403-7.	Fel studiedesign

Referens	Exklusionsorsak
Guerriero S, Alcazar JL, Pascual MA, Ajossa S, Gerada M, Bargellini R, et al. Diagnosis of the most frequent benign ovarian cysts: Is ultrasonography accurate and reproducible? <i>Journal of Women's Health</i> 2009;18:519-527.	Fel studiedesign
Guerriero S, Mais V, Ajossa S, Paoletti AM, Angiolucci M, Melis GB. Transvaginal ultrasonography combined with CA-125 plasma levels in the diagnosis of endometrioma. <i>Fertil Steril</i> 1996;65:293-8.	Fel studiedesign
Ha HK, Lim YT, Kim HS, Suh TS, Song HH, Kim SJ. Diagnosis of pelvic endometriosis: fat-suppressed T1-weighted vs conventional MR images. <i>AJR Am J Roentgenol</i> 1994;163:127-31.	Fel studiedesign
Hanafi M. Ultrasound diagnosis of adenomyosis, leiomyoma or combined with histopathological correlation. <i>Gynecol Surg</i> 2012;9:S61.	Fel studiedesign
Hanafi M. Ultrasound diagnosis of adenomyosis, leiomyoma, or combined with histopathological correlation. <i>J Hum Reprod Sci</i> 2013;6:189-93.	Fel studiedesign
Huang CY, Wang HI, Wang PH, Wu YC, Yang MJ, Chen LH, et al. Mean grey value is lower in endometriomas: differentiating a hypoechoic adnexal cyst by 3-dimensional power Doppler ultrasound--a preliminary study. <i>J Chin Med Assoc</i> 2011;74:75-80.	Fel studiedesign
Hulka CA, Hall DA, McCarthy K, Simeone J. Sonographic findings in patients with adenomyosis: can sonography assist in predicting extent of disease? <i>AJR Am J Roentgenol</i> 2002;179:379-83.	Fel studiedesign
Ito TE, Abi Khalil ED, Taffel M, Moawad GN. Magnetic resonance imaging correlation to intraoperative findings of deeply infiltrative endometriosis. <i>Fertil Steril</i> 2017;107:e11-e12.	Fel studiedesign
Jermy K, Luise C, Bourne T. The characterization of common ovarian cysts in premenopausal women. <i>Ultrasound Obstet Gynecol</i> 2001;17:140-4.	Otillräckligt med data
Jiang J, Liu Y, Wang K, Wu X, Tang Y. Rectal water contrast transvaginal ultrasound versus double-contrast barium enema in the diagnosis of bowel endometriosis. <i>BMJ Open</i> 2017;7.	Dubbelpublikation
Johnston JL, Reid H, Hunter D. Diagnosing endometriosis in primary care: clinical update. <i>The British journal of general practice : the journal of the Royal College of General Practitioners</i> 2015;65:101-2.	Fel studiedesign
Juhan V. Chronic pelvic pain: An imaging approach. <i>Diagn Interv Imaging</i> 2015;96:997-1007.	Fel studiedesign

Referens	Exklusionsorsak
Kaufmann M, Vogl TJ, Mack MG, Hamscho N, Mueller A, Peters J, et al. Uterine adenomyosis in infertile patients: MR imaging findings and clinical conclusions. RoFo Fortschritte auf dem Gebiet der Rontgenstrahlen und der Bildgebenden Verfahren 2004;176:1641-1647.	Fel språk
Kikuchi I, Takeuchi H, Kuwatsuru R, Kitade M, Kumakiri J, Kuroda K, et al. Diagnosis of complete cul-de-sac obliteration (CCDSO) by the MRI jelly method. J Magn Reson Imaging 2009;29:365-70.	Fel studiedesign
Kim HJ, Lee SY, Shin YR, Park CS, Kim K. The Value of Diffusion-Weighted Imaging in the Differential Diagnosis of Ovarian Lesions: A Meta-Analysis. PLoS One 2016;11:e0149465.	Fel studiedesign
Koskas M. Distinction between intrinsic and extrinsic urinary tract endometriosis with MR imaging: the end of the tunnel? Diagn Interv Imaging 2015;96:317-8.	Fel studiedesign
Kroencke TJ. MRI for diagnosis of adenomyosis: unsung and underutilized. Gynecol Obstet Invest 2005;60:154.	Fel studiedesign
Kusunoki S, Ota T, Kaneda H, Kimura M, Terao Y, Takeda S. Analysis of positron emission tomography/computed tomography in patients to differentiate between malignant transformation of endometrioma and endometrioma. International Journal of Clinical Oncology 2016;21:1136-1141.	Fel studiedesign
Lee CY, Tseng CC, Wang CB, Lin YH, Chen CH, Wun TH, et al. A New Quantitative Method to Evaluate Adnexal Tumors. Taiwanese Journal of Obstetrics and Gynecology 2010;49:45-49.	Fel population
Leyendecker G, Bilgicyildirim A, Inacker M, Stalf T, Huppert P, Mall G, et al. Adenomyosis and endometriosis. Re-visiting their association and further insights into the mechanisms of auto-traumatisation. An MRI study. Archives of gynecology and obstetrics 2015;291:917-32.	Fel studiedesign
Li Y, Song Q-W, Sun M-Y, Wang H-Q, Wang S, Wei Q, et al. Use of enhanced T2 star-weighted angiography (ESWAN) and R2* values to distinguish ovarian cysts due to endometriosis from other causes. Abdominal imaging 2015;40:1733-41.	Fel studiedesign
Lopes Dias J, Veloso Gomes F, Lucas R, Cunha TM. The shading sign: is it exclusive of endometriomas? Abdominal imaging 2015;40:2566-72.	Fel studiedesign
Malek M, Pourashraf M, Mousavi AS, Rahmani M, Ahmadinejad N, Alipour A, et al. Differentiation of benign from malignant adnexal masses by functional 3 tesla MRI techniques: diffusion-weighted imaging and time-	Fel population

Referens	Exklusionsorsak
intensity curves of dynamic contrast-enhanced MRI. Asian Pacific journal of cancer prevention : APJCP 2015;16:3407-12.	
Marchiori E, Hochhegger B, Zanetti G. Thoracic endometriosis: the role of imaging. Archivos de bronconeumologia 2015;51:202.	Fel studiedesign
Masui T, Katayama M, Kobayashi S, Shimizu S, Nozaki A, Sakahara H. Pseudolesions related to uterine contraction: characterization with multiphase-multisection T2-weighted MR imaging. Radiology 2003;227:345-52.	Otillräckligt med data
Medeiros LR, Rosa MI, Silva BR, Reis ME, Simon CS, Dondossola ER, et al. Accuracy of magnetic resonance in deeply infiltrating endometriosis: a systematic review and meta-analysis. Archives of gynecology and obstetrics 2015;291:611-21.	Fel studiedesign
Menakaya U, Infante F, Lu C, Phua C, Model A, Messyne F, et al. Interpreting the real-time dynamic 'sliding sign' and predicting pouch of Douglas obliteration: an interobserver, intraobserver, diagnostic-accuracy and learning-curve study. Ultrasound Obstet Gynecol 2016;48:113-20.	Fel studiedesign
Menakaya U, Reid S, Infante F, Condous G. Systematic evaluation of women with suspected endometriosis using a 5-domain sonographically based approach. J Ultrasound Med 2015;34:937-47.	Fel frågeställning
Menakaya U, Reid S, Lu C, Gerges B, Infante F, Condous G. Performance of ultrasound-based endometriosis staging system (UBESS) for predicting level of complexity of laparoscopic surgery for endometriosis. Ultrasound Obstet Gynecol 2016;48:786-795.	Fel frågeställning
Menakaya UA, Adno A, Lanzarone V, Johnson NP, Condous G. Integrating the concept of advanced gynaecological imaging for endometriosis. Aust N Z J Obstet Gynaecol 2015;55:409-12.	Fel studiedesign
Millischer AE, Salomon LJ, Santulli P, Borghese B, Dousset B, Chapron C. Fusion imaging for evaluation of deep infiltrating endometriosis: feasibility and preliminary results. Ultrasound Obstet Gynecol 2015;46:109-17.	Fel studiedesign
Moro F, Tropea A, Selvaggi L, Scarinci E, Lanzone A, Apa R. Hysterosalpingo-contrast-sonography (HyCoSy) in the assessment of tubal patency in endometriosis patients. Eur J Obstet Gynecol 2015;186:22-5.	Fel studiedesign
Noventa M, Saccardi C, Litta P, Quaranta M, D'Antona D, Gizzo S. Innovative ultrasound techniques for diagnosis of deep pelvic endometriosis: more confusion or a possible solution to the dilemma? Ultrasound Obstet Gynecol 2015;45:355-6.	Fel studiedesign

Referens	Exklusionsorsak
Noventa M, Saccardi C, Litta P, Vitagliano A, D'Antona D, Abdulrahim B, et al. Ultrasound techniques in the diagnosis of deep pelvic endometriosis: algorithm based on a systematic review and meta-analysis. <i>Fertil Steril</i> 2015;104:366-83.e2.	Fel studiedesign
Okada S. [Studies on diagnosis of endometriosis by magnetic resonance imaging by means of fat saturation technique]. <i>Nihon Sanka Fujinka Gakkai Zasshi</i> 1995;47:264-70.	Fel språk
Pastorfide G, Fong YF. Use of narrowband imaging for the detection of endometriosis. <i>J Minim Invasive Gynecol</i> 2015;22:535.	Fel frågeställning
Philip CA, Bisch C, Coulon A, Maissiat E, de Saint-Hilaire P, Huissoud C, et al. Three-dimensional sonorectography: a new transvaginal ultrasound technique with intrarectal contrast to assess colorectal endometriosis. <i>Ultrasound Obstet Gynecol</i> 2015;45:233-5.	Fel studiedesign
Philip C-A, Bisch C, Coulon A, de Saint-Hilaire P, Rudigoz R-C, Dubernard G. Correlation between three-dimensional rectosonography and magnetic resonance imaging in the diagnosis of rectosigmoid endometriosis: a preliminary study on the first fifty cases. <i>Eur J Obstet Gynecol Reprod Biol</i> 2015;187:35-40.	Fel studiedesign
Pinzauti S, Lazzeri L, Tosti C, Centini G, Orlandini C, Luisi S, et al. Transvaginal sonographic features of diffuse adenomyosis in 18-30-year-old nulligravid women without endometriosis: association with symptoms. <i>Ultrasound Obstet Gynecol</i> 2015;46:730-6.	Fel studiedesign
Reid S, Lu C, Hardy N, Casikar I, Reid G, Cario G, et al. Reply: New ultrasound technologies to classify deep pelvic endometriosis. <i>Ultrasound Obstet Gynecol</i> 2015;45:356-7.	Fel studiedesign
Rieber A, Nussle K, Stohr I, Grab D, Fenchel S, Kreienberg R, et al. Preoperative diagnosis of ovarian tumors with MR imaging: comparison with transvaginal sonography, positron emission tomography, and histologic findings. <i>AJR Am J Roentgenol</i> 2001;177:123-9.	Fel population
Roman H, Puscasiu L, Lempicki M, Huet E, Chati R, Bridoux V, et al. Colorectal Endometriosis Responsible for Bowel Occlusion or Subocclusion in Women With Pregnancy Intention: Is the Policy of Primary in Vitro Fertilization Always Safe? <i>J Minim Invasive Gynecol</i> 2015;22:1059-67.	Fel frågeställning
Rousset P, Gregory J, Rousset-Jablonski C, Hugon-Rodin J, Regnard JF, Chapron C, et al. MR diagnosis of diaphragmatic endometriosis. <i>Eur Radiol</i> 2016;26:3968-3977.	Fel studiedesign

Referens	Exklusionsorsak
Rouzi AA, Sahly N, Kafy S, Sawan D, Abduljabbar H. Prevalence of endometriosis at a university hospital in Jeddah, Saudi Arabia. Clin Exp Obstet Gynecol 2015;42:785-6.	Fel utfall
Scardapane A, Lorusso F, Francavilla M, Bettocchi S, Fascilla FD, Angelelli G, et al. Magnetic Resonance Colonography May Predict the Need for Bowel Resection in Colorectal Endometriosis. Biomed Res Int 2017;1-7.	Fel studiedesign
Scarella AC DL, Villarroel CQ, Inzunza NP, Quilodrán FR, Sovino HS. Transvaginal ultrasound for preoperative detection of deep endometriosis in patients with chronic pelvic pain [Ultrasonido transvaginal para la detección preoperatoria de endometriosis profunda en pacientes con dolor pélvico crónico]. Rev Chil Obstet Ginecol 2013;78:114-8.	Fel språk
Schliep KC, Chen Z, Stanford JB, Xie Y, Mumford SL, Hammoud AO, et al. Endometriosis diagnosis and staging by operating surgeon and expert review using multiple diagnostic tools: an inter-rater agreement study. BJOG 2017;124:220-229.	Fel studiedesign
Selcuk S, Sahin S, Demirci O, Aksoy B, Eroglu M, Ay P, et al. Translation and validation of the Endometriosis Health Profile (EHP-5) in patients with laparoscopically diagnosed endometriosis. Eur J Obstet Gynecol 2015;185:41-4.	Fel frågeställning
Sheth S, Macura K. Sonography of the Uterine Myometrium: Myomas and Beyond. Ultrasound Clinics 2007;2:267-295.	Fel studiedesign
Sillou S, Poiree S, Millischer AE, Chapron C, Helenon O. Urinary endometriosis: MR imaging appearance with surgical and histological correlations. Diagn Interv Imaging 2015;96:373-81.	Fel studiedesign
Sokalska A, Timmerman D, Testa AC, Van Holsbeke C, Lissoni AA, Leone FP, et al. Diagnostic accuracy of transvaginal ultrasound examination for assigning a specific diagnosis to adnexal masses. Ultrasound Obstet Gynecol 2009;34:462-70.	Data publicerade i en annan studie av Van Holsbeke.
Stoelinga B, Hehenkamp WJ, Brodmann HA, Huirne JA. Real-time elastography for assessment of uterine disorders. Ultrasound Obstet Gynecol 2014;43:218-26.	Fel studiedesign
Sugimura K, Okizuka H, Imaoka I, Kaji Y, Takahashi K, Kitao M, et al. Pelvic endometriosis: detection and diagnosis with chemical shift MR imaging. Radiology 1993;188:435-8.	Fel studiedesign
Tadros MY, Keriakos NN. Diffusion MRI versus ultrasound in superficial and deep endometriosis. Egyptian Journal of Radiology and Nuclear Medicine 2016;47:1765-1771.	Fel population

Referens	Exklusionsorsak
Tajima A, Suzuki C, Kikuchi I, Kasahara H, Koizumi A, Nojima M, et al. Efficacy of the echo pattern classification of ovarian tumors 2000 in conjunction with transvaginal ultrasonography for diagnosis of ovarian masses. <i>J Med Ultrason</i> 2016;43:249-255.	Fel population
Takeuchi M, Matsuzaki K. Adenomyosis: usual and unusual imaging manifestations, pitfalls, and problem-solving MR imaging techniques. <i>Radiographics</i> 2011;31:99-115.	Fel studiedesign
Takeuchi M, Matsuzaki K, Harada M. Susceptibility-weighted MRI of extra-ovarian endometriosis: preliminary results. <i>Abdominal imaging</i> 2015;40:2512-6.	Fel studiedesign
Tamai K, Togashi K, Ito T, Morisawa N, Fujiwara T, Koyama T. MR imaging findings of adenomyosis: correlation with histopathologic features and diagnostic pitfalls. <i>Radiographics</i> 2005;25:21-40.	Fel studiedesign
Tessarolo M, Bonino L, Camanni M, Deltetto F. Elastosonography: a possible new tool for diagnosis of adenomyosis? <i>Eur Radiol</i> 2011;21:1546-52.	Otillräckligt med data
Thonnon C, Philip C-A, Fassi-Fehri H, Bisch C, Coulon A, de Saint-Hilaire P, et al. Three-dimensional ultrasound in the management of bladder endometriosis. <i>J Minim Invasive Gynecol</i> 2015;22:403-9.	Otillräckligt med data
Tsili AC, Dalkalitsis N, Paraskevaidis E, Tsampoulas K. Multi-detector CT features of benign adnexal lesions. <i>Acad Radiol</i> 2010;17:31-8.	Otillräckligt med data
Tsili AC, Tsampoulas C, Argyropoulou M, Navrozoglou I, Alamanos Y, Paraskevaidis E, et al. Comparative evaluation of multidetector CT and MR imaging in the differentiation of adnexal masses. <i>European Radiology</i> 2008;18:1049-1057.	Otillräckligt med data
Ubaldi F, Wisanto A, Camus M, Tournaye H, Clasen K, Devroey P. The role of transvaginal ultrasonography in the detection of pelvic pathologies in the infertility workup. <i>Hum Reprod</i> 1998;13:330-3.	Fel studiedesign
Uyttenhove F, Langlois C, Collinet P, Rubod C, Verpillat P, Bigot J, et al. Deep infiltrating endometriosis: Should rectal and vaginal opacification be systematically used in MR imaging? <i>Gynecologie Obstetrique et Fertilite</i> 2016;44:322-328.	Fel studiedesign
Walker, Jones. Transvaginal ultrasound guided biopsies in the diagnosis of pelvic lesions. <i>Minim Invasive Ther Allied Technol</i> 2003;12:241-4.	Fel studiedesign
Van Holsbeke C, Zhang J, Van Belle V, Paladini D, Guerriero S, Czekierowski A, et al. Acoustic streaming cannot discriminate reliably	Fel studiedesign

Referens	Exklusionsorsak
between endometriomas and other types of adnexal lesion: a multicenter study of 633 adnexal masses. Ultrasound Obstet Gynecol 2010;35:349-353.	
Verma M, Lev-Toaff AS, Baltarowich OH, Bergin D, Verma SK, Mitchell DG. Adenomyosis: sonohysterography with MRI correlation. AJR Am J Roentgenol 2009;192:1112-6.	Fel studiedesign
Vinci V, Saldari M, Sergi ME, Bernardo S, Rizzo G, Porpora MG, et al. MRI, US or real-time virtual sonography in the evaluation of adenomyosis? Radiol Med 2017;122:361-368.	Fel studiedesign
Vrachnis N, Sifakis S, Samoli E, Kappou D, Pavlakis K, Iliodromiti Z, et al. Three-dimensional ultrasound and three-dimensional power Doppler improve the preoperative evaluation of complex benign ovarian lesions. Clin Exp Obstet Gynecol 2012;39:474-8.	Fel frågeställning
Yasui T, Hayashi K, Nagai K, Mizunuma H, Kubota T, Lee J-S, et al. Risk profiles for endometriosis in Japanese women: results from a repeated survey of self-reports. Journal of epidemiology / Japan Epidemiological Association 2015;25:194-203.	Fel studiedesign
Young SW, Dahiya N, Patel MD, Abrao MS, Magrina JF, Temkit M, et al. Initial Accuracy of and Learning Curve for Transvaginal Ultrasound with Bowel Preparation for Deep Endometriosis in a US Tertiary Care Center. J Minim Invasive Gynecol 2017.	Fel studiedesign
Youssef AT. Endosonography of benign myometrium cysts and cyst-like lesions. J Ultrasound 2015;18:213-22.	Fel frågeställning
Zanardi R, Del Frate C, Zuiani C, Bazzocchi M. Staging of pelvic endometriosis based on MRI findings versus laparoscopic classification according to the American Fertility Society. Abdominal Imaging 2003;28:733-742.	Fel frågeställning
Zanardi R, Del Frate C, Zuiani C, Del Frate G, Bazzocchi M. Staging of pelvic endometriosis using Magnetic Resonance Imaging compared with the laparoscopic classification of the American Fertility Society: A prospective study. Radiologia Medica 2003;105:326-338.	Fel frågeställning
Zannoni L, Del Forno S, Coppola F, Papadopoulos D, Valerio D, Golfieri R, et al. Comparison of transvaginal sonography and computed tomography–colonography with contrast media and urographic phase for diagnosing deep infiltrating endometriosis of the posterior compartment of the pelvis: a pilot study. Jpn J Radiol 2017;35:546-554.	Dubblett

Referens	Exklusionsorsak
Zhang H, Zhang GF, He ZY, Li ZY, Zhang GX. Prospective evaluation of 3T MRI findings for primary adnexal lesions and comparison with the final histological diagnosis. Arch Gynecol Obstet 2014;289:357-64.	Otillräckligt med data

Behandling

Referens	Exklusionsorsak
A comparison of the efficacy and safety of buserelin vs danazol in the treatment of endometriosis. Current Concepts in Endometriosis 1990;0:253-67.	Fel publikationstyp
Abate SD, Edwards CL, Vellios F. A comparative study of the endometrial jet-washing technic and endometrial biopsy. Am J Clin Pathol 1972;58:118-22.	Fel intervention
Abo C, Roman H, Bridoux V, Huet E, Tuech JJ, Resch B, et al. Management of deep infiltrating endometriosis by laparoscopic route with robotic assistance: 3-year experience. J Gynecol Obstet Biol Reprod (Paris) 2016;0.	Fel PICO
Abo C, Roman H, Bridoux V, Huet E, Tuech JJ, Resch B, et al. Management of deep infiltrating endometriosis by laparoscopic route with robotic assistance: 3-year experience. J Gynecol Obstet Hum Reprod 2017;46:9-18.	Fel PICO
Abu Hashim H, El Rakhawy M, Abd Elaal I. Randomized comparison of superovulation with letrozole vs. clomiphene citrate in an IUI program for women with recently surgically treated minimal to mild endometriosis. Acta Obstet Gynecol Scand 2011;91:338-45.	Dubblett
Adachi K, Takahashi K, Nakamura K, Otake A, Sasamoto N, Miyoshi Y, et al. Postoperative administration of dienogest for suppressing recurrence of disease and relieving pain in subjects with ovarian endometriomas. Gynecol Endocrinol 2016;32:646-9.	Fel studiedesign
Adamson GD, Hurd SJ, Pasta DJ, Rodriguez BD. Laparoscopic endometriosis treatment: is it better? Fertil Steril 1993;59:35-44.	Fel publiceringsår
Adamson GD, Lu J, Subak LL. Laparoscopic CO ₂ laser vaporization of endometriosis compared with traditional treatments. Fertil Steril 1988;50:704-10.	Fel publiceringsår
Adamson GD, Pasta DJ. Surgical treatment of endometriosis-associated infertility: Meta-analysis compared with survival analysis. Am J Obstet Gynecol 1994;171:1488-505.	Systematisk översikt
Adamson GD, Subak LL, Pasta DJ, Hurd SJ, von Franque O, Rodriguez BD. Comparison of CO ₂ laser laparoscopy with laparotomy for treatment of endometriomata. Fertil Steril 1992;57:965-73.	Fel publiceringsår

Referens	Exklusionsorsak
Adamson GD. Laparoscopic treatment is better than medical treatment for minimal or mild endometriosis. <i>Int J Fertil Menopausal Stud</i> 1996;41:396-9.	Systematisk översikt
Agarwal SK, Daniels A, Drosman SR, Udoff L, Foster WG, Pike MC, et al. Treatment of endometriosis with the GnRH-a deslorelin and add-back estradiol and supplementary testosterone. <i>Biomed Res Int</i> 2015;2015.	Fel studiedesign
Agarwal SK, Foster WG. Reduction in Endometrioma Size with Three Months of Aromatase Inhibition and Progestin Add-Back. <i>Biomed Res Int</i> 2015;2015:1-4.	Fel kontrollgrupp
Agarwal SK, Hamrang C, Henzl MR, Judd HL. Nafarelin vs. leuproreotide acetate depot for endometriosis. Changes in bone mineral density and vasomotor symptoms. Nafarelin Study Group. <i>J Reprod Med</i> 1997;42:413-23.	Dubbelt
Agarwal SK. The impact of 6 months GnRH agonist therapy for the treatment of endometriosis on bone mineral density: is there an age-related effect? <i>Hum Reprod</i> 1999;14:260.	Fel publikationstyp
Agha-Hosseini M, Aleyaseen A, Peyvandi S, Kashani L. Comparison of pregnancy and implantation rates in zygote intrafallopian transfer and uterine embryo transfer for nontubal infertility. <i>East Mediterr Health J</i> 2010;16:29-33.	Fel population
Agostini A, Vejux N, Bretelle F, Collette E, De Lapparent T, Cravello L, et al. Value of laparoscopic assistance for vaginal hysterectomy with prophylactic bilateral oophorectomy. <i>Am J Obstet Gynecol</i> 2006;194:351-4.	Fel population
Ahn AC, Schnyer R, Conboy L, Laufer MR, Wayne PM. Electrodermal measures of Jing-Well points and their clinical relevance in endometriosis-related chronic pelvic pain. <i>J Altern Complement Med</i> 2009;15:1293-305.	Fel intervention
Akram H, Khanum Z, Nasir A, Rana T. Goserelin versus danazol in the treatment of endometriosis. <i>Ann King Edward Med Coll</i> 2006;12:47-9.	Avregistrerade läkemedel
Al-Azemi M, Jones G, Sirkeci F, Walters S, Houdmont M, Ledger W. Immediate and delayed add-back hormonal replacement therapy during ultra long GnRH agonist treatment of chronic cyclical pelvic pain. <i>BJOG</i> 2009;116:1646-56.	Fel population
Alborzi S, Foroughinia L, Kumar PV, Asadi N, Alborzi S. A comparison of histopathologic findings of ovarian tissue inadvertently excised with endometrioma and other kinds of benign ovarian cyst in patients undergoing laparoscopy versus laparotomy. <i>Fertil Steril</i> 2009;92:2004-7.	Fel population
Alborzi S, Ghotbi S, Parsanezhad ME, Dehbashi S, Alborzi S, Alborzi M. Pentoxyfylline therapy after laparoscopic surgery for different stages of endometriosis: a prospective, double-blind, randomized, placebo-controlled study. <i>J Minim Invasive Gynecol</i> 2007;14:54-8.	Fel intervention
Alborzi S, Hosseini-Nohadani A, Poordast T, Shomali Z. Surgical outcomes of laparoscopic endometriosis surgery: a 6 year experience. <i>Curr Med Res Opin</i> 2017;1-6.	Fel studiedesign

Referens	Exklusionsorsak
Alborzi S, Ravanbakhsh R, Parsanezhad ME, Alborzi M, Alborzi S, Dehbashi S. A comparison of follicular response of ovaries to ovulation induction after laparoscopic ovarian cystectomy or fenestration and coagulation versus normal ovaries in patients with endometrioma. <i>Fertil Steril</i> 2007;88:507-9.	Fel utfall
Al-Fadhli R, Sylvestre C, Buckett W, Tulandi T. A randomized study of laparoscopic chromopertubation with lipiodol versus saline in infertile women. <i>Fertil Steril</i> 2006;85:505-7.	Fel population
Alhamdan D, Bignardi T, Hardas G, Merkur H, Condous G. Mirena intra-uterine system: does it improve long term symptoms in women with chronic pelvic pain and/or endometriosis after laparoscopy? A multicentre randomized controlled trial. <i>Rev Recent Clin Trials</i> 2010;5:143-6.	Fel publikationstyp
Al-Inany H. Laparoscopic ablation is not necessary for minimal or mild lesions in endometriosis associated subfertility. <i>Acta Obstet Gynecol Scand</i> 2001;80:593-5.	Systematisk översikt
Allen TW. Zoladex versus danazol in endometriosis therapy. <i>J Am Osteopath Assoc</i> 1993;93:1013.	Fel publikationstyp
Almassinokiani F, Mehdizadeh A, Sariri E, Rezaei M, Almasi A, Akbari H, et al. Effects of simvastatin in prevention of pain recurrences after surgery for endometriosis. <i>Med Sci Monit</i> 2013;19:534-9.	Dubblett
AlSalilli M, Vilos GA. Prospective evaluation of laparoscopic appendectomy in women with chronic right lower quadrant pain. <i>American Association of Gynecologic Laparoscopists</i> 1995;2:139-42.	Fel population
Amrani R, Cornier E, Henry Suchet J, Sarjdine K, Mayenga JM, Loysel T, et al. Comparison of two therapeutic strategies for severe endometriosis Results in young women requiring for chronic pelvic pain. <i>Gynecol Obstet Fertil</i> 2001;29:116-22.	Fel språk
Anaf V, Simon P, El Nakadi I, Simonart T, Noel J, Buxant F. Impact of surgical resection of rectovaginal pouch of douglas endometriotic nodules on pelvic pain and some elements of patients' sex life. <i>J Am Assoc Gynecol Laparosc</i> 2001;8:55-60.	Fel PICO
Ananthakrishnan G, Murray L, Ritchie M, Murray G, Bryden F, Lassman S, et al. Randomized comparison of uterine artery embolization (UAE) with surgical treatment in patients with symptomatic uterine fibroids (REST Trial): Subanalysis of 5-year MRI findings. <i>Cardiovasc Intervent Radiol</i> 2013;36:676-81.	Fel population
Andguladze M, Tevdorashvili G, Tevdorashvili D, Tevdorashvili M. Modern aspects of treatment for endometriosis and their pharmacological and economic assessment in the Caucasian region. <i>Gynecol Endocrinol</i> 2016;32:103 Abstract no: P50.	Fel publikationstyp
Andrews WC, Larsen GD. Endometriosis: treatment with hormonal pseudopregnancy and-or operation. <i>Am J Obstet Gynecol</i> 1974;118:643-51.	Fel publiceringsår

Referens	Exklusionsorsak
Angioli R, Muzii L, Montera R, Damiani P, Bellati F, et al. Feasibility of the use of novel matrix hemostatic sealant (FloSeal) to achieve hemostasis during laparoscopic excision of endometrioma. <i>J Minim Invasive Gynecol</i> 2009;16:153-6.	Fel utfall
Angioni S, Pontis A, Cela V, Sedda F, Genazzani AD, Nappi L. Surgical technique of endometrioma excision impacts on the ovarian reserve. Single-port access laparoscopy versus multiport access laparoscopy: a case control study. <i>Gynecol Endocrinol</i> 2015;31:454-7.	Fel utfall
Angioni S, Pontis A, Pisani A, Mereu L, Roman H. Single-port Access Subtotal Laparoscopic Hysterectomy: A Prospective Case-Control Study. <i>J Minim Invasive Gynecol</i> 2015;22:807-12.	Fel utfall
Ansbacher R. Treatment of endometriosis with Danazol. <i>Am J Obstet Gynecol</i> 1975;121:283-4.	Fel publikationstyp
Antonelli A, Simeone C, Canossi E, Zani D, Sacconi T, Minini G, et al. Surgical approach to urinary endometriosis: experience on 28 cases. <i>Arch Ital Urol Androl</i> 2006;78:35-8.	Fel PICO
Anuman-Rajadhon Y, Pimolpun K. Clinical trial of Danazol on the treatment of endometriosis. <i>J Med Assoc Thai</i> 1983;66:257-61.	Fel studiedesign
Api M. Surgery for endometriosis-related pain. <i>Womens Health (Lond Engl)</i> 2015;11:665-9.	Fel publikationstyp
Archer DF, Luciano A, Carson S, Vilos G. New low dose depot medroxyprogesterone acetate subcutaneous injection is equivalent to leuprolide acetate for endometriosis-associated pain. <i>Fertil Steril</i> 2004;82.	Fel publikationstyp
Armengol-Debeir L, Savoye G, Leroi AM, Gourcerol G, Savoye-Collet C, Tuech JJ, et al. Pathophysiological approach to bowel dysfunction after segmental colorectal resection for deep endometriosis infiltrating the rectum: a preliminary study. <i>Hum Reprod</i> 2011;26:2330-5.	Fel PICO
Arrowsmith JB, Dreis M. Thrombocytopenia after treatment with danazol. <i>N Engl J Med</i> 1986;315:585.	Fel population
Arumugam K, Urquhart R. Efficacy of laparoscopic electrocoagulation in infertile patients with minimal or mild endometriosis. <i>Acta Obstet Gynecol Scand</i> 1991;70:125-7.	Fel publiceringsår
Arumugam K, Yusof RM. Efficacy of medical treatment in infertile patients with minimal or mild endometriosis. <i>Aust N Z J Obstet Gynaecol</i> 1990;30:389.	Fel publikationstyp
Asgari Z, Rouholamin S, Hosseini R, Sepidarkish M, Hafizi L, Javaheri A. Comparing ovarian reserve after laparoscopic excision of endometriotic cysts and hemostasis achieved either by bipolar coagulation or suturing: a randomized clinical trial. <i>Arch Gynecol Obstet</i> 2016;293:1015-22.	Fel utfall

Referens	Exklusionsorsak
Audebert A, Lucas C, Joubert-Collin M. Efficacy and safety of slow-release leuprorelin 3,75 mg compared to Danazol treatment. Ref Gynecol Obstet 1997;5:49-57.	Fel språk
Aygen MA, Atakul T, Oner G, Ozgun MT, Sahin Y, Ozturk F. A prospective trial comparing letrozole versus gonadotropins for ovulation induction in patients with histologically documented endometriosis. Hum Reprod 2010;25:i215.	Fel publikationstyp
Badalotti M, Arent A, Moretto M, Petracco A. Fertilization rates in sibling oocytes from endometriosis patients undergoing IVF and ICSI. Hum Reprod 1999;14:201.	Fel publikationstyp
Badawy A, Khiary M, Ragab A, Hassan M, Sherif L. Laparoscopy--or not--for management of unexplained infertility. J Obstet Gynaecol 2010;30:712-5.	Fel population
Badawy SZ, ElBakry MM, Samuel F, Dizer M. Cumulative pregnancy rates in infertile women with endometriosis. J Reprod Med 1988;33:757-60.	Fel publiceringsår
Badescu A, Roman H, Aziz M, Puscasiu L, Molnar C, Huet E, et al. Mapping of bowel occult microscopic endometriosis implants surrounding deep endometriosis nodules infiltrating the bowel. Fertil Steril 2016;105:430-4.	Fel utfall
Balasch J, Creus M, Fabregues F, Carmona F, Martinez-Roman S, Manau D, et al. Pentoxifylline versus placebo in the treatment of infertility associated with minimal or mild endometriosis: a pilot randomized clinical trial. Hum Reprod 1997;12:2046-50.	Fel intervention
Balci O. Comparison of total laparoscopic hysterectomy and abdominal hysterectomy. Turk Jinekoloji ve Obstetrik Dernegi Dergisi 2014;11:224-7.	Fel population
Ballester M, Roman H, Mathieu E, Touleimat S, Belghiti J, Darai E. Prior colorectal surgery for endometriosis-associated infertility improves ICSI-IVF outcomes: results from two expert centres. Eur J Obstet Gynecol Reprod Biol 2017;209:95-99.	Fel PICO
Banerjee S, Ballard KD, Lovell DP, Wright J. Deep and superficial endometriotic disease: The response to radical laparoscopic excision in the treatment of chronic pelvic pain. Gynecol Surg 2006;3:199-205.	Fel PICO
Barbieri RL, Gordon AM. Hormonal therapy of endometriosis: the estradiol target. Fertil Steril 1991;56:820-2.	Systematisk översikt
Barbieri RL. Gonadotropin-releasing hormone agonists: treatment of endometriosis. Clin Obstet Gynecol 1993;36:636-41.	Systematisk översikt
Barlow DH. Nafarelin in the treatment of infertility caused by endometriosis. Am J Obstet Gynecol 1990;162:576-9.	Systematisk översikt
Barry H. Do leuprolide injections help women with chronic pelvic pain caused by suspected endometriosis? Evidence-Based Practice 1999;2:6-insert 2p 2p.	Fel publikationstyp

Referens	Exklusionsorsak
Bastu E, Yasa C, Dural O, Mutlu MF, Celik C, Ugurlucan FG, et al. Comparison of ovulation induction protocols after endometrioma resection. J Sls 2014;18.	Fel studiedesign
Batioglu S, Celikkanat H, Ugur M, Mollamahmutoglu L, Yesilyurt H, Kundakci M. The use of GnRH agonists in the treatment of endometriomas with or without drainage. J Pak Med Assoc 1996;46:30-2.	Fel publiceringsår
Batioğlu S, Haberal A, Çelikkanat H. Comparison of GnRH agonist administration before and after laparoscopic drainage of endometriomas. J Gynecol Surg 1997;13:17-21.	Fel publiceringsår
Bayar U, Tanriverdi HA, Barut A, Ayoglu F, Ozcan O, Kaya E. Letrozole vs. clomiphene citrate in patients with ovulatory infertility. Fertil Steril 2006;85:1045-8.	Fel population
Bayer S, Seibel M, Saffan D, Berger M, Taymor M. Efficacy of danazol treatment for minimal endometriosis in infertile women. J Reprod Med 1988;33:179-83.	Dubblett
Bayer SR, Seibel MM, Saffan DS, Berger MJ, Taymor ML. Efficacy of danazol treatment for minimal endometriosis in infertile women. A prospective, randomized study. J Reprod Med 1988;33:179-83.	Avregistrerade läkemedel
Bayram G, Beji N. Psychosexual adaptation and quality of life after hysterectomy. Sex Disabil 2010;28:3-13.	Systematisk översikt
Beard RW, Kennedy RG, Gangar KF, Stones RW, Rogers V, Reginald PW, et al. Bilateral oophorectomy and hysterectomy in the treatment of intractable pelvic pain associated with pelvic congestion. Br J Obstet Gynaecol 1991;98:988-92.	Fel population
Bedaiwy MA, Casper RF. Treatment with leuprolide acetate and hormonal add-back for up to 10 years in stage IV endometriosis patients with chronic pelvic pain. Fertil Steril 2006;86:220-2.	Fel kontrollgrupp
Bedaiwy MA, Casper RF. Treatment with leuprolide acetate and hormonal add-back for up to 10 years in stage IV endometriosis patients with chronic pelvic pain. Fertil Steril 2006;86:220-2.	Fel publikationstyp
Bedaiwy MA, Farghaly T, Hurd W, Liu J, Mansour G, Fader AN, et al. Laparoendoscopic single-site surgery for management of ovarian endometriomas. J Sls 2014;18:191-6.	Fel utfall
Bedaiwy MA, Forman R, Mousa NA, Al Inany HG, Casper RF. Cost-effectiveness of aromatase inhibitor co-treatment for controlled ovarian stimulation. Hum Reprod 2006;21:2838-44.	Fel population
Bedaiwy MA, Liu J. Long-term management of endometriosis: Medical therapy and treatment of infertility. Sex Reprod Menopause 2010;8:10-4.	Systematisk översikt
Bedaiwy MA. Evidence-based long-term management of endometriosis: Medical therapy and treatment of infertility. Middle East Fertil Soc J 2011;16:236-9.	Systematisk översikt

Referens	Exklusionsorsak
Beiler DD, Schumtz DA, O'Rourke TL. Carcinoma of the endometrium: radiation and surgery versus surgery alone. Radiology 1972;102:159-64.	Fel population
Beissner F, Preibisch C, Schweizer-Arau A, Popovici RM, Meissner K. Psychotherapy With Somatosensory Stimulation for Endometriosis-Associated Pain: The Role of the Anterior Hippocampus. Biol Psychiatry 2017.	Fel utfall
Benassi L, Rossi T, Kaihura CT, Ricci L, Bedocchi L, Galanti B, et al. Abdominal or vaginal hysterectomy for enlarged uteri: A randomized clinical trial. Am J Obstet Gynecol 2002;187:1561-5.	Fel population
Ben-Meir A, Aboo-Dia M, Revel A, Eizenman E, Laufer N, Simon A. The benefit of human chorionic gonadotropin supplementation throughout the secretory phase of frozen-thawed embryo transfer cycles. Fertil and Steril 2010;93:351-4.	Fel population
Beretta P, Franchi M, Ghezzi F, Busacca M, Zupi E, Bolis P. Randomized clinical trial of two laparoscopic treatments of endometriomas: cystectomy versus drainage and coagulation. Fertil Steril 1998;70:1176-80.	Fel publiceringsår
Bergquist C. Effects of nafarelin versus danazol on lipids and calcium metabolism. Am J Obstet Gynecol 1990;162:589-91.	Fel utfall
Bergstrom I, Freyschuss B, Jacobsson H, Landgren BM. The effect of physical training on bone mineral density in women with endometriosis treated with GnRH analogs: a pilot study. Acta Obstet Gynecol Scand 2005;84:380-3.	Fel utfall
Berner E, Qvigstad E, Langebrekke A, Lieng M. Laparoscopic Supracervical Hysterectomy Performed With and Without Excision of the Endocervix: A Randomized Controlled Trial. J Minim Invasive Gynecol 2013;20:368-75.	Fel population
Berner E, Qvigstad E, Myrvold AK, Lieng M. Pain reduction after total laparoscopic hysterectomy and laparoscopic supracervical hysterectomy among women with dysmenorrhoea: A randomised controlled trial. BJOG 2015;122:1102-11.	Fel population
Best postop treatment for stage III-IV endometriosis. Contemp Ob Gyn 2008;53:12-4.	Systematisk översikt
Beste TM, Daucher JA, Holbert D. Humidified compared with dry, heated carbon dioxide at laparoscopy to reduce pain. Obstet Gynecol 2006;107:263-8.	Fel population
Bhattacharya SM, Tolasaria A, Khan B. Vaginal danazol for the treatment of endometriosis-related pelvic pain. Int J Gynaecol Obstet 2011;115:294-5.	Fel studiedesign
Bianchi S, Agnoli B, Sgherzi MR, Candiani M, Busacca M. Effect of three-month treatment with Danazol after laparoscopic surgery for stage III-IV endometriosis: a randomized clinical trial. Fertil Steril 1997;0:S22-3.	Fel publikationstyp

Referens	Exklusionsorsak
Bianchi S, Busacca M, Agnoli B, Candiani M, Calia C, Vignali M. Effects of 3 month therapy with danazol after laparoscopic surgery for stage III/IV endometriosis: a randomized study. <i>Hum Reprod</i> 1999;14:1335-7.	Avregistrerade läkemedel
Bianchi S, Raffaelli R, Borruto F, Agnoli B, Fedele L. Comparison of transdermal estradiol and tibolone for the treatment of oophorectomized women with residual pelvic endometriosis. <i>Fertil Steril</i> 1997;0:S187.	Fel publikationstyp
Biberoglu KO, Behrman SJ. Dosage aspects of danazol therapy in endometriosis: Short-term and long-term effectiveness. <i>Am J Obstet Gynecol</i> 1981;139:645-654.	Avregistrerade läkemedel
Bila S, Kastratovic B, Tulic I, Bila J, Kazic S. Medical therapy of pelvic endometriosis: application of Suprefact and Danazol. <i>Hum Reprod</i> 1996;11:235.	Fel publikationstyp
Blockeel C, Engels S, De Vos M, Haentjens P, Polyzos NP, Stoop D, et al. Oestradiol valerate pretreatment in GnRH-antagonist cycles: A randomized controlled trial. <i>Reprod Biomed Online</i> 2012;24:272-80.	Fel population
Botsis D, Kassanos D, Kalogirou D, Antoniou G, Vitoratos N, Karakitsos P. Vaginal ultrasound of the endometrium in postmenopausal women with symptoms of urogenital atrophy on low-dose estrogen or tibolone treatment: A comparison. <i>Maturitas</i> 1997;26:57-62.	Fel population
Bouchard P, Garcia E. Comparison of the mechanisms of action of LHRH analogs and steroids in the treatment of endometriosis. <i>Contrib Gynecol Obstet</i> 1987;16:260-5.	Systematisk översikt
Brent K, Hadden WE, Weston-Webb M, Johnson NP. After the FLUSH trial: a prospective observational study of lipiodol flushing as an innovative treatment for unexplained and endometriosis-related infertility. <i>Aust N Z J Obstet Gynaecol</i> 2006;46:293-7.	Fel population
Bromham DR, Booker MW, Rose GL, Wardle PG, Newton JR. A multicentre comparative study of gestrinone and danazol in the treatment of endometriosis. <i>J Obstet Gynaecol</i> 1995;15:188-194.	Avregistrerade läkemedel
Bromham DR, Booker MW, Rose GL, Wardle PG, Newton JR. Updating the clinical experience in endometriosis--the European perspective. <i>Br J Obstet Gynaecol</i> 1995;102:12-6.	Avregistrerade läkemedel
Brosens I. Pain increased and quality of life decreased during the first month of GnRH agonist treatment for endometriosis. <i>Evidence-based Obstetrics and Gynecology</i> 2001;3:20-1.	Fel publikationstyp
Brosens IA, Van Ballaer P, Puttemans P, Deprest J. Reconstruction of the ovary containing large endometriomas by an extraovarian endosurgical technique. <i>Fertil Steril</i> 1996;66:517-21.	Fel studiedesign
Brough RJ, O'Flynn K. Recurrent pelvic endometriosis and bilateral ureteric obstruction associated with hormone replacement therapy. <i>Bmj</i> 1996;312:1221-2.	Fel studiedesign
Buchweitz OJSNABPBMKENWMC. Surgical Treatment of Peritoneal Endometriosis: A Prospective Randomized Trial of Excision Versus Ablation for Mild Endometriosis. <i>J Minim Invasive Gynecol</i> 2013;20:S6.	Fel publikationstyp

Referens	Exklusionsorsak
Burry KA, Patton PE, Illingworth DR. Metabolic changes during medical treatment of endometriosis: nafarelin acetate versus danazol. Am J Obstet Gynecol 1989;160:1454-9; discussion 1459-61.	Fel utfall
Burry KA. Nafarelin in the management of endometriosis: quality of life assessment. Am J Obstet Gynecol 1992;166:735-9.	Systematisk översikt
Busacca M, Fedele L, Bianchi S, Candiani M, Agnoli B, Raffaelli R, et al. Surgical treatment of recurrent endometriosis: laparotomy versus laparoscopy. Hum Reprod 1998;13:2271-4.	Fel publiceringsår
Buttram Jr VC, Reiter RC, Ward S. Treatment of endometriosis with danazol: Report of a 6-year prospective study. Fertil and Steril 1985;44:36-43.	Avregistrerade läkemedel
Buttram VC, Jr., Reiter RC, Ward S. Treatment of endometriosis with danazol: report of a 6-year prospective study. Fertil Steril 1985;43:353-60.	Dubblett
Byrd W, Bradshaw K, Carr B, Edman C, Odom J, Ackerman G. A prospective randomized study of pregnancy rates following intrauterine and intracervical insemination using frozen donor sperm. Fertil Steril 1990;53:521-7.	Fel population
Cagnacci A, Tirelli A, Cannella M, Pirillo D, Volpe A. Effect on insulin sensitivity of Implanon vs. GnRH agonist in women with endometriosis. Contraception 2005;72:443-6.	Fel utfall
Campagnacci R, Perretta S, Guerrieri M, Paganini AM, De Sanctis A, Ciavattini A, et al. Laparoscopic colorectal resection for endometriosis. Surg Endosc 2005;19:662-4.	Fel PICO
Candiani GB, Fedele L, Vercellini P, Bianchi S, Di Nola G. Presacral neurectomy for the treatment of pelvic pain associated with endometriosis: a controlled study. Am J Obstet Gynecol 1992;167:100-3.	Fel publiceringsår
Candiani GB, Vercellini P, Fedele L, Nava S, Fontana PE. Medical treatment of mild endometriosis associated with infertility. Eur J Obstet Gynecol Reprod Biol 1991;38:169-80.	Systematisk översikt
Candiani M, Izzo S, Bulfoni A, Riparini J, Ronzoni S, Marconi A. Laparoscopic vs vaginal hysterectomy for benign pathology. Am J Obstet Gynecol 2009;200:368.e1-368.e7.	Fel population
Cantineau AE, Cohlen BJ, Klip H, Heineman MJ. The addition of GnRH antagonists in intrauterine insemination cycles with mild ovarian hyperstimulation does not increase live birth rates--a randomized, double-blinded, placebo-controlled trial. Hum Reprod 2011;26:1104-11.	Fel population
Cao HN. Treatment of Pelvic Pain Caused by Endometriosis with Xuejie Huayu Zhitong Fang. Chinese journal of information on traditional chinese medicine 2008;15:75-6.	Fel intervention
Carbonell i Esteve JL, Perera Boza O, Riverón Cobo AM, González J, Tomasi G. Treatment with 5mg or 25mg of mifepristone daily for six months. A randomized double-blind study. Progresos de Obstetricia y Ginecología 2012;55:51-9.	Fel språk

Referens	Exklusionsorsak
Carmona F, Martinez-Zamora A, Gonzalez X, Gines A, Bunesch L, Balasch J. Does the learning curve of conservative laparoscopic surgery in women with rectovaginal endometriosis impair the recurrence rate? <i>Fertil Steril</i> 2009;92:868-75.	Fel intervention
Carpenter SE, Tjaden B, Rock JA, Kimball A. The effect of regular exercise on women receiving danazol for treatment of endometriosis. <i>Int J Gynaecol Obstet</i> 1995;49:299-304.	Avregistrerade läkemedel
Carr B, Chwalisz K, Jimenez R, Burke J, Jiang P, O'Brien C. A novel oral GnRH antagonist, elagolix, is effective for reducing endometriosis-associated pelvic pain: results of a 24-week randomised study. <i>Fertil Steril</i> 2011;96:S45 o-149.	Fel publikationstyp
Carson SA, Jain JK. Depot Medroxyprogesterone Acetate Subcutaneous Injection 104 mg/0.65 mL (DMPA-SC 104) is Associated With Fewer Hypoestrogenic Symptoms in Patients With Endometriosis Than Leuprolide Acetate. <i>Fertil Steril</i> 2005;84:S191-2.	Fel publikationstyp
Caruso S, Iraci M, Cianci S, Casella E, Fava V, Cianci A. Quality of life and sexual function of women affected by endometriosis-associated pelvic pain when treated with dienogest. <i>J Endocrinol Invest</i> 2015;38:1211-8.	Fel population
Caruso S, Iraci M, Cianci S, Fava V, Casella E, Cianci A. Comparative, open-label prospective study on the quality of life and sexual function of women affected by endometriosis-associated pelvic pain on 2 mg dienogest/30 microg ethinyl estradiol continuous or 21/7 regimen oral contraceptive. <i>J Endocrinol Invest</i> 2016;0.	Fel population
Caruso S, Iraci M, Cianci S, Fava V, Casella E, Cianci A. Comparative, open-label prospective study on the quality of life and sexual function of women affected by endometriosis-associated pelvic pain on 2 mg dienogest/30 µg ethinyl estradiol continuous or 21/7 regimen oral contraceptive. <i>J Endocrinol Invest</i> 2016;39:923-31.	Fel population
Cea Soriano L, Lopez-Garcia E, Schulze-Rath R, Garcia Rodriguez LA. Incidence, treatment and recurrence of endometriosis in a UK-based population analysis using data from The Health Improvement Network and the Hospital Episode Statistics database. <i>Eur J Contracept Reprod Health Care</i> 2017;1-10.	Fel studiedesign
Ceccaroni M, Pontrelli G, Scioscia M, Ruffo G, Bruni F, Minelli L. Nerve-sparing laparoscopic radical excision of deep endometriosis with rectal and parametrial resection. <i>J Minim Invasive Gynecol</i> 2010;17:14-5.	Fel publikationstyp
Cerrillo M, Herrero L, Guillen A, Mayoral M, Garcia-Velasco JA. Impact of Endometrial Preparation Protocols for Frozen Embryo Transfer on Live Birth Rates. <i>Rambam Maimonides Med J</i> 2017;8.	Fel population
Chaffkin LM, Nulsen JC, Luciano AA, Metzger DA. A comparative analysis of the cycle fecundity rates associated with combined human menopausal gonadotropin (hMG) and intrauterine insemination (IUI) versus either hMG or IUI alone. <i>Fertil Steril</i> 1991;55:252-7.	Fel studiedesign
Chalas E, Costantino JP, Wickerham DL, Wolmark N, Lewis GC, Bergman C, et al. Benign gynecologic conditions among participants in the Breast Cancer Prevention Trial...includes discussion. <i>Am J Obstet Gynecol</i> 2005;192:1230-9.	Fel population

Referens	Exklusionsorsak
Chalmers JA, Sherrington PC. Danazol treatment and follow-up of patients with endometriosis. <i>J Int Med Res</i> 1977;5:72-4.	Avregistrerade läkemedel
Chalmers JA, Sherrington PC. Follow-up of patients with endometriosis treated with danazol. <i>Postgrad Med J</i> 1979;55:44-7.	Fel studiedesign
Chalmers JA. Conservative management of endometriosis. <i>Proc R Soc Med</i> 1968;61:360-2.	Fel studiedesign
Chalmers JA. Danazol in the treatment of endometriosis. <i>Drugs</i> 1980;19:331-41.	Systematisk översikt
Chalmers JA. Treatment of endometriosis with reduced dosage schedules of danazol. <i>Scott Med J</i> 1982;27:143-6.	Systematisk översikt
Chang FH, Chou HH, Soong YK, Chang MY, Lee CL, Lai YM. Efficacy of isotopic ¹³ CO ₂ laser laparoscopic evaporation in the treatment of infertile patients with minimal and mild endometriosis: a life table cumulative pregnancy rates study. <i>J Am Assoc Gynecol Laparosc</i> 1997;4:219-23.	Fel publiceringsår
Chang SP, Ng HT. A randomized comparative study of the effect of leuprorelin acetate depot and danazol in the treatment of endometriosis. <i>Zhonghua Yi Xue Za Zhi (Taipei)</i> 1996;57:431-7.	Fel språk
Chapa HO, Antonetti AG, Bakker K. Ketorolac-mepivacaine lower uterine block for in-office endometrial ablation: a randomized, controlled trial. <i>J Reprod Med</i> 2010;55:464-8.	Fel population
Chapron C, Bourret A, Chopin N, Dousset B, Leconte M, Amsellem-Ouazana D, et al. Surgery for bladder endometriosis: long-term results and concomitant management of associated posterior deep lesions. <i>Hum Reprod</i> 2010;25:884-9.	Fel PICO
Chapron C, Dubuisson JB, Tardif D, Fritel X, Lacroix S, Kinkel K, et al. Retroperitoneal endometriosis and pelvic pain: Results of laparoscopic uterosacral ligament resection according to the rAFS classification and histopathologic results. <i>J Gynecol Surg</i> 1998;14:51-8.	Fel publiceringsår
Charles CM-DOSNDMSP. Effect of lupron vs norethindrone treatment on lipid profile of women with symptomatic endometriosis. <i>Fertil Steril</i> 2015;104:e161.	Fel publikationstyp
Chatterjee S, Dey S, Chowdhury RG, Ganguly DD. Pregnancy outcome in pre-operative danazol treatment followed by laparoscopic correction in infertility associated with endometriosis. <i>J Indian Med Assoc</i> 2012;110:694-9.	Avregistrerade läkemedel
Cheewadhanarak S. Comparison of fecundity after second laparotomy for endometriosis to in vitro fertilization and embryo transfer. <i>J Med Assoc Thai</i> 2004;87:361-6.	Fel intervention

Referens	Exklusionsorsak
Chen FQ, Wang AP, Zhang AF, Wang XB. Clinical analysis of hysteroscopic transcervical resection of endometrium with levonorgestrel-releasing intrauterine system in treatment of adenomyosis. <i>Journal of Shanghai Jiaotong University (Medical Science)</i> 2013;33:1098-102.	Fel språk
Chen FQ, Zhang AF, Wang XB. Prospective study of the treatment of adenomyosis by combining hysteroscopic transcervical resection of endometrium with levonorgestrel-releasing intrauterine system. <i>Journal of Shanghai Jiaotong University (Medical Science)</i> 2017;37:641-5.	Fel språk
Chen JM, Gao HY, Ding Y, Yuan X, Wang Q, Li Q, et al. Efficacy and safety investigation of Kuntai capsule for the add-back therapy of gonadotropin releasing hormone agonist administration to endometriosis patients: a randomized, double-blind, blank- and tibolone-controlled study. <i>Chin Med J (Engl)</i> 2015;128:427-32.	Fel utfall
Chen QY, Bian ML, Qiao J, Zhang ZY, Lin JF, Zuo YW. Randomized, blind, parallel-controlled and multiple-centre clinical trial on the effectiveness and safety of leuprorelin acetate in the treatment of endometriosis. <i>Chinese Journal of New Drugs</i> 2009;18:797-801.	Fel språk
Chen Sy, Chang DY, Sheu BC, Torn PL, Huang SC, Hsu WC, et al. Laparoscopic-Assisted Vaginal Hysterectomy with In Situ Morcellation for Large Uteri. <i>J Minim Invasive Gynecol</i> 2008;15:559-65.	Fel population
Chen Y, Hsu T, Huang B, Tsai H, Chang Y, Wang P. Postoperative maintenance levonorgestrel-releasing intrauterine system and endometrioma recurrence: a randomized controlled study (in press). <i>Am J Obstet Gynecol</i> 2017.	Dubblett
Cheng MH, Yu BK, Chang SP, Wang PH. A randomized, parallel, comparative study of the efficacy and safety of nafarelin versus danazol in the treatment of endometriosis in Taiwan. <i>J Chin Med Assoc</i> 2005;68:307-14.	Avregistrerade läkemedel
Chong AP, Keene ME, Thornton NL. Comparison of three modes of treatment for infertility patients with minimal pelvic endometriosis. <i>Fertil Steril</i> 1990;53:407-10.	Fel publiceringsår
Chong AP, Luciano A, O'Shaughnessy AM. Laser laparoscopy versus laparotomy in the treatment of infertility patients with severe endometriosis. <i>J Gynecol Surg</i> 1990;6:179-83.	Fel publiceringsår
Chuong CJ, Monsalve JA. Long-term danazol administration. <i>Int J Gynaecol Obstet</i> 1996;53:61-2.	Fel publikationstyp
Chwalisz K, Mattia-Goldberg C, Lee M, Elger W, Edmonds A. Treatment of endometriosis with the novel selective progesterone receptor modulator (SPRM) asoprisnil. <i>Fertil Steril</i> 2004;82:S83-4.	Fel publikationstyp
Cirkel U, Ochs H, Schneider HP. A randomized, comparative trial of triptorelin depot (D-Trp6-LHRH) and danazol in the treatment of endometriosis. <i>Eur J Obstet Gynecol Reprod Biol</i> 1995;59:61-9.	Avregistrerade läkemedel
Cirkel U, Schweppe KW, Ochs H, Schneider HP. Effect of LH-RH agonist therapy in the treatment of endometriosis (German experience). <i>Prog Clin Biol Res</i> 1986;225:189-99.	Fel utfall

Referens	Exklusionsorsak
Claesson B, Bergquist C. Clinical experience treating endometriosis with nafarelin. <i>J Reprod Med</i> 1989;34:1025-8.	Dubblett
Clinical assessment of recombinant human follicle-stimulating hormone in stimulating ovarian follicular development before in vitro fertilization. Recombinant Human FSH Study Group. <i>Fertil Steril</i> 1995;63:77-86.	Fel population
Cobellis L, Castaldi MA, Giordano V, Trabucco E, De Franciscis P, Torella M, et al. Effectiveness of the association micronized N-Palmitoylethanolamine (PEA)-transpolydatin in the treatment of chronic pelvic pain related to endometriosis after laparoscopic assessment: a pilot study. <i>Eur J Obstet Gynecol Reprod Biol</i> 2011;158:82-6.	Fel intervention
Cobellis L, Castaldi MA, Nocerino A, Boccia O, Pisani I, Salzillo ME, et al. Micronized N-Palmitoylethanolamine and transpolydatin in the management of pelvic pain related to endometriosis. <i>Giornale Italiano di Ostetricia e Ginecologia</i> 2010;32:160-5.	Fel språk
Cobellis L, Razzi S, De Simone S, Sartini A, Fava A, Danero S, et al. The treatment with a COX-2 specific inhibitor is effective in the management of pain related to endometriosis. <i>Eur J Obstet Gynecol Reprod Biol</i> 2004;116:100-2.	Avregistrerade läkemedel
Coccia ME, Rizzello F, Gianfranco S. Does Controlled Ovarian Hyperstimulation in Women with a History of Endometriosis Influence Recurrence Rate? <i>Womens Health</i> 2010;19:2063-9.	Fel studiedesign
Coccia ME, Rizzello F, Mariani G, Bulletti C, Palagiano A, Scarselli G. Ovarian surgery for bilateral endometriomas influences age at menopause. <i>Hum Reprod</i> 2011;26:3000-7.	Fel studiedesign
Cohen MR. Laparoscopic diagnosis and pseudomenopause treatment of endometriosis with danazol. <i>Clin Obstet Gynecol</i> 1980;23:901-15.	Systematisk översikt
Cole P, Castañer J, Fernández-Forner D. Asoprisnil: Endometriosis therapy treatment of uterine fibroids selective progesterone receptor modulator. <i>Drugs Future</i> 2005;30:985-91.	Systematisk översikt
Colombo UF, Bregozzo T, Bizioli B, Viezzoli T. Randomized study for the antibiotic prophylaxis of the postabortive endometritis. <i>Patol Clin Ostet Ginecol</i> 1990;18:209-11.	Fel språk
Compston JE, Yamaguchi K, Croucher PI, Garrahan NJ, Lindsay PC, Shaw RW. The effects of gonadotrophin-releasing hormone agonists on iliac crest cancellous bone structure in women with endometriosis. <i>Bone</i> 1995;16:261-7.	Fel kontrollgrupp
Coric M, Barisic D, Pavicic D, Karadza M, Banovic M. Electrocoagulation versus suture after laparoscopic stripping of ovarian endometriomas assessed by antral follicle count: preliminary results of randomized clinical trial. <i>Arch Gynecol Obstet</i> 2011;283:373-8.	Fel utfall
Coric M, Goluzza T, Juric J. Inhibin B for assessment of ovarian reserve after laparoscopic treatment of ovarian endometriomas. <i>Int J Gynaecol Obstet</i> 2011;116:169-70.	Fel kontrollgrupp

Referens	Exklusionsorsak
Corson SL, Batzer FR, Gocial B, Daly DC, Eisenberg E, Huppert LC, et al. Surgical treatment of endometriosis at the time of gamete intrafallopian transfer. <i>J Reprod Med</i> 1991;36:274-8.	Fel publiceringsår
Corson SL, Bolognese RJ. Ibuprofen therapy for dysmenorrhea. <i>J Reprod Med</i> 1978;20:246-52.	Fel population
Costello M, Abbott J, Katz S, Vancaille T, Lenart M, Fawcett S, et al. A prospective, randomised, double-blind, placebo-controlled trial of multimodal intra-operative analgesia for laparoscopic excision of endometriosis. <i>Aust N Z J Obstet Gynaecol</i> 2007;47:A6.	Fel publikationstyp
Costello MF, Abbott J, Katz S, Vancaillie T, Wilson S. A prospective, randomized, double-blind, placebo-controlled trial of multimodal intraoperative analgesia for laparoscopic excision of endometriosis. <i>Fertil Steril</i> 2010;94:436-43.	Fel utfall
Court KA, Dare AJ, Weston-Webb M, Hadden WE, Sim RG, Johnson NP. Establishment of lipiodol as a fertility treatment - Prospective study of the complete innovative treatment data set. <i>Aust N Z J Obstet Gynaecol</i> 2014;54:13-9.	Fel kontrollgrupp
Coutinho E, Goncalves MT, Azadian Boulanger G, Silva AR. Endometriosis therapy with gestrinone by oral, vaginal or parenteral administration. <i>Contrib Gynecol Obstet</i> 1987;16:227-35.	Systematisk översikt
Cravello L, D'Ercole C, Roger V, Samson D, Blanc B. Laparoscopic surgery in gynecology: randomized prospective study comparing pneumoperitoneum and abdominal wall suspension. <i>Eur J Obstet Gynecol Reprod Biol</i> 1999;83:9-14.	Fel population
Creus M, Fabregues F, Carmona F, del Pino M, Manau D, Balasch J. Combined laparoscopic surgery and pentoxifylline therapy for treatment of endometriosis-associated infertility: a preliminary trial. <i>Hum Reprod</i> 2008;23:1910-6.	Fel intervention
Cristescu C, Veliscu A, Marinescu B, Damian C. Endometriosismedroxiprogesterone versus triptorelinum. <i>Gineco.ro</i> 2012;8:66-8.	Fel utfall
Crosignani PG, Gastaldi A, Lombardi PL, Montemagno U, Vignali M, Serra GB, et al. Leuprorelin acetate depot vs danazol in the treatment of endometriosis: results of an open multicentre trial. <i>Clin Ther</i> 1992;14:29-36.	Avregistrerade läkemedel
Crosignani PG, Vercellini P, Biffignandi F, Costantini W, Cortesi I, Imparato E. Laparoscopy versus laparotomy in conservative surgical treatment for severe endometriosis. <i>Fertil Steril</i> 1996;66:706-11.	Fel publiceringsår
Croxtall JD. Ulipristal Acetate In Uterine Fibroids. <i>Drugs</i> 2012;72:1075-85.	Systematisk översikt
Dal Prato L, Borini A. Effect of piroxicam administration before embryo transfer on IVF outcome: a randomized controlled trial. <i>Reprod Biomed Online</i> 2009;19:604-9.	Fel intervention

Referens	Exklusionsorsak
Danazol--good mainly for endometriosis. Drug Ther Bull 1990;28:22-4.	Systematisk översikt
Daraï C, Bendifallah S, Foulot H, Ballester M, Chabbert-Buffet N, Daraï E. Impact of osteopathic manipulative therapy in patient with deep with colorectal endometriosis: A classification based on symptoms and quality of life. Gynecol Obstet Fertil Senol 2017;45:472-7.	Fel språk
Darai E, Ackerman G, Bazot M, Rouzier R, Dubernard G. Laparoscopic segmental colorectal resection for endometriosis: limits and complications. Surg Endosc 2007;21:1572-7.	Fel PICO
Darai E, Dessolle L, Lecuru F, Soriano D. Transvaginal hydrolaparoscopy compared with laparoscopy for the evaluation of infertile women: A prospective comparative blind study. Hum Reprod 2000;15:2379-2382.	Fel intervention
Darai E, Lesieur B, Dubernard G, Rouzier R, Bazot M, Ballester M. Fertility after colorectal resection for endometriosis: results of a prospective study comparing laparoscopy with open surgery. Fertil Steril 2011;95:1903-8.	Fel utfall
Darai E, Soriano D, Kimata P, Laplace C, Lecuru F. Vaginal hysterectomy for enlarged uteri, with or without laparoscopic assistance: randomized study. Obstet Gynecol 2001;97:712-6.	Fel population
Darwish B, Stochino-Loi E, Pasquier G, Dugardin F, Defortescu G, Abo C, et al. Surgical Outcomes of Urinary Tract Deep Infiltrating Endometriosis. J Minim Invasive Gynecol 2017;24:998-1006.	Fel PICO
Dawood MY, Lewis V, Ramos J. Cortical and trabecular bone mineral content in women with endometriosis: effect of gonadotropin-releasing hormone agonist and danazol. Fertil Steril 1989;52:21-6.	Avregistrerade läkemedel
Dawood MY, Ramos J, Khan-Dawood FS. Depot leuprolide acetate versus danazol for treatment of pelvic endometriosis: changes in vertebral bone mass and serum estradiol and calcitonin. Fertil Steril 1995;63:1177-83.	Avregistrerade läkemedel
Dawood MY, Spellacy WN, Dmowski WP, Gambrell RD, Jr., Greenblatt RB, Girard Y, et al. A comparison of the efficacy and safety of buserelin vs danazol in the treatment of endometriosis. Protocol 310 Study Group. Prog Clin Biol Res 1990;323:253-67.	Avregistrerade läkemedel
Dawood MY. Cortical and trabecular bone mineral content in women with endometriosis: Effect of Gonadotropin-releasing Hormone Agonist and Danazol. Fertil and Steril 1989;52:21-6.	Dubbelpublikation
de Ávila I, Costa LMP, Soto M, Filogônio IDS, Carneiro MM. Safe multidisciplinary approach in deeply infiltrating endometriosis (DIE): Is it feasible? JBRA Assisted Reproduction 2014;18:139-143.	Fel PICO
De Cicco C, Schonman R, Craessaerts M, Van Cleynenbreugel B, Ussia A, Koninckx PR. Laparoscopic management of ureteral lesions in gynecology. Fertil Steril 2009;92:1424-7.	Fel studiedesign
De la Hera-Lazaro CM, Munoz-Gonzalez JL, Perez RO, Vellido-Cotelo R, Diez-Alvarez A, Munoz-Hernando L, et al. Radical Surgery for Endometriosis: Analysis of Quality of Life and Surgical Procedure. Clin Med Insights Womens Health 2016;9:7-11.	Fel studiedesign

Referens	Exklusionsorsak
de Ziegler D, Borghese B, Chapron C. Gonadotropin-releasing hormone agonists for endometriosis. <i>N Engl J Med</i> 2008;359:2844; author reply 2844-5.	Fel publikationstyp
Deaton JL, Gibson M, Blackmer KM, Nakajima ST, Badger GJ, Brumsted JR. A randomized, controlled trial of clomiphene citrate and intrauterine insemination in couples with unexplained infertility or surgically corrected endometriosis. <i>Fertil Steril</i> 1990;54:1083-8.	Fel population
Deguara CS, Liu B, Davis C. Measured symptomatic and psychological outcomes in women undergoing laparoscopic surgery for endometriosis: a prospective study. <i>Curr Opin Obstet Gynecol</i> 2013;25:299-301.	Fel studiedesign
Delaney CP, Kiran RP, Senagore AJ, Brady K, Fazio VW. Case-Matched Comparison of Clinical and Financial Outcome after Laparoscopic or Open Colorectal Surgery. <i>Annals of Surgery</i> 2003;238:67-72.	Fel population
Demir A, Bige O, Saatli B, Solak A, Saygili U, Önvural A. Prospective comparison of tissue trauma after laparoscopic hysterectomy types with retroperitoneal lateral transsection of uterine vessels using ligasure and abdominal hysterectomy. <i>Arch Gynecol Obstet</i> 2008;277:325-30.	Fel population
Demirok A. The effect of ovarian cystectomy of endometriosis on ART outcome. <i>Middle East Fertil Soc J</i> 2005;10:15.	Fel publikationstyp
Descamps P, Lansac J. Gn-RH agonists and ovarian endometriosis. <i>Eur J Obstet Gynecol Reprod Biol</i> 1998;79:143-4.	Fel publikationstyp
Devroey P, Braeckmans P, Camus M, Khan I, Smith J, Staessen C, et al. Gamete intra-fallopian transfer versus in vitro fertilization and embryo transfer in endometriosis. <i>Contrib Gynecol Obstet</i> 1987;16:332-6.	Fel utfall
Di Francesco A, Pizzigallo D. Use of micronized palmitoylethanolamide and trans-polydatin in chronic pelvic pain associated with endometriosis. An open-label study. <i>Giornale Italiano di Ostetricia e Ginecologia</i> 2014;36:353-8.	Fel språk
Diab AE, Abdul-Latif EE, Eldash M, Mahdy MS, Shalaby H, Shafik M. Laparoscopic supracervical hysterectomy compared with total abdominal hysterectomy. <i>Saudi Med J</i> 2008;29:1597-1600.	Fel population
Ding Y, Yuan Y, Ding J, Chen Y, Zhang X, Hua K. Comprehensive Assessment of the Impact of Laparoscopic Ovarian Cystectomy on Ovarian Reserve. <i>J Minim Invasive Gynecol</i> 2015;22:1252-9.	Fel studiedesign
Ding Z, Lian F. Traditional Chinese medical herbs staged therapy in infertile women with endometriosis: A clinical study. <i>Int J Clin Exp Med</i> 2015;8:14085-14089.	Fel intervention
Dioxin and endometriosis. <i>Environ Health Perspect</i> 1993;101:571-2.	Fel publikationstyp
diZerega GS, Coad J, Donnez J. Clinical evaluation of endometriosis and differential response to surgical therapy with and without application of Oxiplex/AP* adhesion barrier gel. <i>Fertil Steril</i> 2007;87:485-9.	Fel utfall

Referens	Exklusionsorsak
Dmowski WP, Kapetanakis E, Scommegna A. Variable effects of danazol on endometriosis at 4 low-dose levels. <i>Obstet Gynecol</i> 1982;59:408-415.	Avregistrerade läkemedel
Dmowski WP, Radwanska E, Binor Z, Tummon I, Pepping P. Ovarian suppression induced with Buserelin or danazol in the management of endometriosis: a randomized, comparative study. <i>Fertil Steril</i> 1989;51:395-400.	Avregistrerade läkemedel
Dmowski WP, Rana N, Pepping P, Cain DF, Clay TH. Excretion of urinary N-telopeptides reflects changes in bone turnover during ovarian suppression and indicates individually variable estradiol threshold for bone loss. <i>Fertil and Steril</i> 1996;66:929-36.	Fel population
Dmowski WP. Comparative Study of Buserelin Versus Danazol in the Management of Endometriosis. <i>Gynecol Endocrinol</i> 1989;3:21-31.	Dubbelpublikation
Dmowski WP. Management of mild and moderate endometriosis. <i>Contrib Gynecol Obstet</i> 1987;16:350-5.	Systematisk översikt
Doberl A, Bergqvist A, Jeppsson S, Koskimies AI, Ronnberg L, Segerbrand E, et al. Regression of endometriosis following shorter treatment with, or lower dose of danazol. Comparison of pre- and post-treatment laparoscopic findings in the Scandinavian multi-center study. <i>Acta Obstet Gynecol Scand Suppl</i> 1984;123:51-8.	Avregistrerade läkemedel
Dobrokhотова JE, Ильина IJ, Гришин II, Ибрагимова DM, Калиматова DM, Нариманова MR, et al. Evaluation of dienogest treatment efficacy in patients with endometriosis. <i>J Endometr Pelvic Pain Disord</i> 2017;9:44-9.	Fel kontrollgrupp
Dodero D, Corticelli A, Pedretti L. Influence of a decisional tree on the route of hysterectomy for benign disease in Italy: Personal experience. <i>Clin Exp Obstet Gynecol</i> 2005;32:185-8.	Fel population
Dodin S, Lemay A, Maheux R, Dumont M, Turcot Lemay L. Bone mass in endometriosis patients treated with GnRH agonist implant or danazol. <i>Obstet Gynecol</i> 1991;77:410-5.	Avregistrerade läkemedel
Donato NBVVCBAGGLDMGSR. The role of ovariopexy on reducing post-surgical ovarian adhesions in women with severe endometriosis: A randomized, controlled study. <i>J Minim Invasive Gynecol</i> 2013;20:S38.	Fel publikationstyp
Donnez J, Nisolle M, Clerckx F, Casanas-Roux F, Saussoy P, Gillerot S. Advanced endoscopic techniques used in dysfunctional bleeding, fibroids and endometriosis, and the role of gonadotrophin-releasing hormone agonist treatment. <i>Br J Obstet Gynaecol</i> 1994;101:2-9.	Systematisk översikt
Donnez J, Nisolle M, Grandjean P, Gillerot S, Clerckx F. The place of GnRH agonists in the treatment of endometriosis and fibroids by advanced endoscopic techniques. <i>Br J Obstet Gynaecol</i> 1992;99:31-3.	Fel studiedesign
Donnez J, Nisolle-Pochet M, Casanas-Roux F. Endometriosis-associated infertility: evaluation of preoperative use of danazol, gestrinone, and buserelin. <i>Int J Fertil</i> 1990;35:297-301.	Dubbelpublikation

Referens	Exklusionsorsak
Dousset B, Leconte M, Borghese B, Millischer AE, Roseau G, Arkwright S, et al. Complete surgery for low rectal endometriosis: long-term results of a 100-case prospective study. <i>Ann Surg</i> 2010;251:887-95.	Fel PICO
Dravucz S, Vajda M, Muranyi Z, Doszpod J. Endometriosis and infertility: new concepts for treatment by suppression of cytokines. <i>Hum Reprod</i> 2001;16:173.	Fel publikationstyp
Dubernard G, Rouzier R, David-Montefiore E, Bazot M, Darai E. Urinary complications after surgery for posterior deep infiltrating endometriosis are related to the extent of dissection and to uterosacral ligaments resection. <i>J Minim Invasive Gynecol</i> 2008;15:235-40.	Fel PICO
Duru NK, Dede M, Acikel CH, Keskin U, Fidan U, Baser I. Outcome of in vitro fertilization and ovarian response after endometrioma stripping at laparoscopy and laparotomy. <i>J Reprod Med</i> 2007;52:805-9.	Fel studiedesign
Dutta DK, Dutt I. Abdominal hysterectomy: A new approach for conventional procedure. <i>J Clin Diagn Res</i> 2014;8:OC15-OC8.	Fel population
Egekvist AG, Marinovskij E, Forman A, Kesmodel US, Riiskjær M, Seyer-Hansen M. Conservative approach to rectosigmoid endometriosis: a cohort study. <i>Acta Obstet Gynecol Scand</i> 2017;96:745-750.	Fel PICO
Egekvist AG, Marinovskij E, Forman A, Kesmodel US, Riiskjaer M, Seyer-Hansen M. Conservative approach to rectosigmoid endometriosis: a cohort study. <i>Acta Obstet Gynecol Scand</i> 2017;96:745-750.	Dubblett
Eijkemans MJC, Kersten FAM, Lintsen AME, Hunault CC, Bouwmans CAM, Roijen LH, et al. Cost-effectiveness of 'immediate IVF' versus 'delayed IVF': a prospective study. <i>Hum Reprod</i> 2017;32:999-1008.	Fel kontrollgrupp
El-Din Shawki H. The efficacy of laparoscopic uterosacral nerve ablation (LUNA) in the treatment of unexplained chronic pelvic pain: a randomized controlled trial. <i>Gynecol Surg</i> 2011;8:31-9.	Fel population
Eldred JM, Haynes PJ, Thomas EJ. A randomized double blind placebo controlled trial of the effects on bone metabolism of the combination of nafarelin acetate and norethisterone. <i>Clin Endocrinol (Oxf)</i> 1992;37:354-9.	Fel population
Ellström MA, Åström M, Möller A, Olsson JH, Hahlin M. A randomized trial comparing changes in psychological well-being and sexuality after laparoscopic and abdominal hysterectomy. <i>Acta Obstet Gynecol Scand</i> 2003;82:871-5.	Fel population
Elnashar A, Badawy A, Mosbah A. Aromatase inhibitors or gonadotropin-releasing hormone agonists for the management of uterine adenomyosis: A randomized controlled study. <i>Hum Reprod</i> 2010;25:i229.	Fel publikationstyp
el-Roeiy A, Dmowski WP, Gleicher N, Radwanska E, Harlow L, Binor Z, et al. Danazol but not gonadotropin-releasing hormone agonists suppresses autoantibodies in endometriosis. <i>Fertil Steril</i> 1988;50:864-71.	Avregistrerade läkemedel
Elstein M, Bancroft K, Rolland R, Van der Heijden T, Barlow D, Kennedy S, et al. Nafarelin for endometriosis: A large-scale, danazol-controlled trial of efficacy and safety, with 1-year follow-up. <i>Fertil and Steril</i> 1992;57:514-522.	Avregistrerade läkemedel

Referens	Exklusionsorsak
English J, Kenney N, Edmonds S, Baig MK, Miles A. Limited segmental anterior rectal resection for the treatment of rectovaginal endometriosis: Pain and complications. <i>Gynecol Surg</i> 2007;4:107-110.	Fel PICO
English J, Sajid MS, Lo J, Hudelist G, Baig MK, Miles WA. Limited segmental rectal resection in the treatment of deeply infiltrating rectal endometriosis: 10 years' experience from a tertiary referral unit. <i>Gastroenterol Rep (Oxf)</i> 2014;2:288-94.	Fel studiedesign
Eom JM, Kim KH, Yuk JS, Roh SI, Lee JH. Quality of life after single-port laparoscopic surgery versus conventional laparoscopic surgery for benign gynecologic disease. <i>Surg Endosc</i> 2015;29:1850-5.	Fel population
Ercan CM, Duru NK, Karasahin KE, Coksuer H, Dede M, Baser I. Ultrasonographic evaluation and anti-mullerian hormone levels after laparoscopic stripping of unilateral endometriomas. <i>Eur J Obstet Gynecol Reprod Biol</i> 2011;158:280-4.	Fel studiedesign
Ercoli A, Bassi E, Ferrari S, Surico D, Fagotti A, Fanfani F, et al. Robotic-Assisted Conservative Excision of Retrocervical-Rectal Deep Infiltrating Endometriosis: A Case Series. <i>J Minim Invasive Gynecol</i> 2017;24:863-868.	Fel PICO
Ercoli A, D'Asta M, Fagotti A, Fanfani F, Romano F, Baldazzi G, et al. Robotic treatment of colorectal endometriosis: technique, feasibility and short-term results. <i>Hum Reprod</i> 2012;27:722-6.	Fel PICO
Ergun B, Ozsurmeli M, Dundar O, Comba C, Kuru O, Bodur S. Changes in Markers of Ovarian Reserve After Laparoscopic Ovarian Cystectomy. <i>J Minim Invasive Gynecol</i> 2015;22:997-1003.	Fel kontrollgrupp
Erny R, Guidicelli B. Treatment of pain in endometriosis. <i>Contrib Gynecol Obstet</i> 1987;16:205-11.	Systematisk översikt
Evans S, Moalem-Taylor G, Tracey DJ. Pain and endometriosis. <i>Pain</i> 2007;132:S22-5.	Systematisk översikt
Evers JL. The pregnancy rate of the no-treatment group in randomized clinical trials of endometriosis therapy. <i>Fertil Steril</i> 1989;52:906-7.	Systematisk översikt
Facchin F, Saita E, Barbara G, Dridi D, Vercellini P. "Free butterflies will come out of these deep wounds": A grounded theory of how endometriosis affects women's psychological health. <i>J Health Psychol</i> 2018;23:538-49.	Fel studiedesign
Farid Mohamed Ali AAFLFMEDO. Continuous oral contraception and Leuprorelin in the treatment of endometriosis-associated pelvic pain. <i>Eur J Contracept Reprod Health Care</i> 2013;18:S257.	Fel publikationstyp
Farquhar C, Brosens I. Medical and surgical management of adenomyosis. <i>Best Pract Res Clin Obstet Gynaecol</i> 2006;20:603-16.	Systematisk översikt
Fayez JA, Vogel MF. Comparison of different treatment methods of endometriomas by laparoscopy. <i>Obstet Gynecol</i> 1991;78:660-5.	Fel publiceringsår

Referens	Exklusionsorsak
Fedele L, Arcaini L, Bianchi S, Baglioni A, Vercellini P. Comparison of cyproterone acetate and danazol in the treatment of pelvic pain associated with endometriosis. <i>Obstet Gynecol</i> 1989;73:1000-4.	Avregistrerade läkemedel
Fedele L, Bianchi S, Arcaini L, Vercellini P, Candiani GB. Buserelin versus danazol in the treatment of endometriosis-associated infertility. <i>Am J Obstet Gynecol</i> 1989;161:871-6.	Avregistrerade läkemedel
Fedele L, Bianchi S, Marchini M, Di Nola G. Histological impact of medical therapy--clinical implications. <i>Br J Obstet Gynaecol</i> 1995;102:8-11.	Avregistrerade läkemedel
Fedele L, Bianchi S, Montefusco S, Frontino G, Carmignani L. A gonadotropin-releasing hormone agonist versus a continuous oral contraceptive pill in the treatment of bladder endometriosis. <i>Fertil Steril</i> 2008;90:183-4.	Fel publikationstyp
Fedele L, Bianchi S, Viezzoli T, Arcaini L, Candiani GB. Gestrinone versus danazol in the treatment of endometriosis. <i>Fertil Steril</i> 1989;51:781-5.	Avregistrerade läkemedel
Fedele L, Bianchi S, Zanconato G, Bergamini V, Berlanda N, Carmignani L. Long-term follow-up after conservative surgery for bladder endometriosis. <i>Fertil Steril</i> 2005;83:1729-33.	Fel PICO
Fedele L, Bianchi S, Zanconato G, Berlanda N, Borruto F, Frontino G. Tailoring radicality in demolitive surgery for deeply infiltrating endometriosis. <i>Am J Obstet Gynecol</i> 2005;193:114-117 4p.	Fel PICO
Fedele L, Bianchi S, Zanconato G, Berlanda N, Raffaelli R, Fontana E. Laparoscopic excision of recurrent endometriomas: long-term outcome and comparison with primary surgery. <i>Fertil Steril</i> 2006;85:694-9.	Fel kontrollgrupp
Fedele L, Bianchi S, Zanconato G, Betttoni G, Gotsch F. Long-term follow-up after conservative surgery for rectovaginal endometriosis. <i>Am J Obstet Gynecol</i> 2004;190:1020-1024 5p.	Fel PICO
Fedele L, Marchini M, Bianchi S, Baglioni A, Zanotti F. Vaginal patterns during danazol and buserelin acetate therapy for endometriosis: structural and ultrastructural study. <i>Fertil Steril</i> 1993;59:1191-5.	Avregistrerade läkemedel
Fedele L, Vercellini P, Viezzoli T, Marchini M, Candiani GB. Second-look laparoscopy in the treatment of endometriosis. <i>Int J Fertil</i> 1988;33:237-40.	Fel studiedesign
Federici D, Brambilla T, Lacelli B, Arcaini L, Motta G, Agarossi A, et al. Pain relief after combined medical and laparoscopic conservative treatment of stage III-IV endometriosis: A comparison with medical therapy. <i>Minim Invasive Ther Allied Technol</i> 1996;5:547-554.	Avregistrerade läkemedel
Ferrero S, Alessandri F, Racca A, Leone Roberti Maggiore U. Treatment of pain associated with deep endometriosis: alternatives and evidence. <i>Fertil Steril</i> 2015;104:771-92.	Systematisk översikt
Ferrero S, Camerini G, Ragni N, Menada MV, Venturini PL, Remorgida V. Triptorelin improves intestinal symptoms among patients with colorectal endometriosis. <i>Int J Gynaecol Obstet</i> 2010;108:250-1.	Fel population

Referens	Exklusionsorsak
Fillcori M, Cognigni GE, Arnone R, Pocognoli P, Tabarelli C, Ciampaglia W, et al. Subcutaneous administration of a depot gonadotropin-releasing hormone agonist induces profound reproductive axis suppression in women. <i>Fertil and Steril</i> 1998;69:443-9.	Fel population
Finkelstein JS, Arnold AL. Increases in bone mineral density after discontinuation of daily human parathyroid hormone and gonadotropin-releasing hormone analog administration in women with endometriosis. <i>J Clin Endocrinol Metab</i> 1999;84:1214-9.	Dubbelpublikation
Finkelstein JS, Klibanski A, Arnold AL, Toth TL, Hornstein MD, Neer RM. Prevention of estrogen deficiency-related bone loss with human parathyroid hormone-(1-34): a randomized controlled trial. <i>Jama</i> 1998;280:1067-73.	Dubbelpublikation
Fisch B, Benima Y, Pinkas H, Kaplan-Kraicer R, Tadir Y, Ovadia J. I.V.F. treatment following danazol priming in a patient with severe endometriosis. <i>Acta Obstet Gynecol Scand</i> 1989;68:661-2.	Fel studiedesign
Flower A, Lewith G, Little P. Combining rigour with relevance: a novel methodology for testing Chinese herbal medicine. <i>J Ethnopharmacol</i> 2010;134:373-8.	Fel intervention
Flower A, Lewith GT, Little P. A feasibility study exploring the role of Chinese herbal medicine in the treatment of endometriosis. <i>J Altern Complement Med</i> 2011;17:691-9.	Fel intervention
Forbes KL, Thomas FJ. Tissue and endocrine responses to gestrinone and danazol in the treatment of endometriosis. <i>Reprod Fertil Dev</i> 1993;5:103-9.	Fel utfall
Ford J, English J, Miles WA, Giannopoulos T. Pain, quality of life and complications following the radical resection of rectovaginal endometriosis. <i>BJOG</i> 2004;111:353-6.	Fel studiedesign
Fouda UM, Elsetohy KA, Elshaer HS. Barbed Versus Conventional Suture: A Randomized Trial for Suturing the Endometrioma Bed After Laparoscopic Excision of Ovarian Endometrioma. <i>J Minim Invasive Gynecol</i> 2016;23:962-8.	Fel utfall
Franke H, Weijer P, Pennings T, Mooren M. Gonadotrophin-releasing hormone agonist plus 'add-back' for the treatment of endometriosis A prospective, randomized, placebo controlled, double blind trial. <i>Gynecol Endocrinol</i> 2001;15:17.	Dubblett
Franssen AM, Kauer FM, Rolland R, Zijlstra JA, Willemse WN, van 't Veen AJ. The effect of LHRH agonist therapy in the treatment of endometriosis (Dutch experience). <i>Prog Clin Biol Res</i> 1986;225:201-10.	Fel utfall
Franssen AM, van der Heijden PF, Thomas CM, Doesburg WH, Willemse WN, Rolland R. On the origin and significance of serum CA-125 concentrations in 97 patients with endometriosis before, during, and after buserelin acetate, nafarelin, or danazol. <i>Fertil Steril</i> 1992;57:974-9.	Fel studiedesign
Fraser IS, Shearman RP, Jansen RP, Sutherland PD. A comparative treatment trial of endometriosis using the gonadotrophin-releasing hormone agonist, nafarelin, and the synthetic steroid, danazol. <i>Aust N Z J Obstet Gynaecol</i> 1991;31:158-63.	Avregistrerade läkemedel

Referens	Exklusionsorsak
Fraser IS. Danazol--a new medical treatment for endometriosis. Med J Aust 1978;2:56-7.	Fel publikationstyp
Fraser IS. GnRH agonists for endometriosis. These newly approved agents are effective but expensive. Med J Aust 1995;162:61-2.	Fel publikationstyp
Friedlander RL. The treatment of endometriosis with Danazol. J Reprod Med 1973;10:197-9.	Fel studiedesign
Fritzer N, Tammaa A, Haas D, Oppelt P, Renner S, Hornung D, et al. When sex is not on fire: A prospective multicentre study evaluating the short-term effects of radical resection of endometriosis on quality of sex life and dyspareunia. Eur J Obstet Gynecol Reprod Biol 2016;197:36-40.	Fel studiedesign
Froeling V, Scheurig-Muenkler C, Hamm B, Kroencke TJ. Uterine artery embolization to treat uterine adenomyosis with or without uterine leiomyomata: results of symptom control and health-related quality of life 40 months after treatment. Cardiovasc Intervent Radiol 2012;35:523-9.	Fel kontrollgrupp
Frontino G, Vercellini P, Giorgi O, Aimi G, Zaina B, Crosignani PG. Levonorgestrel-releasing intrauterine device (LNG-IUD) versus expectant management after conservative surgery for symptomatic endometriosis. A pilot study. Fertil Steril 2002;77:S25-6.	Fel publikationstyp
Fujii S, Sagara M, Kudo H, Kagiya A, Sato S, Saito Y. A prospective randomized comparison between long and discontinuous-long protocols of gonadotropin-releasing hormone agonist for in vitro fertilization. Fertil Steril 1997;67:1166-8.	Fel population
Fukunishi H, Funaki K, Sawada K, Yamaguchi K, Maeda T, Kaji Y. Early results of magnetic resonance-guided focused ultrasound surgery of adenomyosis: analysis of 20 cases. J Minim Invasive Gynecol 2008;15:571-9.	Fel studiedesign
Fukushima M, Shindo M, Sato K. Hormone treatment related bone mineral content changes in Japanese women with endometriosis. Asia Oceania J Obstet Gynaecol 1993;19:299-307.	Avregistrerade läkemedel
Fukushima M. Changes in bone mineral content following hormone treatment for endometriosis. Int J Gynaecol Obstet 1995;50:S17-22.	Avregistrerade läkemedel
Gad MS, Badroui MHH. Evidence-based therapy for infertility associated with early stage endometriosis. Int J Gynaecol Obstet 2012. p S548.	Fel publikationstyp
Gad MS, Badroui MHH. Evidence-based therapy for infertility associated with early stage endometriosis. Int J Gynaecol Obstet 2012;119:S548.	Dubbellett
Gao W, Ren Y, Cui GX. Dexamethasone added to local lidocaine for infiltration along the spinal-epidural needle pathway decreases incidence and severity of backache after gynecological surgery. Med Sci Monit 2015;21:821-7.	Fel population

Referens	Exklusionsorsak
Garry R, Abbott J. A placebo-controlled randomised controlled trial of laparoscopic excision of endometriosis. <i>Eur J Obstet Gynecol Reprod Biol</i> 2005;123:S8.	Fel publikationstyp
Genro VK, Souza CA, Fitarelli R, Cunha-Filho JS. Laparoscopic excision of endometriomas and ovarian reserve. <i>Fertil Steril</i> 2013;99:e1.	Fel publikationstyp
Gerhard I, Postneek F. Auricular acupuncture in the treatment of female infertility. <i>Gynecol Endocrinol</i> 1992;6:171-81.	Fel population
Gerlinger C, Schumacher U, Faustmann T, Colligs A, Schmitz H, Seitz C. Defining a minimal clinically important difference for endometriosis-associated pelvic pain measured on a visual analog scale: analyses of two placebo-controlled, randomized trials. <i>Health Qual Life Outcomes</i> 2010;8:138.	Fel intervention
Ghafarnejad M, Akrami M, Davari-Tanha F, Adabi K, Nekuie S. Vasopressin Effect on Operation Time and Frequency of Electrocauterization during Laparoscopic Stripping of Ovarian Endometriomas: A Randomized Controlled Clinical Trial. <i>J Reprod Infertil</i> 2014;15:199-204.	Fel intervention
Ghahiri A, Najafian A, Ghasemi M, Najafian A. Comparison study on effectiveness of pentoxifyllin with LD to prevent recurrent endometriosis. <i>Iran J Reprod Med</i> 2012;10:219-222.	Fel intervention
Ghazizadeh S, Panahi Z, Ghanbari Z, Menshadi AT, Farahmandian T, Javadian P. Comparative efficacy of novasure, the levonorgestrel-releasing intrauterine system, and hysteroscopic endometrial resection in the treatment of menorrhagia: A randomized clinical trial. <i>J Gynecol Surg</i> 2014;30:215-8.	Fel population
Ghazizadeh S, Pourmatroud E, Shariat M, Masomi M, Bagheri M. Study of positive and negative consequences of using GnRH antagonist in intrauterine insemination cycles. <i>Fertil Steril</i> 2009;3:56-61.	Fel population
Gheit SA, Hosny AN, Yassin MS, Gemei S, Shokry MAZ, Youssef MA. Argon beam coagulator versus cystectomy for endometrioma treatment in infertile women and the impact on ovarian reserve. A case control study. <i>Middle East Fertil Soc J</i> 2014;19:22-6.	Fel utfall
Ghezzi F, Cromi A, Colombo G, Uccella S, Bergamini V, Serati M, et al. Minimizing ancillary ports size in gynecologic laparoscopy: a randomized trial. <i>J Minim Invasive Gynecol</i> 2005;12:480-5.	Fel population
Ghezzi F, Cromi A, Siesto G, Uccella S, Boni L, Serati M, et al. Minilaparoscopic Versus Conventional Laparoscopic Hysterectomy: Results of a Randomized Trial. <i>J Minim Invasive Gynecol</i> 2011;18:455-61.	Fel population
Ghom A, Hantes J, Lotze EC. Incidence of cyclical bleeding after laparoscopic supracervical hysterectomy. <i>J Minim Invasive Gynecol</i> 2005;12:201-5.	Fel publikationstyp
Ghom A, Hantes J, Lotze EC. Incidence of cyclical bleeding after laparoscopic supracervical hysterectomy. <i>J Minim Invasive Gynecol</i> 2005;12:201-5.	Fel population

Referens	Exklusionsorsak
Giampaolino P, Bifulco G, Di Spiezio Sardo A, Mercorio A, Bruzzese D, Di Carlo C. Endometrioma size is a relevant factor in selection of the most appropriate surgical technique: a prospective randomized preliminary study. <i>Eur J Obstet Gynecol Reprod Biol</i> 2015;195:88-93.	Fel utfall
Giorgino FL, Cetera C, Laurentis G. Goserelin versus danazol in the treatment of endometriosis. <i>Clin Exp Obstet Gynecol</i> 1991;18:127-31.	Avregistrerade läkemedel
Giovane R, Melton C, Konstantinou M, Henderson CE. Psychotherapy With Somatosensory Stimulation for Endometriosis-Associated Pain: A Randomized Controlled Trial. <i>Obstet Gynecol</i> 2017;129:581.	Systematisk översikt
Gizzo S, Conte L, Di Gangi S, Leggieri C, Quaranta M, Noventa M, et al. Could surgeon's expertise resolve the debate about surgery effectiveness in treatment of endometriosis-related infertility? <i>Arch Gynecol Obstet</i> 2015;292:217-23.	Fel intervention
Glavind MT, Forman A, Arendt LH, Nielsen K, Henriksen TB. Endometriosis and pregnancy complications: a Danish cohort study. <i>Fertil Steril</i> 2017;107:160-6.	Fel studiedesign
Gnoth CH, Godtke K, Freundl G, Godehardt E, Kienle E. Effects of add-back therapy on bone mineral density and pyridinium crosslinks in patients with endometriosis treated with gonadotropin-releasing hormone agonists. <i>Gynecol Obstet Invest</i> 1998;47:37-41.	Dubbelpublikation
Gocial B, Keye WR, Fein SH, Nardi RV. Subcutaneously administered Repronex in female patients undergoing in vitro fertilization is as effective and well tolerated as intramuscular menotropin treatment. Repronex SC, IVF Study Group. <i>Fertil Steril</i> 2000;74:73-9.	Fel population
Gokmen O, Ugur M. Treatment of endometriosis with Gn-Rh agonist triptorelin: A multicenter study. <i>Turk J Med Sci</i> 1996;26:261-6.	Fel studiedesign
Gomes MK, Rosa-e-Silva JC, Garcia SB, de Sa Rosa-e-Silva AC, Turatti A, Vieira CS, et al. Effects of the levonorgestrel-releasing intrauterine system on cell proliferation, Fas expression and steroid receptors in endometriosis lesions and normal endometrium. <i>Hum Reprod</i> 2009;24:2736-45.	Fel intervention
Gordon SJ, Maher PJ, Hiscock R. The effect of intraperitoneal ropivacaine on pain after laparoscopic excision of endometriosis. <i>J Am Assoc Gynecol Laparosc</i> 2002;9:29-34.	Fel intervention
Gordts S, Puttemans P, Campo R, Valkenburg M, Gordts S. Outcome of conservative surgical treatment of deep infiltrating endometriosis. <i>Gynecol Surg</i> 2012;0:1-5.	Fel PICO
Goudge CS, Nagel TC, Damario MA. Duration of progesterone-in-oil support after in vitro fertilization and embryo transfer: A randomized, controlled trial. <i>Fertil and Steril</i> 2010;94:946-51.	Fel population
Gregoriou G, Bakas P, Vitoratos N, Papadias K, Goumas K, Chryssicopoulos A, et al. Evaluation of serum prolactin levels in patients with endometriosis and infertility. <i>Gynecol Obstet Invest</i> 1999;48:48-51.	Fel utfall

Referens	Exklusionsorsak
Gregoriou O, Vitoratos N, Papadias C, Konidaris S, Botsis D. Gonadotropin-Releasing Hormone Analogue (leuprolide) Plus Hormone Replacement Therapy for the Treatment of Endometriosis: A Randomised Controlled Trial. <i>Acta Obstet Gynecol Scand</i> 1997;76:67.	Fel publikationstyp
Gunes M, Kayikcioglu F, Ozturkoglu E, Haberal A. Incisional endometriosis after cesarean section, episiotomy and other gynecologic procedures. <i>J Obstet Gynaecol Res</i> 2005;31:471-5.	Fel kontrollgrupp
Gunning JE, Moyer D. The effect of medroxyprogesterone acetate on endometriosis in the human female. <i>Fertil Steril</i> 1967;18:759-74.	Fel studiedesign
Guo HY, Wang Y, Chen QJ, Chai WR, Sun LH, Ai A, et al. Different endometrial preparation protocols yield similar pregnancy outcomes for frozen-thawed embryo transfer in patients with advanced endometriosis. <i>Journal of Reproduction and Contraception</i> 2016;27:1-11.	Fel studiedesign
Guzick DS, Rock JA. A comparison of danazol and conservative surgery for the treatment of infertility due to mild or moderate endometriosis. <i>Fertil Steril</i> 1983;40:580-4.	Fel publiceringsår
Guzick DS. Randomized controlled trial of superovulation and insemination for infertility associated with minimal or mild endometriosis. <i>J Womens Health</i> 1997;6:489-90.	Fel publikationstyp
Halbe HW, Nakamura MS, Da Silveira GP, Carvalho WP. Updating the clinical experience in endometriosis--the Brazilian perspective. <i>Br J Obstet Gynaecol</i> 1995;102:17-21.	Avregistrerade läkemedel
Hammond CB, Haney AF. Conservative treatment of endometriosis: 1978. <i>Fertil Steril</i> 1978;30:497-509.	Systematisk översikt
Hammond CB, Rock JA, Parker RT. Conservative treatment of endometriosis: the effects of limited surgery and hormonal pseudopregnancy. <i>Fertil Steril</i> 1976;27:756-66.	Fel studiedesign
Han ML, Wang YF, Tang MY, Ge QS, Zhou LF, Zhu PD, et al. Gossypol in the treatment of endometriosis and uterine myoma. <i>Contrib Gynecol Obstet</i> 1987;16:268-70.	Fel studiedesign
Harada T, Kosaka S, Elliesen J, Yasuda M, Ito M, Momoeda M. Ethinylestradiol 20 µg/drospirenone 3 mg in a flexible extended regimen for the management of endometriosis-associated pelvic pain: A randomized controlled trial. <i>Fertil and Steril</i> 2017.	Fel population
Harada T, Terakawa N, Momoeda M, Taketani Y, Aso T, Fukunaga M, et al. A randomized, double-blind, multicenter, controlled trial of dienogest compared to intranasal buserelin acetate in the treatment of endometriosis (phaseIII). <i>Japanese Pharmacology and Therapeutics</i> 2008;36:129-40.	Fel språk
Harada T. Empirical leuprolide treatment of women with suspected endometriosis was effective in reducing chronic pain. <i>Evidence-based Obstetrics and Gynecology</i> 2000;2:45.	Fel publikationstyp

Referens	Exklusionsorsak
Hardcastle RJ. A randomised, single-blind clinical trial to investigate the effectiveness of bipolar versus monopolar diathermy treatment on pain symptoms for women with newly diagnosed superficial endometriosis: The set study (superficial endometriosis treatment). <i>J Minim Invasive Gynecol</i> 2015;22:S176-7.	Fel publikationstyp
Harris HR, Chavarro JE, Malspeis S, Willett WC, Missmer SA. Dairy-Food, Calcium, Magnesium, and Vitamin D Intake and Endometriosis: A Prospective Cohort Study. <i>Am J Epidemiol</i> 2013;177:420-30.	Fel kontrollgrupp
Hasson HM. Electrocoagulation of pelvic endometriotic lesions with laparoscopic control. <i>Am J Obstet Gynecol</i> 1979;135:115-21.	Fel publiceringsår
Hasson HM. Electrocoagulation of pelvic endometriotic lesions with laparoscopic control. <i>Am J Obstet Gynecol</i> 1979;135:115-21.	Fel population
Hawk C, Long CR, Reiter R, Davis CS, Cambron JA, Evans R. Issues in planning a placebo-controlled trial of manual methods: results of a pilot study. <i>J Altern Complement Med</i> 2002;8:21-32.	Fel population
He Y, Wu H, He X, Xing Q, Zhou P, Cao Y, et al. Administration of atosiban in patients with endometriosis undergoing frozen-thawed embryo transfer: a prospective, randomized study. <i>Fertil and Steril</i> 2016;106:416-422.	Dubbelt
Heberal A, Batioglu S, Celikkanat H. The adjuvant effect of oxytocin on GnRH analogue buserelin. <i>J Pak Med Assoc</i> 1996;46:134-5.	Fel studiedesign
Hefni MA, Apoola A, Omran O. Comparison between medical treatment by GnRH analogue (goserelin) and conservative surgery by laparoscopic diathermy for the management of endometriosis. <i>Gynaecological Endoscopy</i> 1998;7:37-41.	Fel publiceringsår
Hefni MA, Omran OA. Comparison between medical treatment by GnRH analogue and conservative surgery by laparoscopic diathermy for the management of endometriosis. <i>Hum Reprod</i> 1997;0:9-10.	Fel publikationstyp
Hefni MA. Comparison Controlled Study of GNRH Analogue (Goserelin) and Laparoscopic Diathermy for the Treatment of Endometriosis. <i>Acta Obstet Gynecol Scand</i> 1997;76:66.	Fel publikationstyp
Heinonen PK, Helin R. Endometrial resection following levonorgestrel intrauterine system treatment for menorrhagia. <i>Gynecol Surg</i> 2009;6:245-49.	Fel population
Hemmings R, Bissonnette F, Bouzayen R. Results of laparoscopic treatments of ovarian endometriomas: Laparoscopic ovarian fenestration and coagulation. <i>Fertil and Steril</i> 1998;70:527-9.	Fel publiceringsår
Henzl MR, Kwei L. Efficacy and safety of nafarelin in the treatment of endometriosis. <i>Am J Obstet Gynecol</i> 1990;162:570-574.	Dubbelpublikation

Referens	Exklusionsorsak
Henzl MR, Monroe SE. Nafarelin: a new medical therapy for endometriosis. <i>Prog Clin Biol Res</i> 1990;323:343-55.	Systematisk översikt
Henzl MR. Gonadotropin-releasing hormone and its analogues: from laboratory to bedside. <i>Clin Obstet Gynecol</i> 1993;36:617-35.	Systematisk översikt
Henzl MR. Role of nafarelin in the management of endometriosis. <i>J Reprod Med</i> 1989;34:1021-4.	Systematisk översikt
Hextall A, Wilcox MA, MacPherson MB, Ubhi CS, Leach IH, Anderson MC. Endometriosis and atypical complex hyperplasia associated with unopposed oestrogen therapy. <i>Br J Obstet Gynaecol</i> 1994;101:1091-2.	Fel studiedesign
Hickok LR, Burry KA, Cohen NL, Moore DE, Dahl KD, Soules MR. Medical treatment of endometriosis: a comparison of the suppressive effects of danazol and nafarelin on reproductive hormones. <i>Fertil Steril</i> 1991;56:622-7.	Fel utfall
Hill GA. Clinical experience in the treatment of endometriosis with GnRH agonist. <i>Obstet Gynecol Surv</i> 1989;44:305-7.	Fel studiedesign
Hohl MK, Hauser N. Safe total intrafascial laparoscopic (TAIL™) hysterectomy: A prospective cohort study. <i>Gynecol Surg</i> 2010;7:231-39.	Fel population
Holloran-Schwartz MB, Gavard JA, Martin JC, Blaskiewicz RJ, Yeung PP. Single-Use Energy Sources and Operating Room Time for Laparoscopic Hysterectomy: A Randomized Controlled Trial. <i>J Minim Invasive Gynecol</i> 2016;23:72-7.	Fel population
Holub Z, Brožková H, Kučera M, Kračková J, Martinovská M, Müller M, et al. Hormonal substitution treatment in women operated on account of endometriosis and adenomyosis: Prospective follow-up study (Part II). <i>Ceska Gynekol</i> 2001;66:405-8.	Fel språk
Holub Z, Voracek J, Wagnerova M, Kliment L. Hormonal substitution treatment in women operated on account of endometriosis and adenomyosis: Prospective follow-up study - Part I. <i>Ceska Gynekol</i> 2000;65:16-20.	Fel språk
Hong JY. The effect of preoperative ketorolac on WBC response and pain in laparoscopic surgery for endometriosis. <i>Yonsei Med J</i> 2005;46:812-7.	Fel utfall
Hong S-J, Lee E. Comparing effects of intravenous patient-controlled analgesia and intravenous injection in patients who have undergone total hysterectomy. <i>J Clin Nurs</i> 2014;23:967-75.	Fel population
Hoo WL, Saridogan E, Cutner A, Pandis G, Jurkovic D. Effectiveness of ovarian suspension in preventing post-operative ovarian adhesions in women with pelvic endometriosis: a randomised controlled trial. <i>BMC Womens Health</i> 2011;11:14.	Fel publikationstyp

Referens	Exklusionsorsak
Hoogerbrugge N, Jansen H, Birkenhager JC. Danazol in the treatment of endometriosis and hereditary angio-oedema. <i>J Intern Med</i> 1995;237:603-4.	Fel publikationstyp
Hornstein M, Yuzpe A, Burry K, Heinrichs L, Orwoll E. A prospective randomised double-blind trial of 3 versus 6 months nafarelin therapy for symptoms of endometriosis. <i>Fertil Steril</i> 1992;58:S84.	Fel publikationstyp
Hornstein MD. An Oral GnRH Antagonist for Endometriosis - A New Drug for an Old Disease. <i>N Engl J Med</i> 2017;377:81-3.	Systematisk översikt
Hoshiai H, Terakawa N. Novel therapeutic targets for GnRH analogues in the treatment of endometriosis and current approaches to optimizing GnRH analogue therapy. Introduction. <i>Gynecol Obstet Invest</i> 2008;66:1-2.	Fel publikationstyp
Howard FM, Sanchez R. A comparison of laparoscopically assisted vaginal hysterectomy and abdominal hysterectomy. <i>J Gynecol Surg</i> 1993;9:83-90.	Fel population
Hovatta O, Kurunmaki H, Tiitinen A, Lahteenmaki P, Koskimies AI. Direct intraperitoneal or intrauterine insemination and superovulation in infertility treatment: a randomized study. <i>Fertil Steril</i> 1990;54:339-41.	Fel population
Hovatta O, Kurunmaki H, Tiitinen A, Lahteenmaki P, Koskimies AI. Direct intraperitoneal or intrauterine insemination and superovulation in infertility treatment: A randomized study. <i>Fertil and Steril</i> 1990;54:339-41.	Fel population
Howell R, Dowsett M, King N, Edmonds DK. Endocrine effects of GnRH analogue with low-dose hormone replacement therapy in women with endometriosis. <i>Clin Endocrinol (Oxf)</i> 1995;43:609-15.	Fel utfall
Hsu AL, Sinaii N, Segars J, Nieman LK, Stratton P. Relating pelvic pain location to surgical findings of endometriosis. <i>Obstet Gynecol</i> 2011;118:223-30.	Fel utfall
Huang YH, Huang YH, Shen L, Cai AH, Liang XF. Effects of conservative laparoscopic endometrial cystectomy and use of kidney-reinforcing and blood activating traditional Chinese medicine on ovarian functions. <i>Genet Mol Res</i> 2015;14:645-650.	Fel intervention
Hughes EG, Collins JA, Gunby J. A randomized controlled trial of three low-dose gonadotrophin protocols for unexplained infertility. <i>Hum Reprod</i> 1998;13:1527-31.	Fel population
Hull ME, Barbieri RL. Nafarelin in the treatment of endometriosis. Dose management. <i>Gynecol Obstet Invest</i> 1994;37:263-4.	Fel studiedesign
Hull MGR, Armatage RJ, McDermott A. Use of follicle-stimulating hormone alone (urofollitropin) to stimulate the ovaries for assisted conception after pituitary desensitization. <i>Fertil and Steril</i> 1994;62:997-1003.	Fel population
Hull ML, Gun MT, Ritossa M. Hook-wire insertion facilitates the excision of scar endometriosis. <i>Bjog</i> 2006;113:744-6.	Fel studiedesign

Referens	Exklusionsorsak
Hurxthal LM, Smith AT. Treatment of endometriosis and other gynecologic conditions with large doses of estrogens. <i>N Engl J Med</i> 1952;247:339-43.	Fel studiedesign
Ibraheim M, Ikomi A. Treating endometriosis with the levonorgestrel-releasing intrauterine system: real hope or gimmick? <i>J Fam Plann Reprod Health Care</i> 2005;31:182-4.	Systematisk översikt
Igarashi M, Abe Y, Fukuda M, Ando A, Miyasaka M, Yoshida M, et al. Novel conservative medical therapy for uterine adenomyosis with a danazol-loaded intrauterine device. <i>Fertil Steril</i> 2000;74:412-3.	Fel studiedesign
Igarashi M, Iizuka M, Abe Y, Ibuki Y. Novel vaginal danazol ring therapy for pelvic endometriosis, in particular deeply infiltrating endometriosis. <i>Hum Reprod</i> 1998;13:1952-6.	Avregistrerade läkemedel
Ikeda F, Bernardini MA, Vanni D, Vasconcelos A, Pinotti JA, Abrao MS. A comparison of microlaparoscopy under sedation, microlaparoscopy under general anesthesia and conventional laparoscopy for diagnosis and treatment of pelvic endometriosis in early stages. <i>Fertil Steril</i> 2002;77:S21.	Fel publikationstyp
Imani R, Thai-Cuarto D, Jimenez R, Burke J, Kroll R, O'Brien C. Petal study: Safety, tolerability and effectiveness of elagolix, an oral GnRH antagonist for endometriosis. <i>Fertil Steril</i> 2009;92:S111-2.	Fel publikationstyp
Improving surgical response in women with endometriosis. <i>Contemp Ob Gyn</i> 2007;52:24-24 1p.	Fel publikationstyp
Ingersoll FM. Selection of medical or surgical treatment of endometriosis. <i>Clin Obstet Gynecol</i> 1977;20:849-64.	Systematisk översikt
Iraci Sareri MGGSICCRCA. Cabergoline six months treatment before endometriosis surgery. <i>Gynecol Surg</i> 2012;9:S4.	Fel publikationstyp
Itoh H, Uchida M, Sashihara T, Ji ZS, Li J, Tang Q, et al. Lactobacillus gasseri OLL2809 is effective especially on the menstrual pain and dysmenorrhea in endometriosis patients: randomized, double-blind, placebo-controlled study. <i>Cytotechnology</i> 2010;63:153-61.	Fel population
Jacobs L, Field C, Thie J, Coulam C. Treatment of endometriosis with the GnRH agonist naferelin acetate. <i>Int J Fertil</i> 1991;36:30-5.	Uppföljning till Henzl men endast 10 patienter
Jahan S, Das TR, Mahmud N, Mondol SK, Habib SH, Saha S, et al. A comparative study among laparoscopically assisted vaginal hysterectomy, vaginal hysterectomy and abdominal hysterectomy: Experience in a tertiary care hospital in Bangladesh. <i>J Obstet Gynaecol</i> 2011;31:254-57.	Fel population
Jain S, Vaid NB, Narang Y, Suneja A, Guleria K. A randomised controlled trial comparing the efficacy and side-effects of intravaginal ring (Nuvaring®) with combined oral hormonal preparation in dysfunctional uterine bleeding. <i>J Clin Diagn Res</i> 2016;10:QC21-QC24.	Fel population

Referens	Exklusionsorsak
Jansen RP. Failure of intraperitoneal adjuncts to improve the outcome of pelvic operations in young women. Am J Obstet Gynecol 1985;153:363-71.	Fel publiceringsår
Jarrell J, Brant R, Leung W, Taenzer P. Women's Pain Experience Predicts Future Surgery for Pain Associated With Endometriosis. J Obstet Gynaecol Can 2007;29:988-91.	Fel utfall
Jayaratna YRJ, Ranaraja S, Sumathipala DS. Analyzing the necessity of prophylactic antibiotic usage in laparoscopy for uncomplicated gynecologic conditions in Sri Lanka. J Obstet Gynaecol Res 2015;41:596-600.	Fel population
Jolley RY, Magill PJ. The effect of LHRH agonist therapy in the treatment of endometriosis (English experience). Prog Clin Biol Res 1986;225:227-38.	Fel utfall
Jolley RY. Multicentre Open Comparative Study of Buserelin and Danazol in the Treatment of Endometriosis. Br J Clin Pract 1988;0:64-8.	Avregistrerade läkemedel
Jeung IC, Baek JM, Park EK, Lee HN, Kim CJ, Park TC, et al. A prospective comparison of vaginal stump suturing techniques during total laparoscopic hysterectomy. Arch Gynecol Obstet 2010;282:631-8.	Fel population
Ji F, Yang XH, Ai Xing Zi AL, Ha Ni Ke Zi TX, He Y, Ding Y. Role of levonorgestrel-releasing intrauterine system in dysmenorrhea due to adenomyosis and the influence on ovarian function. Clin Exp Obstet Gynecol 2014;41:677-80.	Fel studiedesign
Jick SS, Myers MW. A study of Danazol's safety. Pharmacotherapy 1995;15:740-1.	Fel studiedesign
Jones KD, Haines P, Sutton CJ. Long-term follow-up of a controlled trial of laser laparoscopy for pelvic pain. J Sls 2001;5:111-5.	Fel publiceringsår
Jones KD, Sutton C. Patient satisfaction and changes in pain scores after ablative laparoscopic surgery for stage III-IV endometriosis and endometriotic cysts. Fertil Steril 2003;79:1086-90.	Fel studiedesign
Jones KD, Sutton CJ. Recurrence of chocolate cysts after laparoscopic ablation. J Am Assoc Gynecol Laparosc 2002;9:315-20.	Fel studiedesign
Jugnet N, Cosson M, Wattiez A, Donnez J, Buick V, Mage G, et al. Comparing vaginal and coelioscopic total or subtotal hysterectomies: Prospective multicentre study including 82 patients. Gynaecological Endoscopy 2001;10:315-21.	Fel population
Jyotsana KM. Clinical trial of laparoscopically Assisted Vaginal Hysterectomy versus total abdominal hysterectomy. JK Science 2006;8:97-100.	Fel population
Kaloo PD, Cooper MJW, Reid G. A prospective multi-centre study of major complications experienced during excisional laparoscopic surgery for endometriosis. Eur J Obstet Gynecol Reprod Biol 2006;124:98-100.	Fel studiedesign

Referens	Exklusionsorsak
Kamencic H, Thiel JA. Pentoxifylline after conservative surgery for endometriosis: a randomized, controlled trial. <i>J Minim Invasive Gynecol</i> 2008;15:62-6.	Fel population
Kamran S, Moghissi MD, Schlaff WD. Add-back therapy in the treatment of endometriosis with the help of zoladex. <i>Problemy Reproduktsii</i> 1998;0:31-4.	Fel språk
Kapural L, Narouze SN, Janicki TI, Mekhail N. Spinal cord stimulation is an effective treatment for the chronic intractable visceral pelvic pain. <i>Pain Med</i> 2006;7:440-3.	Fel population
Karabacak O, Kambic R, Gursoy R, Ozeren S. Does ovulation induction affect the pregnancy rate after laparoscopic treatment of endometriosis? <i>Int J Fertil Womens Med</i> 1999;44:38-42.	Fel intervention
Karayalcin R, Senoz S, Yesilyurt H, Gokmen O. Treatment of endometriosis with short and long acting Gn RH-a. <i>Fertil Steril</i> 1998;70:S376.	Fel publikationstyp
Kargar M, Hadjibabaie M, Gholami K. Simvastatin versus triptorelin in prevention of pain recurrences after surgery for endometriosis. <i>Med Sci Monit</i> 2013;19:858.	Fel publikationstyp
Karlstrom PO, Bakos O, Palmstierna M, Bergh T, Lundkvist O. Direct intraperitoneal insemination--clinical results and comparison between two methods of sperm preparation. <i>Fertil Steril</i> 1991;56:939-45.	Fel population
Karlstrom PO, Bergh T, Lundkvist O. A prospective randomized trial of artificial insemination versus intercourse in cycles stimulated with human menopausal gonadotropin or clomiphene citrate. <i>Fertil Steril</i> 1993;59:554-9.	Fel population
Karlstrom PO, Bergh T, Lundkvist O. Addition of gonadotrophin-releasing hormone agonist and/or two inseminations with husband's sperm do not improve the pregnancy rate in superovulated cycles. <i>Acta Obstet Gynecol Scand</i> 2000;79:37-42.	Fel population
Karnaky KJ. Stilbestrol treatment of endometriosis. <i>Obstet Gynecol</i> 1969;33:597.	Fel publikationstyp
Kauppila A, Puolakka J, Ylikorkala O. Prostaglandin biosynthesis inhibitors and endometriosis. <i>Prostaglandins</i> 1979;18:655-61.	Avregistrerade läkemedel
Kauppila A, Telimaa S, Ronnberg L, Vuori J. Placebo-controlled study on serum concentrations of CA-125 before and after treatment of endometriosis with danazol or high-dose medroxyprogesterone acetate alone or after surgery. <i>Fertil Steril</i> 1988;49:37-41.	Fel utfall
Kavallaris A, Chalvatzas N, Hornemann A, Banz C, Diedrich K, Agic A. 94 months follow-up after laparoscopic assisted vaginal resection of septum rectovaginale and rectosigmoid in women with deep infiltrating endometriosis. <i>Arch Gynecol Obstet</i> 2011;283:1059-64.	Fel PICO
Kavtaradze N, Domiguez C, Rock J, Partasarathy S, Murphy A. Vitamin E and C supplementation reduces endometriosis related pelvic pain. <i>Fertil Steril</i> 2003;80:S221-2.	Fel publikationstyp

Referens	Exklusionsorsak
Keckstein J, Wiesinger H. Deep endometriosis, including intestinal involvement - The interdisciplinary approach. <i>Minim Invasive Ther Allied Technol</i> 2005;14:160-166.	Fel PICO
Kennedy S, Jenkinson C. Effect of endometriosis treatment on quality of life measured using the EHP-30. <i>Fertil Steril</i> 2004;82:S69.	Fel publikationstyp
Kennedy SH, Williams IA, Brodribb J, Barlow DH, Shaw RW. A comparison of nafarelin acetate and danazol in the treatment of endometriosis. <i>Fertil Steril</i> 1990;53:998-1003.	Avregistrerade läkemedel
Kent A, Shakir F, Rockall T, Haines P, Pearson C, Rae-Mitchell W, et al. Laparoscopic Surgery for Severe Rectovaginal Endometriosis Compromising the Bowel: A Prospective Cohort Study. <i>J Minim Invasive Gynecol</i> 2016;23:526-534.	Fel PICO
Kereszturi A, Szollosi J, Daru J, Koloszar S, Pal A. Results of insemination (AIH) following GnRH treatment of endometriosis. <i>Arch Androl</i> 2002;48:243-9.	Fel studiedesign
Khamechian T, Alizargar J, Mazoochi T. 5-Year data analysis of patients following abdominal wall endometrioma surgery. <i>BMC Womens Health</i> 2014;14:151.	Fel PICO
Kiesel L, Bertges K, Rabe T, Von Holst T, Runnebaum B. Therapy of endometriosis. <i>Arch Gynecol Obstet</i> 1989;245:937-40.	Fel språk
Kim CH, Chae HD, Kang BM, Chang YS, Mok JE. The immunotherapy during in vitro fertilization and embryo transfer cycles in infertile patients with endometriosis. <i>J Obstet Gynaecol Res</i> 1997;23:463-70.	Fel intervention
Kim KH, Lee KA. Sleep and fatigue symptoms in women before and 6 weeks after hysterectomy. <i>J Obstet Gynecol Neonatal Nurs</i> 2009;38:344-52.	Fel population
Kim ML, Cho YJ, Kim MK, Jung YW, Yun BS, Seong SJ. The efficacy of long-term maintenance therapy with a levonorgestrel-releasing intrauterine system for prevention of ovarian endometrioma recurrence. <i>Int J Gynaecol Obstet</i> 2016;134:256-9.	Fel studiedesign
Kim MR, Hwang KJ, Kim YA, Ryu HS. The clinical efficacy of the low dose aspirin and corticosteroid treatment for IVF-ET in patients with endometriosis who underwent IVF-ET. <i>Fertil Steril</i> 2002;77:S12-3.	Fel publikationstyp
Kim SG, Seo HG, Kim YS. Primiparous singleton women with endometriosis have an increased risk of preterm birth: Meta-analyses. <i>Obstet Gynecol Sci</i> 2017;60:283-8.	Fel studiedesign
Kim SY, Chang CH, Lee JS, Kim YJ, Kim MD, Han DW. Comparison of the efficacy of dexmedetomidine plus fentanyl patient-controlled analgesia with fentanyl patient-controlled analgesia for pain control in uterine artery embolization for symptomatic fibroid tumors or adenomyosis: A prospective, randomized study. <i>J Vasc Interv Radiol</i> 2013;24:779-86.	Fel population

Referens	Exklusionsorsak
Kim SY, Koo BN, Shin CS, Ban M, Han K, Kim MD, et al. The effects of single-dose dexamethasone on inflammatory response and pain after uterine artery embolisation for symptomatic fibroids or adenomyosis: a randomised controlled study. <i>BJOG</i> 2016;123:580-7.	Fel population
Kim SY, Koo BN, Shin CS, Ban M, Han K, Kim MD. The effects of single-dose dexamethasone on inflammatory response and pain after uterine artery embolisation for symptomatic fibroids or adenomyosis: A randomised controlled study. <i>BJOG</i> 2016;123:580-7.	Fel population
Kim TJ, Shin SJ, Kim TH, Cho CH, Kwon SH, Sung SJ, et al. Multi-institution, prospective, randomized trial to compare the success rates of single-port versus multiport laparoscopic hysterectomy for the treatment of uterine myoma or adenomyosis. <i>J Minim Invasive Gynecol</i> 2015;22:785-91.	Fel population
Kitawaki J, Kusuki I, Suganuma I, Sasaki A, Itoh F, Matsuo S. Long-term suppression of endometriosis-associated pelvic pain with sequential administration of a gonadotropinreleasing hormone agonist followed by danazol, oral contraceptives or dienogest. <i>J Endometr</i> 2012;4:150.	Fel publikationstyp
Kitawaki J, Kusuki I, Yamanaka K, Suganuma I. Maintenance therapy with dienogest following gonadotropin-releasing hormone agonist treatment for endometriosis-associated pelvic pain. <i>Eur J Obstet Gynecol Reprod Biol</i> 2011;157:212-216.	Fel intervention
Klipping C, Duijkers I, Remmers A, Faustmann T, Zurth C, Klein S, et al. Ovulation-inhibiting effects of dienogest in a randomized, dose-controlled pharmacodynamic trial of healthy women. <i>J Clin Pharmacol</i> 2011;52:1704-13.	Fel population
Kobayashi S, Harigai M, Mozaffarian N, Pangan AL, Sharma S, Brown LS, et al. A multicenter, open-label, efficacy, pharmacokinetic, and safety study of adalimumab in Japanese patients with ankylosing spondylitis. <i>Mod Rheumatol</i> 2012;22:589-97.	Fel population
Kodaman PH. Current strategies for endometriosis management. <i>Obstet Gynecol Clin North Am</i> 2015;42:87-101.	Systematisk översikt
Koltermann KC, Thiel-Moder U, Willich SN, Reinhold T, Ebert AD. Health economic burden of deep infiltrating endometriosis surgically treated in a referral center. <i>J Endometr</i> 2016;8:46-54.	Fel studiedesign
Kondo W, Bourdel N, Tamburro S, Cavoli D, Jardon K, Rabischong B, et al. Complications after surgery for deeply infiltrating pelvic endometriosis. <i>BJOG</i> 2011;118:292-8.	Fel studiedesign
Koninckx PR, Craessaerts M, Timmerman D, Cornillie F, Kennedy S. Anti-TNF- α treatment for deep endometriosis-associated pain: A randomized placebo-controlled trial. <i>Hum Reprod</i> 2008;23:2017-2023.	Dubblett
Koninckx PR, Timmermans B, Meuleman C, Penninckx F. Complications of CO ₂ -laser endoscopic excision of deep endometriosis. <i>Hum Reprod</i> 1996;11:2263-2268.	Fel PICO

Referens	Exklusionsorsak
Koninckx PR, Ussia A, Zupi E, Gomel V. Evidence-Based Medicine in Endometriosis Surgery: Double-Blind Randomized Controlled Trial Versus the Consensus Opinion of Experts. <i>J Minim Invasive Gynecol</i> 2017;24:692-4.	Systematisk översikt
Konno R, Fujiwara H, Suzuki M. Effectiveness of leukotriene receptor antagonists for dysmenorrhea of endometriosis. <i>Fam Med</i> 2004;36:8-9.	Fel publikationstyp
Koppan A, Hamori J, Vranics I, Garai J, Kriszbacher I, Bodis J, et al. Pelvic pain in endometriosis: painkillers or sport to alleviate symptoms? <i>Acta Physiol Hung</i> 2010;97:234-9.	Fel studiedesign
Kossi J, Setala M, Makinen J, Harkki P, Luostarinen M. Quality of life and sexual function 1 year after laparoscopic rectosigmoid resection for endometriosis. <i>Colorectal Dis</i> 2013;15:102-8.	Fel studiedesign
Kourides IA, Kistner RW. Three new synthetic progestins in the treatment of endometriosis. <i>Obstet Gynecol</i> 1968;31:821-8.	Fel studiedesign
Krasnopol'skaya K, Kaluina A. Application of aromatase inhibitors (Anastrozole) in an IVF programme for the treatment of infertility associated with severe endometriosis. <i>Hum Reprod</i> 2002;17:149, Abstract no: P-438.	Fel publikationstyp
Ku SY, Suh CS, Kim SH, Choi YM, Kim JG, Moon SY. A pilot study of the use of low dose human menopausal gonadotropin in ovulation induction. <i>Eur J Obstet Gynecol Reprod Biol</i> 2003;109:55-9.	Fel population
Kuhlmann M, Gärtner A, Schindler EM, Regidor PA, Bühler K, Schindler AE. Uterine leiomyomata and sterility: Therapy with gonadotropin-releasing hormone agonists and leiomyomectomy. <i>Gynecol Endocrinol</i> 1997;11:169-74.	Fel population
Kuivasaari P, Hippelainen M, Anttila M, Heinonen S. Effect of endometriosis on IVF/ICSI outcome: stage III/IV endometriosis worsens cumulative pregnancy and live-born rates. <i>Hum Reprod</i> 2005;20:3130-5.	Fel kontrollgrupp
Kulenthiran A. Efficacy of danazol treatment in infertile patients with endometriosis. <i>Med J Malaysia</i> 1992;47:11-4.	Fel kontrollgrupp
Kumbak B, Sahin L. Ethanol sclerotherapy for ovarian endometriomas before ovarian stimulation. <i>Reprod Biomed Online</i> 2010;20:163; author reply 164.	Fel publikationstyp
Kumbasar S, Gul O, Sik A. Evaluation of the effect of indomethacin and piroxicam administration before embryo transfer on pregnancy rate. <i>J Obstet Gynaecol Res</i> 2017;43:536-42.	Fel population
Kumbasar S, Güllü Ö, Şik A. Evaluation of the effect of indomethacin and piroxicam administration before embryo transfer on pregnancy rate. <i>J Obstet Gynaecol Res</i> 2017;43:536-542.	Dubbelt
Lalchandani S, Baxter A, Phillips K. A prospective randomised comparison of laparoscopic treatment and treatment with gonadotrophin releasing hormone analogue in patients with mild to moderate endometriosis. <i>Int J Gynecol Obstet</i> 2003;83:48.	Får ej tag i fulltext

Referens	Exklusionsorsak
Lalchandani S, Baxter A, Phillips K. Is helium thermal coagulator therapy for the treatment of women with minimal to moderate endometriosis cost-effective? A prospective randomised controlled trial. <i>Gynecol Surg</i> 2005;2:255-8.	Fel utfall
Lam AM, French M, Charnock FM. Bilateral ureteric obstruction due to recurrent endometriosis associated with hormone replacement therapy. <i>Aust N Z J Obstet Gynaecol</i> 1992;32:83-4.	Fel studiedesign
Lambert B, Gonthier M, Dery JP, Lepage Y. Compared randomized roles and pain factor by Vabra land Wallach Endocell in endometrial evaluation. <i>Gynecol Obstet Invest</i> 1998;45:258-61.	Fel utfall
Langebrekke A, Istrø O, Busund B, Johannessen HO, Qvigstad E. Endoscopic treatment of deep infiltrating endometriosis (DIE) involving the bladder and rectosigmoid colon. <i>Acta Obstet Gynecol Scand</i> 2006;85:712-5.	Fel PICO
Laparoscopic uterosacral ligament resection for dysmenorrhea. ACOG Clinical Review 2004;9:6-7 2p.	Fel publikationstyp
Laparoscopically assisted hysterectomy: New technique raises new concerns. <i>HealthFacts</i> 1995;20:3-3 1p.	Fel publikationstyp
Latthe P, Khan KS, Gupta JK, Daniels J, Hills RK, Gray R, et al. A randomised controlled trial to assess the efficacy of Laparoscopic Uterosacral Nerve Ablation (LUNA) in the treatment of chronic pelvic pain: The trial protocol [ISRCTN41196151]. <i>BMC Women's Health</i> 2003;3.	Fel publikationstyp
Lavery S, Gillmer M. Malignant transformation of residual endometriosis in women on unopposed oestrogen hormone replacement therapy. <i>Bjog</i> 2001;108:1106-7.	Fel studiedesign
Lazaraki G, Metallidis S, Theodoridis T, Dokas S, Nikolaidis P. Combined surgical and hormonal treatment for obstructing intestinal endometriosis. <i>J Gastrointestin Liver Dis</i> 2007;16:469-71.	Fel publikationstyp
Lee DY, Young Kim N, Jae Kim M, Yoon BK, Choi D. Effects of laparoscopic surgery on serum anti-Mullerian hormone levels in reproductive-aged women with endometrioma. <i>Gynecol Endocrinol</i> 2011;27:733-6.	Fel utfall
Lee JH, Choi JS, Jeon SW, Son CE, Bae JW, Hong JH, et al. Laparoscopic incidental appendectomy during laparoscopic surgery for ovarian endometrioma. <i>Am J Obstet Gynecol</i> 2011;204:28.e1-28.e5.	Fel studiedesign
Lee PI, Yoon JB, Joo KY, Lee JK, Cho JY, Kim JS. Gonadotrophin releasing hormone agonist (GnRHa)-Zoladex (Goserelin) and hormonal add-back therapy in endometriosis: a 12 month study. <i>Fertil Steril</i> 2002;77:S23.	Fel publikationstyp
Lee YY, Kim TJ, Kim CJ, Kang H, Choi CH, Lee JW, et al. Single-Port Access Laparoscopic-Assisted Vaginal Hysterectomy: A Novel Method with a Wound Retractor and a Glove. <i>J Minim Invasive Gynecol</i> 2009;16:450-3.	Fel population
Lemay A, Brideau NA, Forest JC, Dodin S, Maheux R. Cholesterol fractions and apolipoproteins during endometriosis treatment by a gonadotrophin	Fel utfall

Referens	Exklusionsorsak
releasing hormone (GnRH) agonist implant or by danazol. Clin Endocrinol (Oxf) 1991;35:305-10.	
Lemay A, Maheux R, Jean C, Faure N. Efficacy of different modalities of LHRH agonist (buserelin) administration on the inhibition of the pituitary-ovarian axis for the treatment of endometriosis. Prog Clin Biol Res 1986;225:157-73.	Systematisk översikt
Lemay A, Maheux R, Quesnel G, Faure N, Merat P. LH-RH agonist treatment of endometriosis. Contrib Gynecol Obstet 1987;16:247-53.	Systematisk översikt
Lenton E, Soltan A, Hewitt J, Thomson A, Davies W, Ashraf N, et al. Induction of ovulation in women undergoing assisted reproductive techniques: Recombinant human FSH (follitropin alpha) versus highly purified urinary FSH (urofollitropin HP). Hum Reprod 2000;15:1021-27.	Fel population
Leonard PH, Hokenstad AN, Khan Z, Jensen JR, Stewart EA, Coddington CC. Progesterone support for frozen embryo transfer: Intramuscular versus vaginal suppository demonstrates no difference in a cohort. J Reprod Med 2015;60:103-8.	Fel population
Leone Roberti Maggiore U, Scala C, Tafi E, Racca A, Biscaldi E, Vellone VG, et al. Spontaneous fertility after expectant or surgical management of rectovaginal endometriosis in women with or without ovarian endometrioma: a retrospective analysis. Fertil Steril 2017;107:969-976.e5.	Fel studiedesign
Lewis BV. Medical treatment of endometriosis in infertile patients. Ir J Med Sci 1983;152:22-5.	Systematisk översikt
Lewis M, Baker V, Nezhat C. The impact on ovarian reserve after laparoscopic ovarian cystectomy versus three-stage management in patients with endometriomas: a prospective randomized study. Fertil Steril 2010;94:e81-2; author reply e83.	Fel publikationstyp
LHRH analogues in endometriosis. Lancet 1986;2:1016-8.	Systematisk översikt
L'Huillier J. Endobronchial endometriosis Nd-YAG therapy vs drug therapy. Chest 2003; 124:1168-1170.	Dubblett
L'Huillier JP. Endobronchial endometriosis Nd-YAG therapy vs drug therapy. Chest 2005;127:684-5; author reply 685.	Fel publikationstyp
Li YH, De Vries B, Cooper M, Krishnan S. Bowel and bladder function after resection of deeply infiltrating endometriosis. Aust N Z J Obstet Gynaecol 2014;54:218-24.	Fel studiedesign
Li Z, Liu J, Min W, Zhang D, Yang X, Sun Y. Effect of second-look laparoscopy on subsequent fertility outcome after laparoscopic salpingostomy for tubal pregnancy: A Randomized controlled study. J Minim Invasive Gynecol 2015;22:612-8.	Fel population

Referens	Exklusionsorsak
Lian F, Li XL, Sun ZG, Zhang JW, Liu YH, Ma FM. Effect of Quyu Jiedu granule on microenvironment of ova in patients with endometriosis. Chin J Integr Med 2009;15:42-6.	Fel intervention
Lian F, Liu HP, Wang YX, Zhang JW, Sun ZG, Ma FM, et al. Expressions of VEGF and Ki-67 in eutopic endometrium of patients with endometriosis and effect of Quyu Jiedu Recipe on VEGF expression. Chin J Integr Med 2007;13:109-14.	Fel intervention
Lijoi D, Ferrero S, Mistrangelo E, Casa ID, Crosa M, Remorgida V, et al. Bowel preparation before laparoscopic gynaecological surgery in benign conditions using a 1-week low fibre diet: a surgeon blind, randomized and controlled trial. Arch Gynecol Obstet 2009;280:713-8.	Fel population
Lindsay PC, Shaw RW, Bennink HJC, Kicovic P. The effect of add-back treatment with tibolone (Livial) on patients treated with the gonadotropin-releasing hormone agonist triptorelin (decapeptyl). Fertil and Steril 1996;65:342-8.	Fel population
Ling FW. Randomized controlled trial of depot leuprolide in patients with chronic pelvic pain and clinically suspected endometriosis. Pelvic Pain Study Group. Obstet Gynecol 1999;93:51-8.	Fel population
Liu C, Lu Q, Zhang Z, Xue M, Zhang Y, Zhang Y, et al. A Randomized Controlled Trial on the Efficacy and Safety of a New Crosslinked Hyaluronan Gel in Reducing Adhesions after Gynecologic Laparoscopic Surgeries. J Minim Invasive Gynecol 2015;22:853-63.	Fel population
Liu HW, Zou YH, Dong Y, Kang Y, Chen CZ, Sui Q. Clinical effect of uterine arterial embolization with polyvinyl alcohol and lipiodol-pingyangmycin emulsion in the uterine adenomyosis and leiomyoma. Chinese Journal of Medical Imaging Technology 2008;24:1456-8.	Fel språk
Liu KJ, Cui LQ, Huang Q, Liu Q, Han NN, Li PQ, et al. Effectiveness and safety of laparoscopic presacral neurectomy in treating endometriosis-associated pain. Acta Academiae Medicinae Sinicae 2011;33:485-8.	Fel språk
Liu LL, Bao N, Lu HW. Effects of CO ₂ Pneumoperitoneum on the Cognitive Function of Patients Undergoing Gynecologic Laparoscopy. Gynecol Obstet Invest 2016;81:90-5.	Fel population
Liu X, Yuan L, Guo SW. Valproic acid as a therapy for adenomyosis: A comparative case series. Reprod Sci 2010;17:904-12.	Fel kontrollgrupp
Liu Y, Liu R. Effect of Nei Yi Xiao formula on the expression of integrin subunits β 3 in endometrial epithelial cells of infertility patients with endometriosis. Journal of Xi'an Jiaotong University (Medical Sciences) 2005;26:596-8.	Fel språk
Liu YC, Li YC, Kuo HH, Wang CJ, Wu KY. The use of fibrin sealant (Tisseel) in laparoscopic excision of ovarian endometrioma. Taiwan J Obstet Gynecol 2017;56:342-5.	Fel studiedesign
Lohle PN, De Vries J, Klazen CA, Boekkooi PF, Vervest HA, Smeets AJ, et al. Uterine artery embolization for symptomatic adenomyosis with or without uterine leiomyomas with the use of calibrated tris-acryl gelatin microspheres:	Fel studiedesign

Referens	Exklusionsorsak
midterm clinical and MR imaging follow-up. <i>J Vasc Interv Radiol</i> 2007;18:835-41.	
Long CY, Fang JH, Chen WC, Su JH, Hsu SC. Comparison of total laparoscopic hysterectomy and laparoscopically assisted vaginal hysterectomy. <i>Gynecol Obstet Invest</i> 2002;53:214-9.	Fel population
Long L, Chen J, Xiong Y, Zou M, Deng Y, Chen L, et al. Efficacy of high-intensity focused ultrasound ablation for adenomyosis therapy and sexual life quality. <i>Int J Clin Exp Med</i> 2015;8:11701-7.	Fel studiedesign
Loumaye E, Beltrami V, Galazka A, Hansson C, Howles C, Dupont F, et al. Clinical assessment of recombinant human follicle-stimulating hormone in stimulating ovarian follicular development before in vitro fertilization. <i>Fertil and Steril</i> 1995;63:77-86.	Fel population
Loumaye E, Beltrami V, Galazka A, Hansson C, Howles C, Dupont F, et al. Clinical assessment of recombinant human follicle-stimulating hormone in stimulating ovarian follicular development before in vitro fertilization. <i>Fertil and Steril</i> 1998;69:50S-58S.	Fel population
Low RA, Roberts AD, Lees DA. A comparative study of various dosages of danazol in the treatment of endometriosis. <i>Br J Obstet Gynaecol</i> 1984;91:167-71.	Avregistrerade läkemedel
Loverro G, Santillo V, Pansini M, Lorusso F, Depalo R, Selvaggi L. Are GnRH agonists helpful in the therapy of endometriosis after surgical treatment? <i>Hum Reprod</i> 2001;16:96.	Fel publikationstyp
Luciano A, Schlaff VD. DMPA-SC 104 has equivalent efficacy to leuprorelin and significantly fewer hypoestrogenic symptoms in patients with endometriosis-associated pain: results from 2 randomized clinical trials. <i>Eur J Obstet Gynecol Reprod Biol</i> 2005;123:S12-3.	Fel publikationstyp
Luciano AA, Lowney J, Jacobs SL. Endoscopic treatment of endometriosis-associated infertility. Therapeutic, economic and social benefits. <i>J Reprod Med</i> 1992;37:573-6.	Fel studiedesign
Luciano AA. Danazol treatment of endometriosis-associated pain. <i>J Minim Invasive Gynecol</i> 2006;13:523-4.	Systematisk översikt
Lugo GEC, Gonzalez LFS, Perea M. Treatment of pelvic endometriosis with goserelin acetate or nafarelin acetate Comparative study. <i>Ginecol Obstet Mex</i> 2000;68:7-14.	Fel språk
Lukic A, Di Properzio M, De Carlo S, Nobili F, Schimberni M, Bianchi P, et al. Quality of sex life in endometriosis patients with deep dyspareunia before and after laparoscopic treatment. <i>Arch Gynecol Obstet</i> 2016;293:583-90.	Fel studiedesign
Mabrouk M, Montanari G, Di Donato N, Del Forno S, Frasca C, Geraci E, et al. What is the impact on sexual function of laparoscopic treatment and subsequent combined oral contraceptive therapy in women with deep infiltrating endometriosis? <i>J Sex Med</i> 2012;9:770-8.	Fel studiedesign

Referens	Exklusionsorsak
Mabrouk M, Montanari G, Guerrini M, Villa G, Solfrini S, Vicenzi C, et al. Does laparoscopic management of deep infiltrating endometriosis improve quality of life? A prospective study. <i>Health Qual Life Outcomes</i> 2011;9:98.	Fel studiedesign
MacDonald SR, Klock SC, Milad MP. Long-term outcome of nonconservative surgery (hysterectomy) for endometriosis-associated pain in women <30 years old. <i>Am J Obstet Gynecol</i> 1999;180:1360-3.	Fel kontrollgrupp
Maia H, Jr., Maltez A, Coelho G, Athayde C, Coutinho EM. Insertion of mirena after endometrial resection in patients with adenomyosis. <i>J Am Assoc Gynecol Laparosc</i> 2004;10:512-6.	Fel studiedesign
Maillet J, Brun JL, Dubuisson V, Bazot M, Grenier N, Cornelis FH. Mid-term outcomes after percutaneous cryoablation of symptomatic abdominal wall endometriosis: comparison with surgery alone in a single institution. <i>Eur Radiol</i> 2017;27:4298-306.	Fel studiedesign
Mais V, Ajossa S, Guerriero S, Piras B, Floris M, Palomba M, et al. Laparoscopic management of endometriomas: A randomized trial versus laparotomy. <i>J Gynecol Surg</i> 1996;12:41-6.	Fel publiceringsår
Mais V, Ajossa S, Marongiu D, Peiretti RF, Guerriero S, Melis GB. Reduction of adhesion reformation after laparoscopic endometriosis surgery: a randomized trial with an oxidized regenerated cellulose absorbable barrier. <i>Obstet Gynecol</i> 1995;86:512-5.	Fel publiceringsår
Makita K, Ishitani K, Ohta H, Horiguchi F, Nozawa S. Long-term effects on bone mineral density and bone metabolism of 6 months' treatment with gonadotropin-releasing hormone analogues in Japanese women: comparison of buserelin acetate with leuprolide acetate. <i>J Bone Miner Metab</i> 2005;23:389-94.	Fel population
Mamas L. Comparison of fallopian tube sperm perfusion and intrauterine tuboperitoneal insemination: a prospective randomized study. <i>Fertil Steril</i> 2006;85:735-40.	Fel population
Manetta LA, de Paula Martins W, Rosa e Silva JC, de Sa Rosa e Silva AC, Nogueira AA, Ferriani RA. Uterine ultrasonographic changes during endometriosis treatment: a comparison between levonorgestrel-releasing intrauterine devices and a gonadotropin-releasing hormone agonist. <i>Ultrasound Med Biol</i> 2008;34:1914-8.	Fel utfall
Mangler M, Herbstleb J, Mechsner S, Bartley J, Schneider A, Kohler C. Long-term follow-up and recurrence rate after mesorectum-sparing bowel resection among women with rectovaginal endometriosis. <i>Int J Gynaecol Obstet</i> 2014;125:266-9.	Fel PICO
Manwaring JM, Readman E, Maher PJ. The effect of heated humidified carbon dioxide on postoperative pain, core temperature, and recovery times in patients having laparoscopic surgery: a randomized controlled trial. <i>J Minim Invasive Gynecol</i> 2008;15:161-5.	Fel population
Manyonda IT, Bratby M, Horst JS, Banu N, Gorti M, Belli AM. Uterine artery embolization versus myomectomy: Impact on quality of life - Results of the FUME (Fibroids of the uterus: Myomectomy versus embolization) trial. <i>Cardiovasc Intervent Radiol</i> 2012;35:530-6.	Fel population

Referens	Exklusionsorsak
Maouris P, Dowsett M, Rose G, Edmonds DK. A new treatment for endometriosis. Lancet 1989;333:1017-8.	Fel publikationstyp
Maouris P. Psudomenopause Treatment for Endometriosis: The Endocrine Effects of Danazol Compared with the use of the LH-RH Agonist Goserelin. J Obstet Gynaecol 1991;11:123-7.	Avregisterade läkemedel
Marana R, Busacca M, Zupi E, Garcea N, Paparella P, Catalano GF. Laparoscopically assisted vaginal hysterectomy versus total abdominal hysterectomy: a prospective, randomized, multicenter study. Am J Obstet Gynecol 1999;180:270-5.	Fel population
Marchini M, Fedele L, Bianchi S, Arcaini L, Brioschi D, Nola G. Endometrial patterns during danazol and cyproterone acetate treatment for endometriosis: structural and ultrastructural study. Eur J Obstet Gynecol 1991;40:137-43.	Fel utfall
Marchini M, Fedele L, Bianchi S, Nola G, Nava S, Vercellini P. Endometrial patterns during therapy with danazol or gestrinone for endometriosis: structural and ultrastructural study. Hum Pathol 1992;23:51-6.	Avregisterade läkemedel
Marchini M, Fedele L, Bianchi S, Nola G, Nava S, Vercellini P. Endometrial patterns during therapy with danazol or gestrinone for endometriosis: structural and ultrastructural study. Hum Pathol 1992;23:51-6.	Fel studiedesign
Marconi DSMRMRPIAPVCAEGBCA. Pre-treatment with danazol before IVF in women with endometriosis: a controlled trial. Hum Reprod 2013;28:i12-i14 O-030.	Fel publikationstyp
Marconi G, Vilela M, Vighi S, Lombardi E, Yuri M. Laparoscopic surgery in the infertile patient with endometrioma. Cuadernos de Medicina Reproductiva 2002;8:101-19.	Fel språk
Marcoux S, Maheux R, Berube S. Laparoscopic surgery in infertile women with minimal or mild endometriosis. Canadian Collaborative Group on Endometriosis. N Engl J Med 1997;337:217-22.	Fel publiceringsår
Marcoux S, Maheux R, Bérubé S. Laparoscopic surgery in infertile women with minimal or mild endometriosis. N Engl J Med 1997;337:217-22.	Dubblett
Marik JJ. Leuprolide acetate depot and hormonal add-back in endometriosis: a 12-month study. Obstet Gynecol 1998;91:793-4.	Fel publikationstyp
Markham SM, Welling DR, Larsen KS, Snell MJ. Endometriosis of the rectum treated with a long term GnRH agonist and surgery. N Y State J Med 1991;91:69-71.	Fel studiedesign
Martinez-Serrano MJ, Martinez-Roman S, Pahisa J, Balasch J, Carmona F. Intestinal surgery performed by gynecologists. Acta Obstet Gynecol Scand 2015;94:954-9.	Fel population
Marty N, Touleimat S, Moatassim-Drissa S, Millochau JC, Vallee A, Stochino Loi E, et al. Rectal Shaving Using Plasma Energy in Deep Infiltrating Endometriosis of the Rectum: Four Years of Experience. J Minim Invasive Gynecol 2017.	Fel PICO

Referens	Exklusionsorsak
Mascarenhas L, Khastgir G, Davies WAR, Lee S. Controlled ovarian hyperstimulation: An adjunct to assisted reproductive technology. <i>Fertil and Steril</i> 1994;61:1158-1160.	Fel population
Mascarenhas L, Khastgir G, Davies WAR, Lee S. Superovulation and timed intercourse: Can it provide a reasonable alternative for those unable to afford assisted conception? <i>Hum Reprod</i> 1994;9:67-70.	Fel population
Matorras R, Urquijo E, Mendoza R, Corcóstegui B, Expósito A, Rodríguez-Escudero FJ. Ultrasound-guided embryo transfer improves pregnancy rates and increases the frequency of easy transfers. <i>Hum Reprod</i> 2002;17:1762-6.	Fel population
Matta W, Shaw R. A comparative study between buserelin and danazol in the treatment of endometriosis. <i>Br J Clin Pract</i> 1988;40:69-72.	Får ej tag i fulltext
Matteo M, Caroppo E, Gliozheni O, Carone D, Schonauer LM, Vizziello G, et al. Pituitary desensitization for eight weeks after the administration of two distinct gonadotrophin-releasing hormone agonists. <i>Eur J Obstet Gynecol Reprod Biol</i> 2006;126:77-80.	Fel utfall
McDermott TM, Parilla BV. Amnioinfusion as a therapy to reduce post partum endometriosis after chorioamnionitis. <i>Am J Obstet Gynecol</i> 1998;178:S212.	Fel publikationstyp
McKenzie LJ. Rethinking surgery for endometriosis-associated infertility. <i>Contemp Ob Gyn</i> 2015;60:7-10.	Fel studiedesign
Meden-Vrtovec H. Treatment of laparoscopically confirmed endometriosis with danazol. <i>Br J Clin Pract</i> 1989;43:161-6.	Fel studiedesign
Meissner K, Schweizer-Arau A, Limmer A, Preibisch C, Popovici RM, Lange I, et al. Psychotherapy With Somatosensory Stimulation for Endometriosis-Associated Pain: A Randomized Controlled Trial. <i>Obstet Gynecol</i> 2016;128:1134-1142.	Fel intervention
Meissner K, Schweizer-Arau A, Popovici R, Beissner F. Psychotherapy With Somatosensory Stimulation for Endometriosis-Associated Pain: A Randomized Controlled Trial. <i>Obstet Gynecol</i> 2017;129:581-581.	Dubblett
Meldrum DR. Management of endometriosis with gonadotropin-releasing hormone agonists. <i>Fertil Steril</i> 1985;44:581-2.	Fel publikationstyp
Melis GB, Mais V, Paoletti AM, Ajossa S, Guerriero S, Fioretti P. Efficacy and endocrine effects of medical treatment of endometriosis. <i>Ann N Y Acad Sci</i> 1991;622:275-82.	Fel utfall
Melis GB, Neri M, Corda V, Malune ME, Piras B, Pirarba S, et al. Overview of elagolix for the treatment of endometriosis. <i>Expert Opinion on Drug Metabolism and Toxicology</i> 2016;12:581-8.	Systematisk översikt
Mendoza N, Suárez AM, Álamo F, Bartual E, Vergara F, Herruzo A. Lipid effects, effectiveness and acceptability of tibolone versus transdermic 17β-estradiol for hormonal replacement therapy in women with surgical menopause. <i>Maturitas</i> 2000;37:37-43.	Fel population

Referens	Exklusionsorsak
Mereu L, Florio P, Carri G, Pontis A, Petraglia F, Mencaglia L. Clinical outcomes associated with surgical treatment of endometrioma coupled with resection of the posterior broad ligament. <i>Int J Gynaecol Obstet</i> 2012;116:57-60.	Fel studiedesign
Mesogitis S, Antsaklis A, Daskalakis G, Papantoniou N, Michalas S. Combined ultrasonographically guided drainage and methotrexate administration for treatment of endometriotic cysts. <i>Lancet</i> 2000;355:1160.	Fel studiedesign
Mettler L, Impact of medical and surgical treatment of endometriosis on the cure of endometriosis and pain. <i>J Biomed Biotechnol</i> 2014;2014:Article number: 264653.	Dubbelpublikation
Mettler L, Ruprai R, Alkatout I. Impact of medical and surgical treatment of endometriosis on the cure of endometriosis and pain. <i>Biomed Res Int</i> 2015;2014:264653.	Dubblett
Mettler L, Semm K. Clinical and biochemical experiences with danazol in the treatment of endometriosis in cases with female infertility. <i>Postgrad Med J</i> 1979;55:27-32.	Fel studiedesign
Mettler L, Semm K. Three step medical and surgical treatment of endometriosis. <i>Ir J Med Sci</i> 1983;152:26-8.	Systematisk översikt
Mettler L. Medicosurgical treatment of genital endometriosis focusing on gestagens and antigestagens together with surgical pelviscopy. <i>Ann N Y Acad Sci</i> 1991;626:341-66.	Systematisk översikt
Metzger DA, Olive DL, Stohs GF, Franklin RR. Association of endometriosis and spontaneous abortion: effect of control group selection. <i>Fertil Steril</i> 1986;45:18-22.	Fel studiedesign
Metzger DA. Treating endometriosis pain: a multidisciplinary approach. <i>Semin Reprod Endocrinol</i> 1997;15:245-50.	Systematisk översikt
Middleton LJ, Daniels JP, Weckesser A, Bhattacharya S, Roberts T, Critchley HOD, et al. Preventing recurrence of endometriosis by means of long-Acting progestogen therapy (PRE-EMPT): Report of an internal pilot, multi-arm, randomised controlled trial incorporating flexible entry design and adaption of design based on feasibility of recruitment. <i>Trials</i> 2017;18.	Dubblett
Middleton LJ, Daniels JP, Weckesser A, Bhattacharya S. Preventing recurrence of endometriosis by means of long-acting progestogen therapy (PRE-EMPT): report of an internal pilot, multi-arm, randomised controlled trial incorporating flexible entry design and adaption of design based on feasibility of recruitment. <i>Trials</i> 2017;18:121.	Fel population
Mier-Cabrera J, Aburto-Soto T, Burrola-Mendez S, Jimenez-Zamudio L, Tolentino MC, Casanueva E, et al. Women with endometriosis improved their peripheral antioxidant markers after the application of a high antioxidant diet. <i>Reprod Biol Endocrinol</i> 2009;7:54.	Fel kontrollgrupp
Mier-Cabrera J, Genera-Garcia M, De la Jara-Diaz J, Perichart-Perera O, Vadillo-Ortega F, Hernandez-Guerrero C. Effect of vitamins C and E supplementation on peripheral oxidative stress markers and pregnancy rate in women with endometriosis. <i>Int J Gynaecol Obstet</i> 2007;100:252-6.	Fel utfall

Referens	Exklusionsorsak
Milingos S, Kallipolitis G, Loutradis D, Liapi A, Drakakis P, Mavrommatis K, et al. Endoscopic treatment of advanced endometriosis with large endometriomata. Surgical technique. <i>Gynaecological Endoscopy</i> 2001;10:327-33.	Fel studiedesign
Milingos S, Loutradis D, Kallipolitis G, Liapi A, Drakakis P, Antsaklis A, et al. Comparison of laparoscopy with laparotomy for the treatment of extensive endometriosis with large endometriomata. <i>J Gynecol Surg</i> 1999;15:131-6.	Fel publiceringsår
Miller JD, Shaw RW, Casper RFJ, Rock JA, Thomas EJ, Dmowski WP, et al. Historical prospective cohort study of the recurrence of pain after discontinuation of treatment with danazol or a gonadotropin-releasing hormone agonist. <i>Fertil Steril</i> 1998;70:293-6.	Fel studiedesign
Miller JD. Leuprolide acetate for the treatment of endometriosis. <i>Prog Clin Biol Res</i> 1990;323:337-41.	Fel publikationstyp
Milone M, Vignali A, Milone F, Pignata G, Elmore U, Musella M, et al. Colorectal resection in deep pelvic endometriosis: Surgical technique and post-operative complications. <i>World J Gastroenterol</i> 2015;21:13345-51.	Fel kontrollgrupp
Minelli L, Fanfani F, Fagotti A, Ruffo G, Ceccaroni M, Mereu L, et al. Laparoscopic colorectal resection for bowel endometriosis: feasibility, complications, and clinical outcome. <i>Arch Surg</i> 2009;144:234-9; discussion 239.	Fel PICO
Mira TA, Giraldo PC, Yela DA, Benetti-Pinto CL. Effectiveness of complementary pain treatment for women with deep endometriosis through Transcutaneous Electrical Nerve Stimulation (TENS): randomized controlled trial. <i>Eur J Obstet Gynecol Reprod Biol</i> 2015;194:1-6.	Fel intervention
Mitwally MFM, Casper RF. Aromatase inhibition reduces the dose of gonadotropin required for controlled ovarian hyperstimulation. <i>J Soc Gynecol Investig</i> 2004;11:406-45.	Fel population
Moghissi KS, Corson SL, Buttram V, Henzl MR. Evaluation of a GnRH Agonist (Nafarelin) versus Danazol for Treatment of Endometriosis. <i>Contrib Gynecol Obstet</i> 1987;16:266.	Fel publikationstyp
Moghissi KS. Add-back therapy in the treatment of endometriosis: the North American experience. <i>Br J Obstet Gynaecol</i> 1996;103:14.	Dubbelpublikation
Moghissi KS. Treatment of endometriosis with estrogen-progestin combination and progestogens alone. <i>Clin Obstet Gynecol</i> 1988;31:823-8.	Systematisk översikt
Momoeda M, Hayakawa M, Shimazaki Y, Mizunuma H, Taketani Y. Does the presence of coexisting diseases modulate the effectiveness of a low-dose estrogen/progestin, ethinylestradiol/drospirenone combination tablet in dysmenorrhea? Reanalysis of two randomized studies in Japanese women. <i>Int J Womens Health</i> 2014;6:989-98.	Fel population
Momoeda M, Taketani Y, Terakawa N, Aso T, Tsutani K. A randomized, double-blind, multicenter, parallel, dose-response study of dienogest in	Fel språk

Referens	Exklusionsorsak
patients with endometriosis. Japanese Pharmacology and Therapeutics 2007;35:769-83.	
Montanino G, Porpora MG, Montanino Oliva M, Gulemì L, Boninfante M, Cosmi EV. Laparoscopic treatment of ovarian endometrioma: One year follow-up. Clin Exp Obstet Gynecol 1996;23:70-2.	Fel publiceringsår
Montgomery JC, Studd JW. Oestradiol and testosterone implants after hysterectomy for endometriosis. Contrib Gynecol Obstet 1987;16:241-6.	Fel studiedesign
Moon HS, Park SH, Lee JO, Kim KS, Joo BS. Treatment with piroxicam before embryo transfer increases the pregnancy rate after in vitro fertilization and embryo transfer. Fertil Steril 2004;82:816-20.	Fel population
Moon MJ, Kim DK, Yoon KH, Hong JS, Kim YJ, Kim HO. The clinical significance of laparoscopic uterosacral nerve ablation (LUNA) in infertile women with pelvic pain and endometriosis. Korean Journal of Obstetrics and Gynecology 2001;44:2224-8.	Fel språk
Moore EE, Harger JH, Rock JA, Archer DF. Management of pelvic endometriosis with low-dose danazol. Fertil and Steril 1981;36:15-19.	Avregistrerade läkemedel
Moore EE, Harger JH, Rock JA, Archer DF. Management of pelvic endometriosis with low-dose danazol. Fertil and Steril 1985;44:50-54.	Avregistrerade läkemedel
Morelli M, Sacchinelli A, Venturella R, Mocciano R, Zullo F. Postoperative administration of dienogest plus estradiol valerate versus levonorgestrel-releasing intrauterine device for prevention of pain relapse and disease recurrence in endometriosis patients. J Obstet Gynaecol Res 2013;39:985-90.	Fel studiedesign
Morgante G, Ditto A, La Marca A, De Leo V. Low-dose danazol after combined surgical and medical therapy reduces the incidence of pelvic pain in women with moderate and severe endometriosis. Hum Reprod 1999;14:2371-4.	Avregistrerade läkemedel
Morita M, Yano Y, Sukegawa Y, Ishizuka J, Takita M. The use of danazol in women with endometriosis-associated infertility and pain for laparoscopic surgery. Gynaecological Endoscopy 1997;6:28.	Fel publikationstyp
Morita Y, Tsutsumi O, Taki Y. Successful hormonal treatment of pulmonary parenchymal endometriosis. Int J Gynaecol Obstet 1997;59:61-3.	Systematisk översikt
Mormile R, Vittori G. Vitamin D intake and endometriosis: the good and the bad. Eur J Obstet Gynecol Reprod Biol 2014;177:152-3.	Fel publikationstyp
Morotti M, Sozzi F, Remorgida V, Venturini PL, Ferrero S. Dienogest in women with persistent endometriosis-related pelvic pain during norethisterone acetate treatment. Eur J Obstet Gynecol Reprod Biol 2014;183:188-92.	Fel studiedesign

Referens	Exklusionsorsak
Mosbrucker C, Soman A, Dulemba J. Visualization of endometriosis: comparative study of 3-dimensional robotic and 2-dimensional laparoscopic endoscopes. <i>J Robot Surg</i> 2017.	Fel utfall
Muderris I. Aromatase inhibitors in the treatment of endometriosis with severe pelvic pain. <i>Hum Reprod</i> 2002;17:182-3.	Fel publikationstyp
Muneyyirci Delale OCCSNAJDMSP. Changes in bone density in women with endometriosis on leuprolide vs norethindrone treatment. <i>Fertil Steril</i> 2013;100:S102-3.	Fel publikationstyp
Muneyyirci-Delale O, Jalou S, Rahman M, Nacharaju V. Can we decrease breakthrough bleeding in patients with endometriosis on norethindrone acetate? <i>Int J Fertil Womens Med</i> 2003;48:32-6.	Fel studiedesign
Muneyyirci-Delale O, Jalou S. Long-term treatment of symptomatic endometriosis with norethindrone acetate. <i>Clin J Womens Health</i> 2001;1:69-75.	Fel studiedesign
Muneyyirci-Delale O, Jiang XC, Dalloul M, Fan YF, Charles C, Nacharaju V. F11R/JAM and SM levels in women with endometriosis on treatment with lupron-depot vs. norethindrone acetate. <i>Reprod Sci</i> 2010;17:94a.	Fel publikationstyp
Muneyyirci-Delale OCCMV. Effect of Norethindrone vs Leuprolide treatment on breakthrough bleeding of women with symptomatic endometriosis. <i>Fertil Steril</i> 2016;106:e267.	Fel studiedesign
Muneyyirci-Delale OCCO-TNPRAJDMNVLWJSP. Effects of norethindrone acetate vs lupron depot-3 in suppressing estradiol during treatment of endometriosis. <i>Reprod Sci</i> 2012;19:141a.	Fel publikationstyp
Muneyyirci-Delale OCCSNAJDMSP. Sustained improvement in endometriosis-related pelvic pain with leuprolide or norethindrone treatment. <i>Reprod Sci</i> 2013;20:147a.	Fel publikationstyp
Muneyyirci-Delale OCCSNDMSP. Health-related quality of life improvement in women with endometriosis-associated pain during treatment. <i>Fertil Steril</i> 2014;102:e14.	Fel publikationstyp
Muneyyirci-Delale OCCSNDMSP. Improvement in endometriosis-related pelvic pain with leuprolide or norethindrone treatment. <i>Fertil Steril</i> 2015;104:e163.	Fel publikationstyp
Murnaghan O, Rajakumar C, Bougie O, Singh SS. Use of narrowband imaging for the surgical management of endometriosis. <i>J Obstet Gynaecol Can</i> 2017;39:712.	Fel studiedesign
Muzii L, Achilli C, Lecce F, Bianchi A, Franceschetti S, Marchetti C, et al. Second surgery for recurrent endometriomas is more harmful to healthy ovarian tissue and ovarian reserve than first surgery. <i>Fertil Steril</i> 2015;103:738-43.	Fel kontrollgrupp
Muzii L, Bellati F, Bianchi A, Palaia I, Manci N, Zullo MA, et al. Laparoscopic stripping of endometriomas: a randomized trial on different surgical techniques. Part II: pathological results. <i>Hum Reprod</i> 2005;20:1987-92.	Fel utfall

Referens	Exklusionsorsak
Muzii L, Bellati F, Palaia I, Plotti F, Manci N, Zullo MA, et al. Laparoscopic stripping of endometriomas: a randomized trial on different surgical techniques. Part I: clinical results. <i>Hum Reprod</i> 2005;20:1981-6.	Fel utfall
Muzii L, Bellati F, Plotti F, Manci N, Palaia I, Zullo MA, et al. Ultrasonographic evaluation of postoperative ovarian cyst formation after laparoscopic excision of endometriomas. <i>J Am Assoc Gynecol Laparosc</i> 2004;11:457-61.	Fel studiedesign
Muzii L, Marana R, Angioli R, Bianchi A, Cucinella G, Vignali M, et al. Histologic analysis of specimens from laparoscopic endometrioma excision performed by different surgeons: does the surgeon matter? <i>Fertil Steril</i> 2011;95:2116-9.	Fel intervention
Muzii L, Marana R, Caruana P, Mancuso S. The impact of preoperative gonadotropin-releasing hormone agonist treatment on laparoscopic excision of ovarian endometriotic cysts. <i>Fertil and Steril</i> 1996;65:1235-7.	Fel publiceringsår
Muzii L. Medicated intrauterine systems for treatment of endometriosis-associated pain. <i>J Minim Invasive Gynecol</i> 2006;13:535-8.	Systematisk översikt
Mynbaev OA, Biro P, Eliseeva MY, Tinelli A, Malvasi A, Kosmas IP, et al. A surgical polypragmasy: Koninkx PR, Corona R, Timmerman D, Verguts J, Adamyan L. Peritoneal full-conditioning reduces postoperative adhesions and pain: a randomised controlled trial in deep endometriosis surgery. <i>J Ovarian Res</i> . 2013 Dec 11;6(1):90. <i>J Ovarian Res</i> 2014;7:29.	Fel publikationstyp
Nafarelin for endometriosis: a large-scale, danazol-controlled trial of efficacy and safety, with 1-year follow-up. The Nafarelin European Endometriosis Trial Group (NEET). <i>Fertil Steril</i> 1992;57:514-22.	Avregistrerade läkemedel
Nagata Y, Nakamura G, Kusuda M. Therapeutic effect and side effects of danazol in endometriosis. <i>Asia Oceania J Obstet Gynaecol</i> 1982;8:229-36.	Avregistrerade läkemedel
Nakagawa K, Ohgi S, Kojima R, Sugawara K, Ito M, Horikawa T, et al. Impact of laparoscopic cystectomy on fecundity of infertility patients with ovarian endometrioma. <i>J Obstet Gynaecol Res</i> 2007;33:671-6.	Fel population
Nakagawa K, Yamano S, Nakasaka H, Komatsu J, Hinokio K, Aono T. Effectiveness of pre-treatment with gonadotropin-releasing hormone agonist to the patients with endometriosis in in vitro fertilization and embryo transfer. <i>Japanese Journal of Fertility and Sterility</i> 2000;45:1-6.	Fel språk
Nakamura G, Yoshimitsu K, Imura M, Nakano H. Genital bleeding during the administration of danazol. <i>Asia Oceania J Obstet Gynaecol</i> 1988;14:373-7.	Avregistrerade läkemedel
Nakamura K, Nakayama K, Ishikawa M, Katagiri H, Katagiri A, Ishibashi T, et al. Efficacy of multiple microwave endometrial ablation technique for menorrhagia resulting from adenomyosis. <i>J Obstet Gynaecol Res</i> 2015;41:1769-72.	Fel studiedesign
Namnoum AB, Hickman TN, Goodman SB, Gehlbach DL, Rock JA. Incidence of symptom recurrence after hysterectomy for endometriosis. <i>Fertil Steril</i> 1995;64:898-902.	Fel studiedesign

Referens	Exklusionsorsak
Nanavati AM, Gokral SB. A Prospective Randomized Comparative Study of Vaginal, Abdominal, and Laparoscopic Hysterectomies. <i>J Obstet Gynaecol India</i> 2015;0.	Fel population
Napadow V, Edwards RR, Cahalan CM, Mensing G, Greenbaum S, Valovska A, et al. Evoked pain analgesia in chronic pelvic pain patients using respiratory-gated auricular vagal afferent nerve stimulation. <i>Pain Med</i> 2012;13:777-89.	Fel population
Navali N, Gassemzadeh A, Farzadi L, Abdollahi S, Nouri M, Hamdi K, et al. Intrauterine administration of hCG immediately after oocyte retrieval and the outcome of ICSI: A randomized controlled trial. <i>Hum Reprod</i> 2016;31:2520-6.	Fel population
Nesbitt-Hawes EM, Campbell N, Maley PE, Won H, Hooshmand D, Henry A, et al. The Surgical Treatment of Severe Endometriosis Positively Affects the Chance of Natural or Assisted Pregnancy Postoperatively. <i>Biomed Res Int</i> 2015;1:7.	Fel studiedesign
Nesbitt-Hawes EM, Zhang CS, Won HR, Law K, Abbott JA. Urinary retention following laparoscopic gynaecological surgery with or without 4% icodextrin anti-adhesion solution. <i>Aust N Z J Obstet Gynaecol</i> 2013;53:305-9.	Fel population
Nezhat C, Morozov V. Robot-Assisted Laparoscopic Presacral Neurectomy: Feasibility, Techniques, and Operative Outcomes. <i>J Minim Invasive Gynecol</i> 2010;17:508-12.	Fel population
Nezhat C, Nezhat F. Comparison of different treatment methods of endometriomas by laparoscopy. <i>Obstet Gynecol</i> 1992;79:315; author reply 316.	Fel publikationstyp
Nezhat CH, Nezhat F, Borhan S, Seidman DS, Nezhat CR. Is hormonal treatment efficacious in the management of ovarian cysts in women with histories of endometriosis? <i>Hum Reprod</i> 1996;11:874-7.	Fel population
Nezhat FR, Nezhat CH, Borhan S, Nezhat CR. Is Hormonal Suppression Efficacious in Treating Functional Ovarian Cysts? <i>J Am Assoc Gynecol Laparosc</i> 1994;1:S26.	Fel publikationstyp
Nirgianakis K, Bersinger NA, McKinnon B, Kostov P, Imboden S, Mueller MD. Regression of the inflammatory microenvironment of the peritoneal cavity in women with endometriosis by GnRHa treatment. <i>Eur J Obstet Gynecol Reprod Biol</i> 2013;170:550-4.	Fel utfall
Nisolle M, Clerckx F, Casanas-Roux F, Gillerot S, Bourgonjon D, Donnez J. Treatment of endometriosis: Preoperative therapy with danazol, gestrinone and buserelin (Nasal spray and implant). <i>J Gynecol Obstet Biol Reprod (Paris)</i> 1990;19:759-63.	Fel språk
Nisolle M, Donnez J. Subtotal hysterectomy in patients with endometriosis-an option. <i>Fertil Steril</i> 1997;67:1185-7.	Fel publikationstyp
Noble AD, Letchworth AT. Medical treatment of endometriosis: a comparative trial. <i>Postgrad Med J</i> 1979;55:37-9.	Avregistrerade läkemedel

Referens	Exklusionsorsak
Noble AD, Letchworth AT. Preliminary observations on the use of danazol in endometriosis compared to oestrogen/progestogen combination therapy. <i>J Int Med Res</i> 1977;5:79-80.	Avregistrerade läkemedel
Nomura S, Suganuma T, Suzuki T, Ito T, Kajiyama H, Okada M, et al. Endometrioid adenocarcinoma arising from endometriosis during 2 years of estrogen replacement therapy after total hysterectomy and bilateral salpingo-oophorectomy. <i>Acta Obstet Gynecol Scand</i> 2006;85:1019-21.	Fel studiedesign
Nowroozi K, Chase JS, Check JH, Wu CH. The importance of laparoscopic coagulation of mild endometriosis in infertile women. <i>Int J Fertil</i> 1987;32:442-4.	Fel publiceringsår
Nulsen JC, Walsh S, Dumez S, Metzger DA. A randomized and longitudinal study of human menopausal gonadotropin with intrauterine insemination in the treatment of infertility. <i>Obstet Gynecol</i> 1993;82:780-6.	Fel population
Nuojua-Huttunen S, Tuomivaara L, Juntunen K, Tomas C, Martikainen H. Comparison of fallopian tube sperm perfusion with intrauterine insemination in the treatment of infertility. <i>Fertil Steril</i> 1997;67:939-42.	Fel population
OCs eyed for relief of endometriosis pain. <i>Contracept Technol Update</i> 2009;30:28-29 2p.	Fel publikationstyp
Odukoya OA, Bansal A, Wilson AP, Weetman AP, Cooke ID. Serum-soluble CD23 in patients with endometriosis and the effect of treatment with danazol and leuprorelin acetate depot injection. <i>Hum Reprod</i> 1995;10:942-6.	Avregistrerade läkemedel
Oehninger S, Rosenwaks Z. In vitro fertilization and embryo transfer: an established and successful therapy for endometriosis. <i>Prog Clin Biol Res</i> 1990;323:319-35.	Fel kontrollgrupp
Olive DL. The role of add-back therapy in the United States. <i>Drugs Today (Barc)</i> 2005;41:23-6.	Systematisk översikt
Opøien HK, Fedorcsak P, Byholm T, Tanbo T. Complete surgical removal of minimal and mild endometriosis improves outcome of subsequent IVF/ICSI treatment. <i>Reprod Biomed Online</i> 2011;23:389-95.	Fel studiedesign
Orwoll ES, Yuzpe AA, Buttram VC, Burry KA, Heinrichs WL, Hornstein MD. The effects of nafarelin therapy on hip and spine bone mineral density in endometriosis: A prospective, randomized, double-blind trial. <i>Fertil Steril</i> 1992;0:30.	Fel publikationstyp
Ostrzenski A. A new translaparoscopic approach in endometriosis treatment: a. CO ₂ laser endometriosis excision and/or vaporization. b. CO ₂ laser uterine nerve ablation. c. Uterine suspension with Falope Rings. d. Intraperitoneally 32% Dextran-70 installation. <i>Mater Med Pol</i> 1991;23:168-71.	Fel publiceringsår
Osuga Y, Watanabe M, Hagino A. A randomized, double-blind, multicenter, placebo-controlled study of dienogest in the treatment of painful symptoms in patients with adenomyosis in Japan. <i>Japanese Pharmacology and Therapeutics</i> 2017;45:907-20.	Fel språk

Referens	Exklusionsorsak
Pabuccu R, Onalan G, Kaya C. GnRH agonist and antagonist protocols for stage I-II endometriosis and endometrioma in in vitro fertilization/intracytoplasmic sperm injection cycles. <i>Fertil Steril</i> 2007;88:832-9.	Fel publikationstyp
Pabuccu R, Onalan G, Selam B, Ceyhan T, Akar M, Onalan R. Comparison of GnRH Agonist and Antagonist Protocols Among Patients with Mild-Moderate Endometriosis and Endometrioma: A Novel Clinical Approach. <i>Fertil Steril</i> 2005;84:S197-8.	Fel publikationstyp
Pan HS, Ko ML, Huang LW, Chang JZ, Hwang JL, Chen SC. Total laparoscopic hysterectomy (TLH) versus coagulation of uterine arteries (CUA) at their origin plus total laparoscopic hysterectomy (TLH) for the management of myoma and adenomyosis. <i>Minim Invasive Ther Allied Technol</i> 2008;17:318-22.	Fel population
Panel P, Huchon C, Estrade-Huchon S, Le Tohic A, Fritel X, Fauconnier A. Bladder symptoms and urodynamic observations of patients with endometriosis confirmed by laparoscopy. <i>Int Urogynecol J</i> 2016;27:445-51.	Fel PICO
Panganamamula UR, Harmanli OH, Isik-Akbay EF, Grotegut CA, Dandolu V, Gaughan JP. Is prior uterine surgery a risk factor for adenomyosis? <i>Obstet Gynecol</i> 2004;104:1034-8.	Fel population
Papageorgiou GA, Papageorgiou A, Zafrakas MA, Kalogeros G. Combination of laparoscopic coagulation and hormone therapy in the treatment of small endometriosis formation. <i>Hum Reprod</i> 1995;10:175.	Fel publikationstyp
Papasakelariou C, Saunders D, De La Rosa A. Comparative study of laparoscopic oophorectomy. <i>J Am Assoc Gynecol Laparosc</i> 1995;2:407-10.	Fel population
Paraiso MFR, Ridgeway B, Park AJ, Jelovsek JE, Barber MD, Falcone T, et al. A randomized trial comparing conventional and robotically assisted total laparoscopic hysterectomy. <i>Am J Obstet Gynecol</i> 2013;208:e1-368.e7.	Fel population
Parazzini F, Bertulessi C, Pasini A, Rosati M, Di Stefano F, Shonauer S, et al. Determinants of short term recurrence rate of endometriosis. <i>Eur J Obstet Gynecol Reprod Biol</i> 2005;121:216-9.	Fel studiedesign
Parazzini F. Ablation of lesions or no treatment in minimal-mild endometriosis in infertile women: a randomized trial. Gruppo Italiano per lo Studio dell'Endometriosi. <i>Hum Reprod</i> 1999;14:1332-4.	Fel publiceringsår
Park JJ, Kang M, Shin S, Choi E, Kwon S, Wee H, et al. Unexplained infertility treated with acupuncture and herbal medicine in Korea [corrected] [published erratum appears in J ALTERN COMPLEMENT MED 2010 Jul;16(7):817]. <i>J Altern Complement Med</i> 2010;16:193-198 6p.	Fel intervention
Parker JD, Leondires M, Sinai N, Premkumar A, Nieman LK, Stratton P. Persistence of dysmenorrhea and nonmenstrual pain after optimal endometriosis surgery may indicate adenomyosis. <i>Fertil Steril</i> 2006;86:711-5.	Fel population
Parker JD, Sinai N, Segars JH, Godoy H, Winkel C, Stratton P. Adhesion formation after laparoscopic excision of endometriosis and lysis of adhesions. <i>Fertil Steril</i> 2005;84:1457-61.	Fel studiedesign

Referens	Exklusionsorsak
Paul PG, Kaur H, Narasimhan D, Chopade G, Kandhari D. Laparoscopic ovarian reconstruction without suturing after cystectomy for endometrioma. <i>Gynecol Surg</i> 2014;11:219-26.	Fel studiedesign
Paulson JD, Asmar P, Saffan DS. Mild and moderate endometriosis. Comparison of treatment modalities for infertile couples. <i>J Reprod Med</i> 1991;36:151-5.	Fel studiedesign
Pedersen H, Rank F. Morphology of endometriosis before and during treatment with danazol. <i>Acta Obstet Gynecol Scand Suppl</i> 1984;123:13-4.	Systematisk översikt
Peeraer K, Debrock S, De Loecker P, Tomassetti C, Laenen A, Welkenhuysen M, et al. Low-dose human menopausal gonadotrophin versus clomiphene citrate in subfertile couples treated with intrauterine insemination: a randomized controlled trial. <i>Hum Reprod</i> 2015;30:1079-88.	Fel population
Pellegrino A, Damiani GR, Trio C, Faccioli P, Croce P, Tagliabue F, et al. Robotic Shaving Technique in 25 Patients Affected by Deep Infiltrating Endometriosis of the Rectovaginal Space. <i>J Minim Invasive Gynecol</i> 2015;22:1287-92.	Fel PICO
Pellicano M, Bramante S, Guida M, Bifulco G, Di Spiezio Sardo A, Cirillo D, et al. Ovarian endometrioma: postoperative adhesions following bipolar coagulation and suture. <i>Fertil Steril</i> 2007;89:796-9.	Fel utfall
Pellicano M, Zullo F, Di Carlo C, Mastrantonio P, Nappi C. Controlled ovarian hyperstimulation: comparison between u-hFSH conventional protocol and a personalized approach. <i>Int J Fertil Womens Med</i> 1997;42:264-7.	Fel population
Petruglia F, Hornung D, Seitz C, Faustmann T, Gerlinger C, Luisi S, et al. Reduced pelvic pain in women with endometriosis: efficacy of long-term dienogest treatment. <i>Arch Gynecol Obstet</i> 2011;285:167-73.	Fel kontrollgrupp
Petropoulos P, Tzafettas J, Karagiannis V, Mamopoulos A, Petropoulou V, Mamopoulos M. Advantages of the long-term administration of triptorelin and tibolone in the treatment of endometriosis. <i>Int J Gynecol Obstet</i> 2003;83:84.	Får ej tag i fulltext
Petta CA, Abrso MS, Ferriani RA, Hassan DE, Rosa e Silva JC, Podgaec S, et al. Randomized clinical trial of a levonorgestrel-releasing intrauterine system and a depot-GnRH agonist in the treatment of chronic pelvic pain in women with endometriosis. <i>Eur J Obstet Gynecol Reprod Biol</i> 2005;123:S11.	Fel publikationstyp
Petta CA, Ferriani RA, Abrao MS, Hassan D, Rosa e Silva JC, Podgaec S, et al. A 3-year follow-up of women with endometriosis and pelvic pain users of the levonorgestrel-releasing intrauterine system. <i>Eur J Obstet Gynecol Reprod Biol</i> 2009;143:128-9.	Fel publikationstyp
Phillips DR, Milim SJ, Nathanson HG, Haselkorn JS. Experience with laparoscopic leiomyoma coagulation and concomitant operative hysteroscopy. <i>J Am Assoc Gynecol Laparosc</i> 1997;4:425-33.	Fel population
Pickersgill A, Kingsland CR, Garden AS, Farquharson RG. Multiple gestation following gonadotrophin releasing hormone therapy for the treatment of minimal endometriosis. <i>Br J Obstet Gynaecol</i> 1994;101:260-2.	Fel studiedesign

Referens	Exklusionsorsak
Pittaway DE, Daniell JF, Maxson WS, Winfield AC, Wentz AC. Recurrence of ureteral obstruction caused by endometriosis after danazol therapy. Am J Obstet Gynecol 1982;143:720-2.	Fel studiedesign
Pohl O, Bestel E, Gotteland JP. Synergistic effects of E2MATE and norethindrone acetate on steroid sulfatase inhibition: a randomized phase I proof-of-principle clinical study in women of reproductive age. Reprod Sci 2014;21:1256-65.	Fel population
Pop-Trajkovic S, Popovic J, Antic V, Radovic D, Stefanovic M, Vukomanovic P. Stages of endometriosis: does it affect in vitro fertilization outcome. Taiwan J Obstet Gynecol 2014;53:224-6.	Fel studiedesign
Porpora MG, Pallante D, Ferro A, Crisafi B, Bellati F, Benedetti Panici P. Pain and ovarian endometrioma recurrence after laparoscopic treatment of endometriosis: a long-term prospective study. Fertil Steril 2010;93:716-21.	Fel studiedesign
Porpora MG, Pallante D, Ferro A, Crobu M, Cerenzia P, Panici PL. Intestinal endometriosis without evident pelvic foci treated with gonadotropin-releasing hormone agonist. Eur J Obstet Gynecol Reprod Biol 2006;125:265-6.	Fel publikationstyp
Porpora MG, Pultrone DC, Bellavia M, Franco C, Crobu M, Cosmi EV. Reproductive outcome after laparoscopic treatment of endometriosis. Clin Exp Obstet Gynecol 2002;29:271-3.	Fel studiedesign
Porpora MG, Tomao F, Manganaro L, Yazdanian D, Fuggetta E, Piccioni MG, et al. Impaired uterine artery flow associated with the presence of ovarian endometrioma: preliminary results of a prospective study. J Ovarian Res 2014;7:1.	Fel kontrollgrupp
Possover M, Diebold H, Plaul K, Schneider A. Laparoscopically assisted vaginal resection of rectovaginal endometriosis. Obstet Gynecol 2000;96:304-7.	Fel publikationstyp
Pouly JL, Manhes H, Mage G, Canis M, Bruhat MA. Laparoscopic treatment of endometriosis (laser excluded). Contrib Gynecol Obstet 1987;16:280-5.	Fel studiedesign
Prasad S, Bassi R, Kumar Y, Kumar A, Prasad S. Treatment options of endometriosis prior to in vitro fertilization/intracytoplasmic sperm injection cycles to improve conception rate. Taiwan J Obstet Gynecol 2015;54:316-8.	Fel kontrollgrupp
Preutthipan S, Herabutya Y. Hysteroscopic rollerball endometrial ablation as an alternative treatment for adenomyosis with menorrhagia and/or dysmenorrhea. J Obstet Gynaecol Res 2010;36:1031-6.	Fel studiedesign
Pring DW, Maresh M, Fraser AC, Lightman S. Luteinising hormone releasing hormone agonist in women with endometriosis. Br Med J (Clin Res Ed) 1983;287:1718-9.	Fel publikationstyp
Purvis RS, Tyring SK. Cutaneous and subcutaneous endometriosis. Surgical and hormonal therapy. J Dermatol Surg Oncol 1994;20:693-5.	Fel intervention
Qiu H, Yuan Z. Postoperative maintenance levonorgestrel-releasing intrauterine system and endometrioma recurrence: A randomized controlled study. Am J Obstet Gynecol 2017.	Dubblett

Referens	Exklusionsorsak
Qu F. Acupuncture enhances the curative effect of Chinese medicinal herbs in treating infertility due to endometriosis. <i>J Altern Complement Med</i> 2007;13:856 Abstract no. O-A-9.	Fel publikationstyp
Qu YL, Liu YQ, Dang HM, Chen W, Liu RX. Clinical effects of Neiyixiao retention enema in treating endometriosis. <i>Journal of Xi'an Jiaotong University (Medical Sciences)</i> 2013;34:397-9+402.	Fel språk
Radosa JC, Radosa CG, Kastl C, Mavrova R, Gabriel L, Gräber S, et al. Influence of the Preoperative Decision-Making Process on the Postoperative Outcome after Hysterectomy for Benign Uterine Pathologies. <i>Geburtshilfe Frauenheilkd</i> 2016;76:383-9.	Fel population
Radosa MP, Bernardi TS, Georgiev I, Diebolder H, Camara O, Runnebaum IB. Coagulation versus excision of primary superficial endometriosis: a 2-year follow-up. <i>Eur J Obstet Gynecol Reprod Biol</i> 2010;150:195-8.	Fel studiedesign
Radwanska E. Management of infertility in women with endometriosis. <i>Prog Clin Biol Res</i> 1990;323:209-20.	Systematisk översikt
Raffi F, Amer SA. Long-term reproductive performance after surgery for ovarian endometrioma. <i>Eur J Obstet Gynecol Reprod Biol</i> 2014;172:80-4.	Fel kontrollgrupp
Ragni G, Somigliana E, Benedetti F, Paffoni A, Vegetti W, Restelli L, et al. Damage to ovarian reserve associated with laparoscopic excision of endometriomas: a quantitative rather than a qualitative injury. <i>Am J Obstet Gynecol</i> 2005;193:1908-14.	Fel utfall
Rahman SM, Karmakar D, Malhotra N, Kumar S. Timing of intrauterine insemination: an attempt to unravel the enigma. <i>Arch Gynecol Obstet</i> 2011;284:1023-7.	Fel population
Raju R, Agarwal K, Abuzeid O, Joseph S, Ashraf M, Abuzeid MI. Pregnancy Outcomes after Endometrioma Excision in Patients Undergoing in Vitro Fertilization and Embryo Transfer: A Historical Cohort Study. <i>J Gynecol Surg</i> 2015;31:214-9.	Fel population
Ramachandran A, Dhulkhed S, Bhakta R, Bhat RG, Rao ACK, Vasudeva A, et al. Influence of endometriotic cyst diameter and the severity of endometriosis on the ovarian parenchyma excised during laparoscopic cystectomy. <i>J Clin Diagn Res</i> 2013;7:2241-3.	Fel studiedesign
Rana N, Thomas S, Rotman C, Dmowski WP. Decrease in the size of ovarian endometriomas during ovarian suppression in stage IV endometriosis. Role of preoperative medical treatment. <i>J Reprod Med</i> 1996;41:384-92.	Avregistrerade läkemedel
Randall GW, Gantt PA. Double vs. single intrauterine insemination per cycle: use in gonadotropin cycles and in diagnostic categories of ovulatory dysfunction and male factor infertility. <i>J Reprod Med</i> 2008;53:196-202.	Fel population
Rannevik G. Hormonal, metabolic and clinical effects of danazol in the treatment of endometriosis. <i>Postgrad Med J</i> 1979;55:14-20.	Avregistrerade läkemedel

Referens	Exklusionsorsak
Ranney B. Endometriosis. 3. Complete operations. Reasons, sequelae, treatment. Am J Obstet Gynecol 1971;109:1137-44.	Fel studiedesign
Rauramo I, Elo I, Istre O. Long-term treatment of menorrhagia with levonorgestrel intrauterine system versus endometrial resection. Obstet Gynecol 2004;104:1314-21.	Fel population
Redwine DB, Wright JT. Laparoscopic treatment of complete obliteration of the cul-de-sac associated with endometriosis: long-term follow-up of en bloc resection. Fertil Steril 1983;40:612-9.	Fel population
Redwine DB, Nafarelin versus danazol versus surgery. Fertil Steril 1992;58:455-6.	Fel PICO
Regidor PA, Regidor M, Kato K, Bier UW, Buhler K, Schindler AE. Long-term follow-up on the treatment of endometriosis with the GnRH-agonist buserelinacetate. Long-term follow-up data (up to 98 months) of 42 patients with endometriosis who were treated with GnRH-agonist buserelinacetate (Suprecur), were evaluated in respect of recurrence of pain symptoms and pregnancy outcome. Eur J Obstet Gynecol Reprod Biol 1997;73:153-60.	Fel studiedesign
Reid BA, Gangar KF, Beard RW. Severe endometriosis treated with gonadotrophin releasing hormone agonist and continuous combined hormone replacement therapy. Br J Obstet Gynaecol 1992;99:344-5.	Fel studiedesign
Remorgida V, Abbamonte LH, Ragni N, Fulcheri E, Ferrero S. Letrozole and desogestrel-only contraceptive pill for the treatment of stage IV endometriosis. Aust N Z J Obstet Gynaecol 2007;47:222-5.	Fel kontrollgrupp
Renner SP, Kessler H, Topal N, Proske K, Adler W, Burghaus S, et al. Major and minor complications after anterior rectal resection for deeply infiltrating endometriosis. Arch Gynecol Obstet 2017;295:1277-1285.	Fel PICO
Ribeiro PA, Rodrigues FC, Kehdi IP, Rossini L, Abdalla HS, Donadio N, et al. Laparoscopic resection of intestinal endometriosis: a 5-year experience. J Minim Invasive Gynecol 2006;13:442-6.	Fel PICO
Richter KS, Davis A, Carter J, Greenhouse SJ, Mottla GL, Tucker MJ. No advantage of laser-assisted over conventional intracytoplasmic sperm injection: A randomized controlled trial [NCT00114725]. J Exp Clin Assist Reprod 2006;3.	Fel population
Riis BJ, Christiansen C, Johansen JS, Jacobson J. Is it possible to prevent bone loss in young women treated with luteinizing hormone-releasing hormone agonists? J Clin Endocrinol Metab 1990;70:920-4.	Fel studiedesign
Riiskjær M, Greisen S, Glavind-Kristensen M, Kesmodel US, Forman A, Seyer-Hansen M. Pelvic organ function before and after laparoscopic bowel resection for rectosigmoid endometriosis: a prospective, observational study. BJOG 2016;123:1360-1367.	Fel PICO

Referens	Exklusionsorsak
Rimonda R, Arezzo A, Garrone C, Allaix ME, Giraudo G, Morino M. Electrothermal bipolar vessel sealing system vs. harmonic scalpel in colorectal laparoscopic surgery: A prospective, randomized study. <i>Dis Colon Rectum</i> 2009;52:657-61.	Fel population
Roberts AL, Lashen H. Tibolone as a hormone replacement in women with endometriosis after bilateral oophorectomy. <i>Int J Gynaecol Obstet</i> 2010;111:183.	Fel studiedesign
Rock JA, Truglia JA, Caplan RJ. Zoladex (goserelin acetate implant) in the treatment of endometriosis: a randomized comparison with danazol. The Zoladex Endometriosis Study Group. <i>Obstet Gynecol</i> 1993;82:198-205.	Avregistrerade läkemedel
Rodriguez-tarrega EMAQRMPG-gTF-cPM-sJM-cSAATR. Randomized controlled trial to evaluate the usefulness of GnRH agonist versus placebo on the outcome of IVF in infertile patients with endometriosis. <i>Hum Reprod</i> 2016;31:i267 Abstract no: P-322.	Fel publikationstyp
Roghaei MA, Tehrani HG, Taherian A, Koleini N. Evaluation of effects of letrozole compare to danazole in patients confirmed endometriosis: A randomized clinical trial. <i>Journal of Isfahan Medical School</i> 2010;28:416-24.	Fel språk
Roland M, Leisten D, Kane R. Endometriosis therapy with medroxyprogesterone acetate. <i>J Reprod Med</i> 1976;17:249-52.	Fel population
Rolland R, van der Heijden PF. Nafarelin versus danazol in the treatment of endometriosis. <i>Am J Obstet Gynecol</i> 1990;162:586-8.	Avregistrerade läkemedel
Roman H, Abo C, Huet E, Bridoux V, Auber M, Oden S, et al. Full-Thickness Disc Excision in Deep Endometriotic Nodules of the Rectum: A Prospective Cohort. <i>Dis Colon Rectum</i> 2015;58:957-66.	Fel PICO
Roman H, Bubenheim M, Auber M, Marpeau L, Puscasiu L. Antimullerian hormone level and endometrioma ablation using plasma energy. <i>Jsls</i> 2014;18.	Fel studiedesign
Roman H, Darwish B, Bridoux V, Chati R, Kermiche S, Coget J, et al. Functional outcomes after disc excision in deep endometriosis of the rectum using transanal staplers: a series of 111 consecutive patients. <i>Fertil and Steril</i> 2017;107:977-986.e2.	Fel PICO
Roman H, Darwish B, Schmied R, Remorgida V, Tuech JJ. Combined vaginal-laparoscopic-transanal approach for reducing bladder dysfunction after conservative surgery in large deep rectovaginal endometriosis. <i>J Gynecol Obstet Biol Reprod (Paris)</i> 2016;0.	Fel PICO
Roman H, Hennetier C, Darwish B, Badescu A, Csanyi M, Aziz M, et al. Bowel occult microscopic endometriosis in resection margins in deep colorectal endometriosis specimens has no impact on short-term postoperative outcomes. <i>Fertil Steril</i> 2016;105:423-9.e7.	Fel PICO
Roman H, Milles M, Vassilieff M, Resch B, Tuech JJ, Huet E, et al. Long-term functional outcomes following colorectal resection versus shaving for rectal endometriosis. <i>Am J Obstet Gynecol</i> 2016;215:762.e1-e9.	Fel studiedesign

Referens	Exklusionsorsak
Roman H, Moatassim-Drissa S, Marty N, Milles M, Vallée A, Desnyder E, et al. Rectal shaving for deep endometriosis infiltrating the rectum: a 5-year continuous retrospective series. <i>Fertil and Steril</i> 2016;106:1438-1445.e2.	Fel PICO
Roman H, Quibel S, Auber M, Muszynski H, Huet E, Marpeau L, et al. Recurrences and fertility after endometrioma ablation in women with and without colorectal endometriosis: a prospective cohort study. <i>Hum Reprod</i> 2015;30:558-68.	Fel kontrollgrupp
Roman H. A national snapshot of the surgical management of deep infiltrating endometriosis of the rectum and colon in France in 2015: A multicenter series of 1135 cases. <i>J Gynecol Obstet Hum Reprod</i> 2017;46:159-165.	Fel PICO
Roman JD. Adolescent endometriosis in the Waikato region of New Zealand -- a comparative cohort study with a mean follow-up time of 2.6 years. <i>Aust N Z J Obstet Gynaecol</i> 2010;50:179-83.	Fel kontrollgrupp
Roman JD. Surgical treatment of endometriosis in private practice: cohort study with mean follow-up of 3 years. <i>J Minim Invasive Gynecol</i> 2010;17:42-6.	Fel studiedesign
Ronnberg L, Jarvinen PA. Pregnancy rates following various therapy modes for endometriosis in infertile patients. <i>Acta Obstet Gynecol Scand Suppl</i> 1984;123:69-72.	Fel publiceringsår
Rosa e Silva JC, Manetta LA, Rosa e Silva A, Leite SR, Petta CA, Abrfio MS, et al. Effects of the levonorgestrel releasing intra-uterine system on uterine and ovarian volumes, endometrial thickness and dopplervelocimetry of uterine arteries, in women with pelvic endometriosis. <i>Eur J Obstet Gynecol Reprod Biol</i> 2005;123:S39-40.	Fel publikationstyp
Rosen A, Klein M, Beck A. Transdermal oestrogen application a contraindication in therapy of endometriosis with gonadotropin-releasing hormone analogues. <i>Klin Wochenschr</i> 1990;68:537.	Fel publikationstyp
Rosero EB, Kho KA, Joshi GP, Giesecke M, Schaffer JI. Comparison of robotic and laparoscopic hysterectomy for benign gynecologic disease. <i>Obstet Gynecol</i> 2013;122:778-86.	Fel population
Rotondi M, Labriola D, Rotondi M, Ammaturo FP, Amato G, Carella C, et al. Depot leuprorelin acetate versus danazol in the treatment of infertile women with symptomatic endometriosis. <i>Eur J Gynaecol Oncol</i> 2003;23:523-6.	Avregistrerade läkemedel
Rozsnyai F, Roman H, Resch B, Dugardin F, Berrocal J, Descargues G, et al. Outcomes of surgical management of deep infiltrating endometriosis of the ureter and urinary bladder. <i>J Sls</i> 2011;15:439-47.	Fel studiedesign
Ruan YQ, Liang WG, Huang SH, Liu P. Analysis of laparoscopy on endometriosis patients with high expression of CA125. <i>Eur Rev Med Pharmacol Sci</i> 2015;19:1334-7.	Fel utfall
Rubi-Klein K, Kucera-Sliutz E, Nissel H, Bijak M, Stockenhuber D, Fink M, et al. Is acupuncture in addition to conventional medicine effective as pain treatment for endometriosis? A randomised controlled cross-over trial. <i>Eur J Obstet Gynecol Reprod Biol</i> 2010;153:90-3.	Fel intervention

Referens	Exklusionsorsak
Ruffo G, Crippa S, Sartori A, Partelli S, Minelli L, Falconi M. Management of rectosigmoid obstruction due to severe bowel endometriosis. <i>Updates Surg</i> 2014;66:59-64.	Fel PICO
Ruffo G, Sartori A, Crippa S, Partelli S, Barugola G, Manzoni A, et al. Laparoscopic rectal resection for severe endometriosis of the mid and low rectum: technique and operative results. <i>Surg Endosc</i> 2012;26:1035-40.	Fel PICO
Ruffo G, Scopelliti F, Manzoni A, Sartori A, Rossini R, Ceccaroni M, et al. Long-term outcome after laparoscopic bowel resections for deep infiltrating endometriosis: a single-center experience after 900 cases. <i>Biomed Res Int</i> 2014;0:463058.	Fel studiedesign
Ruffo G, Scopelliti F, Scioscia M, Ceccaroni M, Mainardi P, Minelli L. Laparoscopic colorectal resection for deep infiltrating endometriosis: analysis of 436 cases. <i>Surg Endosc</i> 2010;24:63-7.	Fel PICO
Ruffo G, Stepniewska A, Crippa S, Serboli G, Zardini C, Steinkasserer M, et al. Laparoscopic ileocecal resection for bowel endometriosis. <i>Surg Endosc</i> 2011;25:1257-62.	Fel PICO
Ruhlmann C, Vetrano R, Bernaldo DG, Basso F, Rolla E, Delger R. Comparison of Laparoscopic versus Conventional Treatment of Ovarian Endometrioma. <i>J Am Assoc Gynecol Laparosc</i> 1996;3:S44.	Fel publikationstyp
Ruiz A, Remohi J, Minguez Y, Guanes PP, Simon C, Pellicer A. The role of in vitro fertilization and intracytoplasmic sperm injection in couples with unexplained infertility after failed intrauterine insemination. <i>Fertil Steril</i> 1997;68:171-3.	Fel population
Ruiz-Velasco V, Arceo JR, Armesto A. Comparative efficacy of gestrinone and danazol in infertile women with endometriosis. <i>Int J Fertil Menopausal Stud</i> 1993;38:22-7.	Avregistrerade läkemedel
Ruiz-Velasco V, Garcia-Luna A, Alcibia JC, Gabino F, Alvarado A, Allende S, et al. Treatment of endometriosis with goserelin. A multicentric study. <i>Clin Invest Ginecol Obstet</i> 1998;25:212-7.	Fel språk
Russo A, Bevilacqua F, Scagliusi A, Scarano A, Di Stasio E, Marana R, et al. Dopamine infusion and fluid administration improve renal function during laparoscopic surgery. <i>Minerva Anestesiol</i> 2013;80:452-60.	Fel utfall
Saccardi C, Borghero A, Gizzo S, Codroma A, Perini F, Luisi S, et al. Obstetric outcomes in patients treated for deep pelvic endometriosis. <i>J Endometr Pelvic Pain Disord</i> 2014;6:100-105.	Fel PICO
Sadler GJ, Feldman H, Stokes N, Laufer M, Hornstein M, Gordon C, et al. The Effects of Gonadotropin-Releasing Hormone Agonist Combined with Add-Back Therapy on Quality of Life for Adolescents with Endometriosis: a Randomized Controlled Trial. <i>J Pediatr Adolesc Gynecol</i> 2016;1-8.	Dubblett
Saeki A, Matsumoto T, Ikuma K, Tanase Y, Inaba F, Oku H, et al. The vasopressin injection technique for laparoscopic excision of ovarian endometrioma: a technique to reduce the use of coagulation. <i>J Minim Invasive Gynecol</i> 2010;17:176-9.	Fel utfall

Referens	Exklusionsorsak
Saito N, Okuda K, Yuguchi H, Yamashita Y, Terai Y, Ohmichi M. Compared with cystectomy, is ovarian vaporization of endometriotic cysts truly more effective in maintaining ovarian reserve? <i>J Minim Invasive Gynecol</i> 2014;21:804-10.	Fel utfall
Salat-Baroux J, Giacomini P, Antoine JM. Laparoscopic control of danazol therapy on pelvic endometriosis. <i>Hum Reprod</i> 1988;3:197-200.	Fel kontrollgrupp
Saleh WA, Dlugi AM. Pregnancy outcome after laparoscopic fimbrioplasty in nonocclusive distal tubal disease. <i>Fertil and Steril</i> 1997;67:474-80.	Fel population
Sambrook AM, Bain C, Parkin DE, Cooper KG. A randomised comparison of microwave endometrial ablation with transcervical resection of the endometrium: Follow up at a minimum of 10 years. <i>BJOG</i> 2009;116:1033-7.	Fel population
Sanfilippo JS, Hur HC. Oral contraceptives for endometriosis-associated pain. <i>J Minim Invasive Gynecol</i> 2006;13:525-7.	Systematisk översikt
Sanghera S, Barton P, Bhattacharya S, Horne AW, Roberts TE. Pharmaceutical treatments to prevent recurrence of endometriosis following surgery: a model-based economic evaluation. <i>BMJ Open</i> 2016;6:e010580.	Fel studiedesign
Santulli P, Bourdon M, Presse M, Gayet V, Marcellin L, Prunet C, et al. Endometriosis-related infertility: Assisted reproductive technology has no adverse impact on pain or quality-of-life scores. <i>Fertil Steril</i> 2016;105:978-987.e4.	Fel studiedesign
Saraswat L, Ayansina DT, Cooper KG, Bhattacharya S, Miligkos D, Horne AW, et al. Pregnancy outcomes in women with endometriosis: a national record linkage study. <i>BJOG</i> 2017;124:444-52.	Fel studiedesign
Saravelos HG, Li TC, Cooke ID. An analysis of the outcome of microsurgical and laparoscopic adhesiolysis for chronic pelvic pain. <i>Hum Reprod</i> 1995;10:2895-2901.	Fel population
Saravelos HG, Li TC, Cooke ID. An analysis of the outcome of microsurgical and laparoscopic adhesiolysis for infertility. <i>Hum Reprod</i> 1995;10:2887-94.	Fel population
Sathanandan M, Macnamee MC, Rainsbury P, Wick K, Brinsden P, Edwards RG. Replacement of frozen-thawed embryos in artificial and natural cycles: a prospective semi-randomized study. <i>Hum Reprod</i> 1991;6:685-7.	Fel population
Sawada T, Ohara S, Kawakami S. Laparoscopic surgery vs. laparotomy management for infertile patients with ovarian endometrioma. <i>Gynaecological Endoscopy</i> 1999;8:17-9.	Fel studiedesign
Sbracia MSF. Use of depot GnRH antagonist (Degarelix) in the treatment of endometriomas (ovarian endometriosis) before IVF: a controlled trial. <i>Fertil Steril</i> 2015;104:e158.	Fel publikationstyp
Scarpelline F, Sbracia M. Aromatase inhibitors in the treatment of severe endometriosis. <i>Fertil Steril</i> 1998;70:S4.	Fel publikationstyp

Referens	Exklusionsorsak
Scarpellini F, Sbracia M, Lecchini S, Frigo G, Scarpellini L. Aromatase inhibitors in the treatment of severe endometriosis. <i>J Soc Gynecol Investig</i> 2003;10:223a.	Fel publikationstyp
Scarpellini F, Sbracia M. Aromatase inhibitors in the treatment of severe endometriosis. <i>Hum Reprod</i> 2000;15:38.	Fel publikationstyp
Schenken RS, Malinak LR. Conservative surgery versus expectant management for the infertile patient with mild endometriosis. <i>Fertil Steril</i> 1982;37:183-6.	Fel publiceringsår
Schenken RS. Long-term management of symptoms of endometriosis: Surgery vs medical therapy for endometriosis: Risks and benefits. <i>Sex Reprod Menopause</i> 2012;10:13-5.	Får ej tag i fulltext
Schlaff D, Luciano A, Crosignani PG. DMPA-SC 104 significantly improves quality of life in women with endometriosis-associated pain: results from 2 randomized clinical trials. <i>Eur J Obstet Gynecol Reprod Biol</i> 2005;123:S9.	Fel publikationstyp
Schnyer RN, Iuliano D, Kay J, Shields M, Wayne P. Development of protocols for randomized sham-controlled trials of complex treatment interventions: Japanese acupuncture for endometriosis-related pelvic pain. <i>J Altern Complement Med</i> 2008;14:515-22.	Fel utfall
Schonman R, De Cicco C, Corona R, Soriano D, Koninckx PR. Accident analysis: factors contributing to a ureteric injury during deep endometriosis surgery. <i>BJOG</i> 2008;115:1611-5.	Fel studiedesign
Schrager S, Falleroni J, Edgoose J. Evaluation and treatment of endometriosis. <i>Am Fam Physician</i> 2013;87:107-13.	Systematisk översikt
Schuster MW, Wheeler TL, 2nd, Richter HE. Endometriosis after laparoscopic supracervical hysterectomy with uterine morcellation: a case control study. <i>J Minim Invasive Gynecol</i> 2012;19:183-7.	Fel utfall
Schuylar WB. Endometriosis, treatment with Danazol. <i>J Maine Med Assoc</i> 1976;67:47-8, 54.	Fel studiedesign
Schweizer-Arau APRPCBFMK. Treatment of recurrent endometriosis induced pain combining psychotherapy and acupuncture (SART). First results from a randomized controlled study with follow-up. <i>J Endometr</i> 2013;5.	Får ej tag i fulltext
Scott JW, Brass P. Massive norethynodrel therapy in the treatment of endometriosis. <i>Am J Obstet Gynecol</i> 1966;95:1166-7.	Fel publikationstyp
Seibel MJ, Woitge HW, Parviz, Sillem M, Kiesel L, Pfeilschifter J, et al. Medrogestone prevents accelerated bone turnover in GnRH analogue treated endometriosis. <i>Klinisches Labor</i> 1996;42:1075-8.	Fel publikationstyp
Seibel MM, Berger MJ, Weinstein FG, Taymor ML. The effectiveness of danazol on subsequent fertility in minimal endometriosis. <i>Fertil and Steril</i> 1982;38:534-537.	Avregistrerade läkemedel

Referens	Exklusionsorsak
Seibel MM, Berger MJ, Weinstein FG, Taymor ML. The effectiveness of danazol on subsequent fertility in minimal endometriosis. <i>Fertil Steril</i> 1982;38:534-7.	Dubblett
Seiler JC, Gidwani G, Ballard L. Laparoscopic cauterization of endometriosis for fertility: a controlled study. <i>Fertil Steril</i> 1986;46:1098-100.	Fel publiceringsår
Sekhavat L, Zare F, Mojibian M. The postoperative analgesic effects of low-dose gabapentin in patients undergoing abdominal hysterectomy. <i>S Afr J Obstet Gynaecol</i> 2009;15:37-40.	Fel population
Sekiba K, Yoshida N, Fukaya T, Ono T, Mizunuma H, Osada H, et al. Use of interceed(TC7) absorbable adhesion barrier to reduce postoperative adhesion reformation in infertility and endometriosis surgery. <i>Obstet Gynecol</i> 1992;79:518-22.	Fel publiceringsår
Sekiba K. Use of INTERCEED (TC7) absorbable adhesion barrier to reduce postoperative adhesion formation in infertility and endometriosis surgery. <i>Prog Clin Biol Res</i> 1993;381:221-33.	Dubbelpublikation
Sekiba K. Use of Interceed(TC7) absorbable adhesion barrier to reduce postoperative adhesion reformation in infertility and endometriosis surgery. The Obstetrics and Gynecology Adhesion Prevention Committee. <i>Obstet Gynecol</i> 1992;79:518-22.	Fel population
Semiz S, Api M, Kayataş S, Boza A. The effect of unilateral endometrioma excision on ovarian reserve. <i>Turkiye Klinikleri Jinekoloji Obstetrik</i> 2015;25:71-5.	Fel studiedesign
Senapati S, Sammel MD, Morse C, Barnhart KT. Impact of endometriosis on in vitro fertilization outcomes: an evaluation of the Society for Assisted Reproductive Technologies Database. <i>Fertil Steril</i> 2016;106:164-171.e1.	Fel studiedesign
Seracchioli R, Ferrini G, Montanari G, Raimondo D, Spagnolo E, Di Donato N. Does laparoscopic shaving for deep infiltrating endometriosis alter intestinal function? A prospective study. <i>Aust N Z J Obstet Gynaecol</i> 2015;55:357-62.	Fel studiedesign
Sesti F, Capozzolo T, Pietropolli A, Collalti M, Bollea MR, Piccione E. Dietary therapy: a new strategy for management of chronic pelvic pain. <i>Nutr Res</i> 2011;24:31-8.	Systematisk översikt
Sesti F, Vettraino G, Pietropolli A, Marziali M, Piccione E. Vesical and vaginal recurrent endometriosis in postmenopause following estrogen replacement therapy. <i>Eur J Obstet Gynecol Reprod Biol</i> 2005;118:265-6.	Fel publikationstyp
Setala M, Harkki P, Matomaki J, Makinen J, Kossi J. Sexual functioning, quality of life and pelvic pain 12 months after endometriosis surgery including vaginal resection. <i>Acta Obstet Gynecol Scand</i> 2012;91:692-8.	Fel studiedesign
Shaaban OMAMKAEADM. Levonorgestrel-releasing intrauterine system versus low-dose combined oral contraceptive for treatment of adenomyosis uteri: a randomized clinical trial. <i>Fertil Steril</i> 2015;104:e161.	Fel publikationstyp
Shakiba K, Bena JF, McGill KM, Minger J, Falcone T. Surgical Treatment of Endometriosis: A 7-Year Follow-up on the Requirement for Further Surgery. <i>Obstet Gynecol</i> 2008;111:1285-92.	Fel studiedesign

Referens	Exklusionsorsak
Sharpe-Timms KL. Haptoglobin expression by shed endometrial tissue fragments found in peritoneal fluid. <i>Fertil Steril</i> 2005;84:22-30.	Fel intervention
Shaw RW. A Randomised Comparative Study of the Effects of Goserelin and Danazol for the Treatment of Endometriosis. <i>Gynecol Endocrinol</i> 1990;4:45.	Fel publikationstyp
Shaw RW. An open randomized comparative study of the effect of goserelin depot and danazol in the treatment of endometriosis. Zoladex Endometriosis Study Team. <i>Fertil Steril</i> 1992;58:265-72.	Avregistrerade läkemedel
Shaw RW. Goserelin-depot preparation of LHRH analogue used in the treatment of endometriosis. <i>Prog Clin Biol Res</i> 1990;323:383-92.	Systematisk översikt
Shaw RW. Nafarelin in the treatment of pelvic pain caused by endometriosis. <i>Am J Obstet Gynecol</i> 1990;162:574-6.	Dubbelpublikation
Shaw RW. The role of GnRH analogues in the treatment of endometriosis. <i>Br J Obstet Gynaecol</i> 1992;99:9-12.	Systematisk översikt
Shawki O, Hamza H, Sattar M. Mild endometriosis, to treat or not treat: randomized controlled trial comparing diagnostic laparoscopy with no further treatment versus post-operative Zoladex in cases with infertility associated with stage I, II endometriosis. <i>Fertil Steril</i> 2002;77:S13.	Fel publikationstyp
Sheng J, Zhang WY, Zhang JP, Lu D. The LNG-IUS study on adenomyosis: a 3-year follow-up study on the efficacy and side effects of the use of levonorgestrel intrauterine system for the treatment of dysmenorrhea associated with adenomyosis. <i>Contraception</i> 2009;79:189-93.	Fel studiedesign
Shervin A, Mohazzab A, Aminlou M, Kamali K, Padmehr R, Shadjo K, et al. Fertility outcome after laparoscopic treatment of advanced endometriosis in two groups of infertile patients with and without ovarian endometrioma. <i>Eur J Obstet Gynecol Reprod Biol</i> 2016;201:46-50.	Fel kontrollgrupp
Shi J, Leng J, Cui Q, Lang J. Follicle loss after laparoscopic treatment of ovarian endometriotic cysts. <i>Int J Gynaecol Obstet</i> 2011;115:277-81.	Fel utfall
Shiber LJ, Ginn DN, Jan A, Gaskins JT, Biscette SM, Pasic R. A Comparison of Industry Leading Energy Devices for Use in Gynecologic Laparoscopy: Articulating ENSEAL Versus LigaSure Energy Devices. <i>J Minim Invasive Gynecol</i> 2017.	Fel utfall
Shimizu Y, Takashima A, Takahashi K, Kita N, Fujiwara M, Murakami T. Long-term outcome, including pregnancy rate, recurrence rate and ovarian reserve, after laparoscopic laser ablation surgery in infertile women with endometrioma. <i>J Obstet Gynaecol Res</i> 2010;36:115-8.	Fel studiedesign
Singh N, Gupta M, Kriplani A, Vanamail P. Role of Embryo Glue as a transfer medium in the outcome of fresh non-donor in-vitro fertilization cycles. <i>J Hum Reprod Sci</i> 2015;8:214-7.	Fel population

Referens	Exklusionsorsak
Sinha A, Warwick AP. Vaginal vault endometriosis de novo, associated with hormone replacement therapy. <i>J Obstet Gynaecol</i> 2004;24:190-2.	Fel studiedesign
Slack A, Child T, Lindsey I, Kennedy S, Cunningham C, Mortensen N, et al. Urological and colorectal complications following surgery for rectovaginal endometriosis. <i>BJOG</i> 2007;114:1278-82.	Fel studiedesign
Smith A, Khan KS, Gupta JK. Long-term longitudinal assessment of women treated by rollerball endometrial ablation. <i>Gynaecological Endoscopy</i> 1998;7:67-71.	Fel studiedesign
Snaith L. The treatment of endometriosis by oral progestogens. <i>Proc R Soc Med</i> 1968;61:358-60.	Fel studiedesign
Soliman AM, Du EX, Yang H, Wu EQ, Haley JC. Retreatment Rates among Endometriosis Patients Undergoing Hysterectomy or Laparoscopy. <i>J Womens Health</i> 2017;26:644-54.	Fel studiedesign
Soliman S, Daya S, Collins J, Jarrell J. A randomized trial of in vitro fertilization versus conventional treatment for infertility. <i>Fertil Steril</i> 1993;59:1239-44.	Fel population
Somekawa Y, Chiguchi M, Harada M, Ishibashi T. Use of vitamin K2 (menatetrenone) and 1,25-dihydroxyvitamin D3 in the prevention of bone loss induced by leuprolide. <i>J Clin Endocrinol Metab</i> 1999;84:2700-4.	Fel population
Somigliana E, Vercellini P, Vigano P, Benaglia L, Busnelli A, Fedele L. Postoperative medical therapy after surgical treatment of endometriosis: from adjuvant therapy to tertiary prevention. <i>J Minim Invasive Gynecol</i> 2014;21:328-34.	Systematisk översikt
Song T, Kim WY, Lee KW, Kim KH. Effect on ovarian reserve of hemostasis by bipolar coagulation versus suture during laparoendoscopic single-site cystectomy for ovarian endometriomas. <i>J Minim Invasive Gynecol</i> 2015;22:415-20.	Fel utfall
Sonmezler M, Taskin S, Gemici A, Kahraman K, Ozmen B, Berker B, et al. Can ovarian damage be reduced using hemostatic matrix during laparoscopic endometrioma surgery? A prospective, randomized study. <i>Arch Gynecol Obstet</i> 2013;287:1251-7.	Fel utfall
Soong YK, Chang FH, Chou HH, Chang MY, Lee CL, Lai YM, et al. Life table analysis of pregnancy rates in women with moderate or severe endometriosis comparing danazol therapy after carbon dioxide laser laparoscopy plus electrocoagulation or laparotomy plus electrocoagulation versus danazol therapy only. <i>J Am Assoc Gynecol Laparosc</i> 1997;4:225-30.	Fel publiceringsår
Sorensen SS, Andersen LF, Lose G. Endometriosis by implantation: a complication of endometrial ablation. <i>Lancet</i> 1994;343:1226.	Fel publikationstyp
Soriano D, Bouaziz J, Elizur S, Zolti M, Orvieto R, Seidman D, et al. Reproductive Outcome Is Favorable After Laparoscopic Resection of Bladder Endometriosis. <i>J Minim Invasive Gynecol</i> 2016;23:781-786.	Fel PICO

Referens	Exklusionsorsak
Soriano D, Goldstein A, Lecuru F, Darai E. Recovery from vaginal hysterectomy compared with laparoscopy-assisted vaginal hysterectomy: a prospective, randomized, multicenter study. <i>Acta Obstet Gynecol Scand</i> 2001;80:337-41.	Fel population
Soriano D, Schonman R, Nadu A, Lebovitz O, Schiff E, Seidman DS, et al. Multidisciplinary team approach to management of severe endometriosis affecting the ureter: long-term outcome data and treatment algorithm. <i>J Minim Invasive Gynecol</i> 2011;18:483-8.	Fel studiedesign
Soto E, Catenacci M, Bedient C, Jelovsek JE, Falcone T. Assessment of Long-Term Bowel Symptoms After Segmental Resection of Deeply Infiltrating Endometriosis: A Matched Cohort Study. <i>J Minim Invasive Gynecol</i> 2016;0.	Fel kontrollgrupp
Soto E, Luu TH, Liu X, Magrina JF, Wasson MN, Einarsson JI, et al. Laparoscopy vs. Robotic Surgery for Endometriosis (LAROSE): a multicenter, randomized, controlled trial. <i>Fertil Steril</i> 2017;107:996-1002.e3.	Fel population
Soto ELTLXMJEJFT. Laparoscopy vs. robotic surgery for endometriosis (LAROSE): a multicenter randomized controlled trial. <i>Hum Reprod</i> 2016;31:i87 Abstract no: O-202.	Dubblett
Sowter MC. Laparoscopic treatment of endometriosis improved pain and quality of life, but there was also a strong placebo effect. <i>Evidence-Based Obstetrics & Gynecology</i> 2005;7:139-40.	Fel publikationstyp
Soysal ME, Soysal S, Vicdan K. Laparoscopically assisted definitive treatment of severe endometriosis. <i>Int J Gynaecol Obstet</i> 2001;72:191-2.	Fel utfall
Soysal S, Soysal ME, Ozer S, Gul N, Gezgin T, Brosens I, et al. Anastrozole added to goserelin for post-surgical treatment of severe endometriosis reduced the risk of recurrence. <i>Evidence-based Obstetrics and Gynecology</i> 2004;6:190-1.	Fel publikationstyp
Spagnolo E, Zannoni L, Raimondo D, Ferrini G, Mabrouk M, Benfenati A, et al. Urodynamic evaluation and anorectal manometry pre- and post-operative bowel shaving surgical procedure for posterior deep infiltrating endometriosis: a pilot study. <i>J Minim Invasive Gynecol</i> 2014;21:1080-5.	Fel PICO
Spangler DB, Jones GS, Jones HW, Jr. Infertility due to endometriosis. Conservative surgical therapy. <i>Am J Obstet Gynecol</i> 1971;109:850-7.	Fel studiedesign
Stenchever MA. Effectiveness of presacral neurectomy for severe dysmenorrhea. <i>ACOG Clinical Review</i> 2003;8:10-11 2p.	Får ej tag i fulltext
Stener-Victorin E. Acupuncture for the relief of endometriosis-related pain. <i>Focus Altern Complement Ther</i> 2011;16:214-5.	Fel publikationstyp
Stepniewska A, Grossi G, Molon A, Caleffi G, Perin E, Scioscia M, et al. Ureteral endometriosis: clinical and radiological follow-up after laparoscopic ureterocystostomy. <i>Hum Reprod</i> 2011;26:112-6.	Fel studiedesign

Referens	Exklusionsorsak
Stepniewska A, Pomini P, Scioscia M, Mereu L, Ruffo G, Minelli L. Fertility and clinical outcome after bowel resection in infertile women with endometriosis. Reprod Biomed Online 2010;20:602-9.	Fel PICO
Stevenson JC, Lees B, Gardner R, Shaw RW. A comparison of the skeletal effects of goserelin and danazol in premenopausal women with endometriosis. Horm Res 1989;32:161-3; discussion 164.	Avregistrerade läkemedel
Stopiglia RM, Ferreira U, Faundes DG, Petta CA. Cystoscopy-assisted laparoscopy for bladder endometriosis: modified light-to-light technique for bladder preservation. Int Braz J Urol 2017;43:87-94.	Fel PICO
Stratton E, Sinai N, Segars J, Koziol D, Wesley R, Zimmer C, et al. Raloxifene accelerates the return of chronic pelvic pain from endometriosis after surgical treatment. Eur J Obstet Gynecol Reprod Biol 2005;123:S22.	Fel publikationstyp
Strowitzki T, Faustmann T, Gerlinger C, Schumacher U, Ahlers C, Seitz C. Safety and tolerability of dienogest in endometriosis: pooled analysis from the European clinical study program. Int J Womens Health 2015;7:393-401.	Systematisk översikt
Su S-Y, Muo C-H, Sung F-C, Morisky DE. Reduction of surgery rate in endometriosis patients who take Chinese medicine: a population-based retrospective cohort study. Complement Ther Med 2014;22:632-639 8p.	Fel intervention
Sugimoto O, Mizuno M, Kato J, Kawashima Y, Tomoda Y, Okada H, et al. Clinical assessment of gestrinone (R2323) in patients with endometriosis - Multi-center double-blind study in comparison with danazol. Rinsho Hyoka (Clinical Evaluation) 1988;16:499-546.	Fel språk
Surrey E, Hornstein M. Prolonged GnRH Agonist and Add-Back Therapy for Symptomatic Endometriosis Patients: Long Term Follow-up of a 12 Month Clinical Trial. Fertil Steril 1999;72:S80.	Fel publikationstyp
Surrey E, Silverberg K, Surrey M, Schoolcraft W. The effect of prolonged GnRH agonist (GnRHa) therapy on in vitro fertilization-embryo transfer (IVF-ET) cycle outcome in endometriosis (ENDO) patients: a multicenter randomized trial. Fertil Steril 2001;76:S151.	Fel publikationstyp
Surrey ES, Lietz AK, Gustofson RL, Minjarez DA, Schoolcraft WB. Does endometrial integrin expression in endometriosis patients predict enhanced in vitro fertilization cycle outcomes after prolonged GnRH agonist therapy? Fertil Steril 2009;93:646-51.	Fel fägeställning
Surrey ES, Soliman AM, Yang H, Du EX, Su B. Treatment Patterns, Complications, and Health Care Utilization Among Endometriosis Patients Undergoing a Laparoscopy or a Hysterectomy: A Retrospective Claims Analysis. Advances in Therapy 2017;16:16.	Fel studiedesign
Surrey MW, Hill DL. Treatment of endometriosis by carbon dioxide laser during gamete intrafallopian transfer. J Am Coll Surg 1994;179:440-2.	Fel publiceringsår
Sutton CJ, Ewen SP, Whitelaw N, Haines P. Prospective, randomized, double-blind, controlled trial of laser laparoscopy in the treatment of pelvic pain associated with minimal, mild, and moderate endometriosis. Fertil Steril 1994;62:696-700.	Fel publiceringsår

Referens	Exklusionsorsak
Sutton CJ, Pooley AS, Ewen SP, Haines P. Follow-up report on a randomized controlled trial of laser laparoscopy in the treatment of pelvic pain associated with minimal to moderate endometriosis. <i>Fertil Steril</i> 1997;68:1070-4.	Fel publiceringsår
Szender JB, Hall KL, Kost ER. A randomized-clinical trial examining a neoprene abdominal binder in gynecologic surgery patients. <i>Clin Exp Obstet Gynecol</i> 2014;41:525-9.	Fel population
Takaesu Y, Nishimura H, Saito T, et al. Dienogest compared with gonadotrophin-releasing hormone agonist after conservative surgery for endometriosis: A randomized controlled trial. <i>J Minim Invasive Gynecol</i> 2013;20:S28.	Fel publikationstyp
Takashima A, Takeshita N, Otaka K, Kinoshita T. Effects of bipolar electrocoagulation versus suture after laparoscopic excision of ovarian endometrioma on the ovarian reserve and outcome of in vitro fertilization. <i>J Obstet Gynaecol Res</i> 2013;39:1246-52.	Fel studiedesign
Takeuchi H, Awaji M, Hashimoto M, Nakano Y, Mitsuhashi N, Kuwabara Y. Reduction of adhesions with fibrin glue after laparoscopic excision of large ovarian endometriomas. <i>J Am Assoc Gynecol Laparosc</i> 1996;3:575-9.	Fel publiceringsår
Takeuchi H, Jinushi M, Nakano Y, Sato Y, Toyonari Y, Mizushima A, et al. Comparison of anesthetic methods for microlaparoscopy in women with unexplained infertility. <i>J Am Assoc Gynecol Laparosc</i> 1999;6:453-7.	Fel population
Takeuchi H, Kobori H, Kikuchi I, Sato Y, Mitsuhashi N. A prospective randomized study comparing endocrinological and clinical effects of two types of GnRH agonists in cases of uterine leiomyomas or endometriosis. <i>Gynecol Endocrinol</i> 2001;15:23.	Får ej tag i fulltext
Takeuchi H, Kobori H, Kikuchi I, Sato Y, Mitsuhashi N. A prospective randomized study comparing endocrinological and clinical effects of two types of GnRH agonists in cases of uterine leiomyomas or endometriosis. <i>J Obstet Gynaecol Res</i> 2001/2000;26:325-31.	Fel population
Takuma N, Sengoku K, Pan B, Wada K, Yamauchi T, Miyamoto T, et al. Laparoscopic treatment of endometrioma-associated infertility and pregnancy outcome. <i>Gynecol Obstet Invest</i> 2002;54:30-4; discussion 34-5.	Fel studiedesign
Tamaya T, Fujimoto J, Fujimoto Y, Kawabata I, Okada H. Treatment of pelvic endometriosis with Gestrinone comparative studies on the effectiveness of different doses. <i>Japanese Journal of Fertility and Sterility</i> 1987;32:58-64.	Fel språk
Tanahatoe SJ, Lambalk CB, Hompes PG. The role of laparoscopy in intrauterine insemination: a prospective randomized reallocation study. <i>Hum Reprod</i> 2005;20:3225-30.	Fel population
Tanaka Y, Mori T, Ito F, Koshiba A, Kusuki I, Kitawaki J. Effects of low-dose combined drospirenone-ethynodiol on perimenstrual symptoms experienced by women with endometriosis. <i>Int J Gynaecol Obstet</i> 2016;135:135-9.	Fel studiedesign
Taneja A, Kaur S, Soni RK, Bhanupriya, Kaur J, Singla L. Evaluating the efficacy of Levonorgestrel Intrauterine System and Danazol for relief of postoperative pain in endometriosis. <i>J Clin Diagn Res</i> 2017;11:QC10-QC12.	Avregistrerade läkemedel

Referens	Exklusionsorsak
Tang H, Wu R, Li X, Zhou Y, Liu Z, Wang C, et al. Curative effect of 1.88-mg and 3.75-mg gonadotrophin-releasing hormone agonist on stage III-IV endometriosis: Randomized controlled study. <i>J Obstet Gynaecol Res</i> 2017;43:1550-1554.	Dubblett
Tang L, Samra J, Obhrai M. New treatment for endometriosis. <i>Lancet</i> 1989;1:1383.	Fel publikationstyp
Tanprasertkul C, Ekarattanawong S, Sreshthaputra O, Vutyavanich T. Impact of hemostasis methods, electrocoagulation versus suture, in laparoscopic endometriotic cystectomy on the ovarian reserve: a randomized controlled trial. <i>J Med Assoc Thai</i> 2014;97:S95-101.	Fel utfall
Tarjanne S, Sjoberg J, Heikinheimo O. Radical excision of rectovaginal endometriosis results in high rate of pain relief - results of a long-term follow-up study. <i>Acta Obstet Gynecol Scand</i> 2010;89:71-7.	Fel PICO
Taylor D, Miaskowski C, Kohn J. A randomized clinical trial of the effectiveness of an acupressure device (Relief Brief) for managing symptoms of dysmenorrhea. <i>J Altern Complement Med</i> 2002;8:357-70.	Fel population
Taylor HSESACHJRJCKTJSBWLJR. The impact of elagolix on quality of life in women with endometriosis associated pain: results from two randomized, placebo controlled studies using the endometriosis health profile questionnaire. <i>Fertil Steril</i> 2016;106:e93.	Fel publikationstyp
Taylor PJ, Kredentser JV. Nonsurgical management of minimal and moderate endometriosis to enhance fertility. <i>Int J Fertil</i> 1992;37:138-43.	Systematisk översikt
Taymor ML. Treatment of endometriosis with danazol. <i>Fertil Steril</i> 1985;44:282-3.	Fel publikationstyp
Tei C, Miyazaki T, Kuji N, Tanaka M, Sueoka K, Yoshimura Y. Effect of danazol on the pregnancy rate in patients with unsuccessful in vitro fertilization-embryo transfer. <i>J Reprod Med</i> 1998;43:541-6.	Fel population
Teixeira MZ, Podgaec S, Baracat EC. Protocol of randomized controlled trial of potentized estrogen in homeopathic treatment of chronic pelvic pain associated with endometriosis. <i>Homeopathy</i> 2016;0.	Fel publikationstyp
Telimaa S, Penttila I, Puolakka J, Ronnberg L, Kauppila A. Circulating lipid and lipoprotein concentrations during danazol and high-dose medroxyprogesterone acetate therapy of endometriosis. <i>Fertil and Steril</i> 1989;52:31-35.	Avregistrerade läkemedel
Telimaa S, Ronnberg L, Kauppila A. Placebo-controlled comparison of danazol and high-dose medroxyprogesterone acetate in the treatment of endometriosis after conservative surgery. <i>Gynecol Endocrinol</i> 1987;1:363-71.	Dubbelpublikation
Telimaa S. Danazol and medroxyprogesterone acetate ineffectual in the treatment of infertility in endometriosis. <i>Fertil Steril</i> 1988;50:872-5.	Fel utfall

Referens	Exklusionsorsak
Thiels CA, Shenoy CC, Ubl DS, Habermann EB, Kelley SR, Mathis KL. Rates, trends, and short-term outcomes of colorectal resections for endometriosis: An ACS-NSQIP review. <i>Int J Surg</i> 2016;31:5-9.	Fel studiedesign
Thomas EJ, Cooke ID. Impact of gestrinone on the course of asymptomatic endometriosis. <i>Br Med J (Clin Res Ed)</i> 1987;294:272-4.	Dubbelpublikation
Thomassen H, Berthelsen HG. Treatment of endometriosis with progestogens. <i>Dan Med Bull</i> 1966;13:33-5.	Fel studiedesign
Tjaden B, Schlaff WD, Kimball A, Rock JA. The efficacy of presacral neurectomy for the relief of midline dysmenorrhea. <i>Obstet Gynecol</i> 1990;76:89-91.	Fel publiceringsår
Tokushige M, Suginami H, Taniguchi F, Kitaoka Y. Laparoscopic surgery for endometriosis: A long term follow-up. <i>J Obstet Gynaecol Res</i> 2000;26:409-16.	Fel publiceringsår
Trabant H, Widdra W, de Looze S. Efficacy and safety of intranasal buserelin acetate in the treatment of endometriosis: a review of six clinical trials and comparison with danazol. <i>Prog Clin Biol Res</i> 1990;323:357-82.	Systematisk översikt
Tsai EM, Chen HS, Long CY, Yang CH, Hsu SC, Wu CH, et al. Laparoscopically assisted vaginal hysterectomy versus total abdominal hysterectomy: a study of 100 cases on light-endorsed transvaginal section. <i>Gynecol Obstet Invest</i> 2003;55:105-9.	Fel population
Tsai YL, Hwang JL, Loo TC, Cheng WC, Chuang J, Seow KM. Short-term postoperative GnRH analogue or danazol treatment after conservative surgery for stage III or IV endometriosis before ovarian stimulation: a prospective, randomized study. <i>J Reprod Med</i> 2005;49:955-9.	Avregistrerade läkemedel
Tsolakidis D, Pados G, Vavilis D, Athanatos D, Tsalikis T, Giannakou A, et al. The impact on ovarian reserve after laparoscopic ovarian cystectomy versus three-stage management in patients with endometriomas: a prospective randomized study. <i>Fertil Steril</i> 2009;94:71-7.	Fel utfall
Tsujioka H, Inoue Y, Emoto M, Sadamori R, Shirota K, Hachisuga T, et al. The efficacy of preoperative hormonal therapy before laparoscopic cystectomy of ovarian endometriomas. <i>J Obstet Gynaecol Res</i> 2009;35:782-6.	Fel utfall
Tulandi T, Mouchawar M. Treatment-dependent and treatment-independent pregnancy in women with minimal and mild endometriosis. <i>Fertil Steril</i> 1991;56:790-1.	Fel publiceringsår
Tummon IS, Ali A, Pepping ME, Radwanska E, Binor Z, Dmowski WP. Bone mineral density in women with endometriosis before and during ovarian suppression with gonadotropin-releasing hormone agonists or danazol. <i>Fertil Steril</i> 1988;49:792-6.	Avregistrerade läkemedel
Tummon IS, Pepping ME, Binor Z, Radwanska E, Dmowski WP. A randomized, prospective comparison of endocrine changes induced with intranasal leuprolide or danazol for treatment of endometriosis. <i>Fertil Steril</i> 1989;51:390-4.	Avregistrerade läkemedel

Referens	Exklusionsorsak
Uccella S, Cromi A, Agosti M, Casarin J, Pinelli C, Marconi N, et al. Fertility rates, course of pregnancy and perinatal outcomes after laparoscopic ureterolysis for deep endometriosis: A long-term follow-up study. <i>J Obstet Gynaecol</i> 2016;0:1-6.	Fel PICO
Uccella S, Cromi A, Agosti M, Casarin J, Pinelli C, Marconi N, et al. Fertility rates, course of pregnancy and perinatal outcomes after laparoscopic ureterolysis for deep endometriosis: A long-term follow-up study. <i>J Obstet Gynaecol</i> 2016;36:800-805.	Fel PICO
Uemura T, Mohri J, Osada H, Suzuki N, Katagiri N, Minaguchi H. Effect of gonadotropin-releasing hormone agonist on the bone mineral density of patients with endometriosis. <i>Fertil Steril</i> 1994;62:246-50.	Fel kontrollgrupp
Uncu G, Kasapoglu I, Ozerkan K, Seyhan A, Oral Yilmaztepe A, Ata B. Prospective assessment of the impact of endometriomas and their removal on ovarian reserve and determinants of the rate of decline in ovarian reserve. <i>Hum Reprod</i> 2013;28:2140-5.	Fel kontrollgrupp
Wahd SA, Alalaf SK, Al-Shawaf T, Al-Tawil NG. Ovarian reserve markers and assisted reproductive technique (ART) outcomes in women with advanced endometriosis. <i>Reprod Biol Endocrinol</i> 2014;12:120.	Fel kontrollgrupp
van den Eeden SK, Glasser M, Mathias SD, Colwell HH, Pasta DJ, Kunz K. Quality of life, health care utilization, and costs among women undergoing hysterectomy in a managed-care setting. <i>Am J Obstet Gynecol</i> 1998;178:91-100.	Fel population
van der Houwen LE, Schreurs AM, Schats R, Heymans MW, Lambalk CB, Hompes PG, et al. Efficacy and safety of intrauterine insemination in patients with moderate-to-severe endometriosis. <i>Reprod Biomed Online</i> 2014;28:590-8.	Fel studiedesign
van der Houwen LE, Schreurs AM, Schats R, Lambalk CB, Hompes PG, Mijatovic V. Patient satisfaction concerning assisted reproductive technology treatments in moderate to severe endometriosis. <i>Gynecol Endocrinol</i> 2014;30:798-803.	Fel intervention
van Zyl JA, Muller MA, van Niekerk WA. Danazol in the treatment of endometriosis externa. <i>S Afr Med J</i> 1980;58:591-8.	Avregistrerade läkemedel
Wang CJ, Yen CF, Lee CL, Soong YK. Laparoscopic uterine artery ligation for treatment of symptomatic adenomyosis. <i>J Am Assoc Gynecol Laparosc</i> 2002;9:293-6.	Fel studiedesign
Wang CJ, Yuen LT, Yen CF, Lee CL, Soong YK. Comparison of the efficacy of the pulsed bipolar system and conventional bipolar electrosurgery in laparoscopically assisted vaginal hysterectomy. <i>J Laparoendosc Adv Surg Tech A</i> 2005;15:361-4.	Fel population
Wang JY, Lv WP, Yu P, Wang W. Evaluation on clinical effect of Tongjinglin Granules for endometriosis. <i>Chinese Traditional Patent Medicine</i> 2002;24:274-7.	Fel språk
Wang P, Fuh J, Chao H, Liu W, Cheng M, Chao K. Is the surgical approach beneficial to subfertile women with symptomatic extensive adenomyosis? <i>J Obstet Gynaecol Res</i> 2009;35:495-502.	Fel studiedesign

Referens	Exklusionsorsak
Wang PH, Yang TS, Lee WL, Chao HT, Chang SP, Yuan CC. Treatment of infertile women with adenomyosis with a conservative microsurgical technique and a gonadotropin-releasing hormone agonist. <i>Fertil Steril</i> 2000;73:1061-2.	Fel studiedesign
Wang S, Meng X, Dong Y. The evaluation of uterine artery embolization as a nonsurgical treatment option for adenomyosis. <i>Int J Gynaecol Obstet</i> 2016;133:202-5.	Fel studiedesign
Wang SY, Yin L, Guan XM, Xiao BB, Zhang Y, Delgado A. Single Port Transumbilical Laparoscopic Surgery versus Conventional Laparoscopic Surgery for Benign Adnexal Masses: A Retrospective Study of Feasibility and Safety. <i>Chin Med J (Engl)</i> 2016;129:1305-10.	Fel population
Wang SY, Yin L, Guan XM, Xiao BB, Zhang Y, Delgado A. Single Port Transumbilical Laparoscopic Surgery versus Conventional Laparoscopic Surgery for Benign Adnexal Masses: A Retrospective Study of Feasibility and Safety. <i>Chin Med J (Engl)</i> 2016;129:1305-10.	Fel studiedesign
Wang W, Wang Y, Tang J. Safety and efficacy of high intensity focused ultrasound ablation therapy for adenomyosis. <i>Acad Radiol</i> 2009;16:1416-23.	Fel studiedesign
Vaquez MA, Mallett J, Bahsas F. Danazol in the treatment of vesical endometriosis. <i>J Fam Pract</i> 1984;19:117-8.	Fel studiedesign
Warnock JK, Bundren JC, Morris DW. Sertraline in the treatment of depression associated with gonadotropin-releasing hormone agonist therapy. <i>Biol Psychiatry</i> 1998;43:464-5.	Fel studiedesign
Wayne PM, Kerr CE, Schnyer RN, Legedza AT, Savetsky-German J, Shields MH, et al. Japanese-style acupuncture for endometriosis-related pelvic pain in adolescents and young women: results of a randomized sham-controlled trial. <i>J Pediatr Adolesc Gynecol</i> 2008;21:247-57.	Fel intervention
Weingertner AS, Rodriguez B, Ziane A, Gibon E, Thoma V, Osario F, et al. The use of JJ stent in the management of deep endometriosis lesion, affecting or potentially affecting the ureter: a review of our practice. <i>BJOG</i> 2008;115:1159-64.	Fel studiedesign
Velasco I, Campos A, Acien P. Changes in cytokine levels of patients with ovarian endometriosis after treatment with gonadotropin-releasing hormone analogue, ultrasound-guided drainage, and intracystic recombinant interleukin-2. <i>Fertil Steril</i> 2005;83:873-7.	Fel utfall
Vercellini P, Aimi G, Busacca M, Uglietti A, Vignali M. Laparoscopic uterosacral ligament resection for dysmenorrhea associated with endometriosis: results of a randomized controlled trial. <i>Fertil Steril</i> 1997; p S3.	Fel publikationstyp
Vercellini P, Crosignani PG. Long-term treatment of endometriosis? <i>Fertil Steril</i> 1996;66:666-8.	Fel publikationstyp
Vercellini P, De Giorgi O, Oldani S, Cortesi I, Panazza S, Crosignani PG. Depot medroxyprogesterone acetate versus an oral contraceptive combined with very-low-dose danazol for long-term treatment of pelvic pain associated with endometriosis. <i>Am J Obstet Gynecol</i> 1996;175:396-401.	Avregistrerade läkemedel

Referens	Exklusionsorsak
Vercellini P, Perino A, Consonni R, Trespudi L, Parazzini F, Crosignani PG. Treatment with a gonadotrophin releasing hormone agonist before endometrial resection: A multicentre, randomised controlled trial. Br J Obstet Gynaecol 1996;103:562-8.	Fel utfall
Vercellini P, Perino P, Consonni R, Oldani S, Parazzini F, Crosignani PG. Goserelin Depot Treatment Before Endometrial Resection. J Am Assoc Gynecol Laparosc 1996;3:S53.	Fel publikationstyp
Vercellini P, Pietropaolo G, De Giorgi O, Dagutti R, Pasin R, Crosignani PG. Reproductive performance in infertile women with rectovaginal endometriosis: is surgery worthwhile? Am J Obstet Gynecol 2006;195:1303-10.	Fel PICO
Vercellini P, Soma M, Moro GL. Gestrinone versus a gonadotropin-releasing hormone agonist for the treatment of pelvic pain associated with endometriosis: A multicenter, randomized, double-blind study. Fertil and Steril 1996;66:911-919.	Dubblett
Vercellini P, Somigliana E, Vigano P, De Matteis S, Barbara G, Fedele L. Post-operative endometriosis recurrence: a plea for prevention based on pathogenetic, epidemiological and clinical evidence. Reprod Biomed Online 2010;21:259-65.	Systematisk översikt
Vercellini P, Trespudi L, Panazza S, Bramante T, Mauro F, Crosignani PG. Very low dose danazol for relief of endometriosis-associated pelvic pain: a pilot study. Fertil Steril 1994;62:1136-42.	Avregistrerade läkemedel
Vercellini P, Vendola N, Bocciolone L, Colombo A, Rognoni MT, Bolis G. Laparoscopic aspiration of ovarian endometriomas. Effect with postoperative gonadotropin releasing hormone agonist treatment. J Reprod Med 1992;37:577-80.	Fel publiceringsår
Vercellini P, Vigano P, Somigliana E. The role of the levonorgestrel-releasing intrauterine device in the management of symptomatic endometriosis. Curr Opin Obstet Gynecol 2005;17:359-65.	Systematisk översikt
Wessels PH, Cronje HS, Oosthuizen AP, Trampelmann MD, Grobler S, Hamlett DK. Cost-effectiveness of gamete intrafallopian transfer in comparison with induction of ovulation with gonadotropins in the treatment of female infertility: a clinical trial. Fertil Steril 1992;57:163-7.	Fel utfall
Wheeler JM, Knittle JD, Miller JD. Depot leuprorelin acetate versus danazol in the treatment of women with symptomatic endometriosis: a multicenter, double-blind randomized clinical trial. II. Assessment of safety. The Lupron Endometriosis Study Group. Am J Obstet Gynecol 1993;169:26-33.	Avregistrerade läkemedel
Wheeler JM, Knittle JD, Miller JD. Depot leuprorelin versus danazol in treatment of women with symptomatic endometriosis. I. Efficacy results. Am J Obstet Gynecol 1992;167:1367-71.	Avregistrerade läkemedel
Wheeler JM, Malinak LR. Combined medical and surgical therapy for endometriosis. Prog Clin Biol Res 1990;323:281-8.	Systematisk översikt
Wheeler JM, Malinak LR. Postoperative danazol therapy in infertility patients with severe endometriosis. Fertil and Steril 1985;44:26-9.	Får ej tag i fulltext

Referens	Exklusionsorsak
Wheeler JM, Malinak LR. Postoperative danazol therapy in infertility patients with severe endometriosis. <i>Fertil Steril</i> 1981;36:460-3.	Avregistrerade läkemedel
White A. Endometriosis pain. <i>Acupunct Med</i> 2010;28:208-8.	Fel publikationstyp
Whitehouse RW, Adams JE, Bancroft K, Vaughan-Williams CA, Elstein M. The effects of nafarelin and danazol on vertebral trabecular bone mass in patients with endometriosis. <i>Clin Endocrinol (Oxf)</i> 1990;33:365-73.	Avregistrerade läkemedel
Whitelaw N, Haines P, Ewen S, Sutton C. Assessing the efficacy of laser laparoscopy in the treatment of endometriosis. <i>J Obstet Gynaecol</i> 1993;13:486.	Fel publikationstyp
Wickström K, Edelstam G. Minimal clinically important difference for pain on the VAS scale and the relation to quality of life in women with endometriosis. <i>Sex Reprod Healthc</i> 2017;13:35-40.	Fel fågeställning
Williams BF. Conservative management of endometriosis: follow-up observations of progestin therapy. <i>Obstet Gynecol</i> 1967;30:76-82.	Fel studiedesign
Wills HJ, Reid GD, Cooper MJW, Tsaltas J, Morgan M, Woods RJ. Bowel resection for severe endometriosis: an Australian series of 177 cases. <i>Aust N Z J Obstet Gynaecol</i> 2009;49:415-8.	Fel studiedesign
Wingfield M. Goserelin depot versus danazol in the treatment of endometriosis the Australian/New Zealand experience. <i>Aust N Z J Obstet Gynaecol</i> 1996;36:55-60.	Avregistrerade läkemedel
Winkel CA. Combined medical and surgical treatment of women with endometriosis. <i>Clin Obstet Gynecol</i> 1999;42:645-63.	Systematisk översikt
Vitobello D, Fattizzi N, Santoro G, Rosati R, Baldazzi G, Bulletti C, et al. Robotic surgery and standard laparoscopy: A surgical hybrid technique for use in colorectal endometriosis. <i>J Obstet Gynaecol Res</i> 2013;39:217-22.	Fel studiedesign
Wolthuis AM, Meuleman C, Tomassetti C, D'Hooghe T, Fieuws S, de Buck van Overstraeten A, et al. How do patients score cosmesis after laparoscopic natural orifice specimen extraction colectomy? <i>Colorectal Dis</i> 2015;17:536-41.	Fel utfall
Wolthuis AM, Meuleman C, Tomassetti C, D'Hooghe T, Fieuws S, Penninckx F, et al. Laparoscopic sigmoid resection with transrectal specimen extraction: a novel technique for the treatment of bowel endometriosis. <i>Hum Reprod</i> 2011;26:1348-55.	Fel intervention
Won H, Maley P, Salim S, Rao A, Campbell NT, Abbott JA. Surgical and patient outcomes using mechanical bowel preparation before laparoscopic gynecologic surgery: A randomized controlled trial. <i>Obstet Gynecol</i> 2013;121:538-46.	Fel population
Wong AY, Tang L. An open and randomized study comparing the efficacy of standard danazol and modified triptorelin regimens for postoperative disease	Avregistrerade läkemedel

Referens	Exklusionsorsak
management of moderate to severe endometriosis. Fertil Steril 2004;81:1522-7.	
Wong AYK, Tang LCH, Chin RKH. Levonorgestrel-releasing intrauterine system (Mirena®) and Depot medroxyprogesterone acetate (Depoprovera) as long-term maintenance therapy for patients with moderate and severe endometriosis: A randomised controlled trial. Aust N Z J Obstet Gynaecol 2010;50:273-9.	Dubblett
Wright S, Valdes CT, Dunn RC, Franklin RR. Short-term Lupron or danazol therapy for pelvic endometriosis. Fertil Steril 1995;63:504-7.	Avregistrerade läkemedel
Wu Y, Hua L, Jin Y. Clinical study on endometrial ovarian cyst treated by integrated laparoscopy and Chinese herbal medicine. Chinese journal of integrated traditional and Western medicine 2000;20:183-6.	Fel språk
Xiang D, Situ Y, Liang X, Cheng L, Zhang G. Ear acupuncture therapy for 37 cases of dysmenorrhea due to endometriosis. J Tradit Chin Med 2006;22:282-5.	Fel intervention
Xirol X, Martinez-Lacasa J, Pons M, Marti E, Casals L. Jaundice after danazol therapy for endometriosis. Am J Gastroenterol 1989;84:834-5.	Fel publikationstyp
Xu YX, Zhang YZ, Wang Q. GnRHa and add-back therapy with low dose tibolone in the treatment of endometriosis. Current Advances in Obstetrics and Gynecology 2003;12:120-3.	Fel språk
Yamaguti EM, Brito MB, Ferriani RA, Garcia AA, Rosa-e-Silva JC, Vieira CS. Comparison of the hemostatic effects of a levonorgestrel-releasing intrauterine system and leuprolide acetate in women with endometriosis: a randomized clinical trial. Thromb Res 2014;134:1193-7.	Fel utfall
Yamamoto S, Umeki M, Maeda T, Yamaguchi M, Hamano T. Poor pregnancy outcome following assisted reproductive technology among women operated on for bilateral endometriomas. Reprod Med Biol 2010;9:43-9.	Fel studiedesign
Yamanaka A, Hada T, Matsumoto T, Kanno K, Shirane A, Yanai S, et al. Effect of dienogest on pain and ovarian endometrioma occurrence after laparoscopic resection of uterosacral ligaments with deep infiltrating endometriosis. Eur J Obstet Gynecol Reprod Biol 2017;216:51-5.	Fel studiedesign
Yang KN, Yeh NG, Pan SB. The therapeutic effects of oil-soluble hysterosalpingography contrast medium following water-soluble hysterosalpingography contrast medium. Zhonghua Yi Xue Za Zhi (Taipei) 1989;44:293-7.	Fel språk
Yang W, Liu M, Liu L, Jiang C, Chen L, Qu X, et al. Uterine-Sparing Laparoscopic Pelvic Plexus Ablation, Uterine Artery Occlusion, and Partial Adenomyomectomy for Adenomyosis. J Minim Invasive Gynecol 2017;24:940-5.	Fel studiedesign
Yang Y, Zhao R, Hao Z, Li L, Xu C, Cui Y. Effects of danchi decoction on P450arom, survivin of eutopic endometrium of patients with endometriosis	Fel intervention

Referens	Exklusionsorsak
after conservative surgery. Afr J Tradit Complement Altern Med 2015;12:65-71.	
Yao QL, Lu JD, Xu XR, Liu YH, Zhang JY. Uterine artery embolization for the treatment of uterine adenomyosis: Comparison study of different embolic agents. Journal of Interventional Radiology (China) 2015;24:248-52.	Fel språk
Yavuzcan A, Basbug A, Bastan M, Caglar M, Ozdemir I. The effect of adenomyosis on the outcomes of laparoscopic hysterectomy. J Turk Ger Gynecol Assoc 2016;17:150-4.	Fel studiedesign
Yazbeck C, Madelenat P, Ayel JP, Jacquesson L, Bontoux LM, Solal P, et al. Ethanol sclerotherapy: a treatment option for ovarian endometriomas before ovarian stimulation. Reprod Biomed Online 2009;19:121-5.	Fel kontrollgrupp
Yee B. A preliminary report on the comparative use of buserelin (Hoe 766) and danazol in the treatment of endometriosis: the University of Southern California experience. Prog Clin Biol Res 1986;225:175-88.	Fel studiedesign
Yen YK, Liu WM, Yuan CC, Ng HT. Addition of laparoscopic uterine nerve ablation to laparoscopic bipolar coagulation of uterine vessels for women with uterine myomas and dysmenorrhea. J Am Assoc Gynecol Laparosc 2001;8:573-8.	Fel population
Yeung P, Jr., Sinervo K, Winer W, Albee RB, Jr. Complete laparoscopic excision of endometriosis in teenagers: is postoperative hormonal suppression necessary? Fertil Steril 2011;95:1909-12, 1912.e1.	Fel PICO
Yeung P, Tu F, Bajzak K, Lamvu G, Guzovsky O, Agnelli R, et al. A pilot feasibility multicenter study of patients after excision of endometriosis. JSLS 2013;17:88-94.	Fel population
Ylanen K, Laatikainen T, Lahteenmaki P, Moo-Young AJ. Subdermal progestin implant (Nestorone) in the treatment of endometriosis: clinical response to various doses. Acta Obstet Gynecol Scand 2003;82:167-72.	Fel studiedesign
Ylikorkala O, Nilsson CG, Hirvonen E, Viinikka L. Evidence of similar increases in bone turnover during nafarelin and danazol use in women with endometriosis. Gynecol Endocrinol 1990;4:251-60.	Dubbelpublikation
Ylikorkala O. Prostaglandin synthesis inhibitors in menorrhagia, intrauterine contraceptive device-induced side effects and endometriosis. Pharmacology & Toxicology. Supplement. 1994;75:86-8.	Fel population
Young K, Fisher J, Kirkman M. Endometriosis and fertility: women's accounts of healthcare. Hum Reprod 2016;31:554-62.	Fel studiedesign
Young P, Johns A, Templeman C, Witz C, Webster B, Ferland R, et al. Reduction of postoperative adhesions after laparoscopic gynecological surgery with Oxiplex/AP Gel: a pilot study. Fertil Steril 2005;84:1450-6.	Fel population
Yu H-T, Huang H-Y, Lee C-L, Soong Y-K, Wang C-J. Side of ovarian endometrioma does not affect the outcome of in vitro fertilization/intracytoplasmic sperm injection in infertile women after laparoscopic cystectomy. J Obstet Gynaecol Res 2015;41:717-21.	Fel studiedesign

Referens	Exklusionsorsak
Yu HT, Huang HY, Soong YK, Lee CL, Chao A, Wang CJ. Laparoscopic ovarian cystectomy of endometriomas: surgeons' experience may affect ovarian reserve and live-born rate in infertile patients with in vitro fertilization-intracytoplasmic sperm injection. <i>Eur J Obstet Gynecol Reprod Biol</i> 2010;152:172-5.	Fel intervention
Yuan M, Wang WW, Li Y, Gao L, Wang T, Wang SX. Risk factors for recurrence of ovarian endometriomas after surgical excision. <i>J Huazhong Univ Sci Technolog Med Sci</i> 2014;34:213-9.	Fel utfall
Zaitoun MM, Zaitoun MM, El Behery MM. Comparing long term impact on ovarian reserve between laparoscopic ovarian cystectomy and open laprotomy for ovarian endometrioma. <i>J Ovarian Res</i> 2013;6:76.	Fel population
Zamberlan N, Castello R, Gatti D, Rossini M, Braga V, Fracassi E, et al. Intermittent etidronate partially prevents bone loss in hirsute hyperandrogenic women treated with GnRH agonist. <i>Osteoporosis International</i> 1997;7:133-7.	Fel population
Zanetti-Dällenbach R, Bartley J, Müller C, Schneider A, Köhler C. Combined vaginal-laparoscopic-abdominal approach for the surgical treatment of rectovaginal endometriosis with bowel resection: A comparison of this new technique with various established approaches by laparoscopy and laparotomy. <i>Surg Endosc</i> 2008;22:995-1001.	Dubblett
Zarei A, Alborzi S, Dadras N, Azadi G. The effects of endometrial injury on intrauterine insemination outcome: A randomized clinical trial. <i>Iran J Reprod Med</i> 2014;12:647-52.	Fel population
Zawin M, McCarthy S, Scoutt L, Lange R, Lavy G, Vulte J, et al. Monitoring therapy with a gonadotropin-releasing hormone analog: Utility of MR imaging. <i>Radiology</i> 1990;175:503-6.	Fel population
Zayed M. Laparoscopic surgery for pelvic endometriosis using Argon beam coagulation: Preliminary experience. <i>Middle East Fertil Soc J</i> 1997;2:218-22.	Fel studiedesign
Zhang CH, Wu L, Li PQ. Clinical study of the impact on ovarian reserve by different hemostasis methods in laparoscopic cystectomy for ovarian endometrioma. <i>Taiwan J Obstet Gynecol</i> 2016;55:507-11.	Fel utfall
Zhang YX. Effect of mifepristone in the different treatments of endometriosis. <i>Clin Exp Obstet Gynecol</i> 2016;43:350-3.	Fel studiedesign
Zhao L, Wu H, Zhou X, Wang Q, Zhu W, Chen J. Effects of progressive muscular relaxation training on anxiety, depression and quality of life of endometriosis patients under gonadotrophin-releasing hormone agonist therapy. <i>Eur J Obstet Gynecol Reprod Biol</i> 2012;162:211-5.	Fel intervention
Zhao RH, Hao ZP, Zhang Y, Lian FM, Sun WW, Liu Y, et al. Controlling the recurrence of pelvic endometriosis after a conservative operation: comparison between Chinese herbal medicine and western medicine. <i>Chin J Integr Med</i> 2013;19:820-5.	Fel intervention
Zhao RH, Liu Y, Tan Y, Hao ZP, Meng QW, Wang R, et al. Chinese medicine improves postoperative quality of life in endometriosis patients: a randomized controlled trial. <i>Chin J Integr Med</i> 2013;19:15-21.	Fel intervention

Referens	Exklusionsorsak
Zhao SH, Guan XL, Han LY, Li HL. Clinic curative effects of low-dose mifepristone in treating recurrent endometriosis and changes in ovarian function and serum cortisol level. <i>Journal of Jilin University Medicine Edition</i> 2008;34:676-9.	Fel språk
Zhu X, Chen L, Deng X, Xiao S, Ye M, Xue M. A comparison between high-intensity focused ultrasound and surgical treatment for the management of abdominal wall endometriosis. <i>BJOG</i> 2017;124:53-8.	Fel studiedesign
Zilberman S, Ballester M, Touboul C, Chereau E, Sebe P, Bazot M, et al. Partial colpectomy is a risk factor for urologic complications of colorectal resection for endometriosis. <i>J Minim Invasive Gynecol</i> 2013;20:49-55.	Fel PICO
Zou S, Long Q, Zhang S, Han Y, Zhang W. Oral continuous combined 0.5 mg estradiol valerate and 5 mg dydrogesterone as daily add-back therapy during post-operative GnRH agonist treatment for endometriosis in Chinese women. <i>Int J Clin Exp Med</i> 2013;6:67-73.	Fel utfall
Zullo F, Venturella R, Moccia R, Cappiello F, Morelli M. Letrozole vs. Clomiphene citrate plus IUI for women recently surgically treated for severe or recurrent endometriosis: A randomized controlled trial. <i>J Minim Invasive Gynecol</i> 2012;19:S48.	Fel publikationstyp
Zupi E, Centini G, Lazzeri L, Finco A, Exacoustos C, Afors L, et al. Hysteroscopic endometrial resection versus laparoscopic supracervical hysterectomy for abnormal uterine bleeding: Long-term follow-up of a randomized trial. <i>J Minim Invasive Gynecol</i> 2015;22:841-5.	Fel population
Ödmark IS, Bäckström T, Jonsson B, Bixo M. Long-term effects of two different continuous combined regimens of hormone replacement therapy on well-being. <i>Gynecol Endocrinol</i> 2004;18:305-17.	Fel population

Kvalitativa studier

Referens	Exklusionsorsak
Bach AM, Risoer MB, Forman A, Seibaek L. Practices and Attitudes Concerning Endometriosis Among Nurses Specializing in Gynecology. <i>Glob Qual Nurs Res</i> 2016;3:1-12.	Om personalens attityder
Bodén E, Wendel C, Adolfsson A. Adolescents with endometriosis: Their experience of the school health care system in Sweden. <i>British Journal of School Nursing</i> 2013;8:81-87.	Fel studiedesign
Boe Engelsen I, Woie K, Hordnes K. Transcervical endometrial resection: long-term results of 390 procedures. <i>Acta Obstet Gynecol Scand</i> 2006;85:82-7.	Fel frågeställning, outcome
Butt FS, Chesla C. Relational patterns of couples living with chronic pelvic pain from endometriosis. <i>Qual Health Res</i> 2007;17:571-585 15p.	Anhörigas perspektiv
Carey ET, Martin CE, Siedhoff MT, Bair ED, As-Sanie S. Biopsychosocial correlates of persistent postsurgical pain in women with endometriosis. <i>Int J Gynaecol Obstet</i> 2014;124:169-73.	Fel studiedesign
Cox H, Henderson L, Wood R, Cagliarini G. Learning to take charge: women's experiences of living with endometriosis. <i>Complement Ther Nurs Midwifery</i> 2003;9:62-8.	Fel frågeställning
Culley L, Law C, Hudson N, Denny E, Mitchell H, Baumgarten M, et al. The social and psychological impact of endometriosis on women's lives: a critical narrative review. <i>Hum Reprod Update</i> 2013;19:625-39.	Systematisk översikt
Denny E, Khan KS. Systematic reviews of qualitative evidence: what are the experiences of women with endometriosis? <i>Journal of Obstetrics & Gynaecology</i> 2006;26:501-6.	Systematisk översikt
Denny E, Mann CH. Endometriosis-associated dyspareunia: the impact on women's lives. <i>J Fam Plann Reprod Health Care</i> 2007;33:189-93.	Fel frågeställning
Denny E, Mann CH. Endometriosis-associated dyspareunia: the impact on women's lives. <i>J Fam Plann Reprod Health Care</i> 2007;33:189-193.	Fel frågeställning
Fauconnier A, Staraci S, Huchon C, Roman H, Panel P, Descamps P. Comparison of patient- and physician-based descriptions of symptoms of endometriosis: a qualitative study. <i>Hum Reprod</i> 2013;28:2686-94.	Fel frågeställning
Fernandez I, Reid C, Dziurawiec S. Living with endometriosis: the perspective of male partners. <i>J Psychosom Res</i> 2006;61:433-8.	Fel frågeställning
Grundstrom H, Kjolhede P, Bertero C, Alehagen S. "A challenge" - healthcare professionals' experiences when meeting women with symptoms that might indicate endometriosis. <i>Sex Reprod Healthc</i> 2016;7:65-9.	Vårdpersonalens erfarenheter

Referens	Exklusionsorsak
Hirsh KW, Ladipo OA, Bhal PS, Shaw RW. The management of endometriosis: a survey of patients' aspirations. <i>Journal of Obstetrics & Gynaecology</i> 2001;21:500-3.	Fel frågeställning
Hudson N, Culley L, Law C, Mitchell H, Denny E, Raine-Fenning N. 'We needed to change the mission statement of the marriage': biographical disruptions, appraisals and revisions among couples living with endometriosis. <i>Sociol Health Illn</i> 2016;38:721-35.	Fel frågeställning
Hunt S. Health Care Experience for Women With Endometriosis. <i>Nurs Womens Health</i> 2017;21:249-249.	Fel studiedesign
Kaatz J, Solari-Twadell PA, Cameron J, Schultz R. Coping with endometriosis. <i>J Obstet Gynecol Neonatal Nurs</i> 2010;39:220-5; quiz 225-6.	Systematisk översikt
Kennedy S. What is important to the patient with endometriosis? <i>Br J Clin Pract Suppl</i> 1991;72:8-10; discussion 11-3.	Fel studiedesign
Kundu S, Wildgrube J, Schippert C, Hillemanns P, Brandes I. Supporting and Inhibiting Factors When Coping with Endometriosis From the Patients' Perspective. <i>Geburtshilfe Frauenheilkd</i> 2015;75:462-469.	Fel studiedesign
Lemaire GS. More than just menstrual cramps: symptoms and uncertainty among women with endometriosis. <i>J Obstet Gynecol Neonatal Nurs</i> 2004;33:71-9.	Fel frågeställning
Mellado BH, Falcone AC, Poli-Neto OB, Rosa ESJC, Nogueira AA, Candido-Dos-Reis FJ. Social isolation in women with endometriosis and chronic pelvic pain. <i>Int J Gynaecol Obstet</i> 2016;133:199-201.	Fel frågeställning
Nathorst-Boos J, Fuchs T, von Schoultz B. Consumer's attitude to hysterectomy. The experience of 678 women. <i>Acta Obstet Gynecol Scand</i> 1992;71:230-4.	Fel studiedesign
Roomaney R, Kagee A. Coping strategies employed by women with endometriosis in a public health-care setting. <i>J Behav Med</i> 2016;21:2259-68.	Fel frågeställning
Seear K. 'Nobody really knows what it is or how to treat it': why women with endometriosis do not comply with healthcare advice. <i>Health Risk Soc</i> 2009;11:367-385.	Fel frågeställning
Shoebotham A, Coulson NS. Therapeutic Affordances of Online Support Group Use in Women With Endometriosis. <i>J Med Internet Res</i> 2016;18:e109.	Otillräckligt med information
Strzempko Butt F, Chesla C. Relational patterns of couples living with chronic pelvic pain from endometriosis. <i>Qual Health Res</i> 2007;17:571-85.	Fel frågeställning
Toye F, Seers K, Barker K. A meta-ethnography of patients' experiences of chronic pelvic pain: struggling to construct chronic pelvic pain as 'real'. <i>J Adv Nurs</i> 2014;70:2713-27.	Systematisk översikt

Referens	Exklusionsorsak
Walsh TM, LeBlanc L, McGrath PJ. Menstrual pain intensity, coping, and disability: the role of pain catastrophizing. Pain Med 2003;4:352-61.	Fel studiedesign
Van den Broeck U, Meuleman C, Tomassetti C, D'Hoore A, Wolthuis A, Van Cleynenbreugel B, et al. Effect of laparoscopic surgery for moderate and severe endometriosis on depression, relationship satisfaction and sexual functioning: comparison of patients with and without bowel resection. Hum Reprod 2013;28:2389-97.	Fel studiedesign
Wang CY. Coping with endometriosis. Lancet 2004;364:1800.	Fel studiedesign
Weinstein K. The emotional aspects of endometriosis: what the patient expects from her doctor. Clin Obstet Gynecol 1988;31:866-73.	Fel studiedesign
Whitney ML. Importance of lay organizations for coping with endometriosis. J Reprod Med 1998;43:331-4.	Fel studiedesign
Wiegratz I, Hommel HH, Zimmermann T, Kuhl H. Attitude of German women and gynecologists towards long-cycle treatment with oral contraceptives. Contraception 2004;69:37-42.	Fel frågeställning
Young K, Fisher J, Kirkman M. Clinicians' perceptions of women's experiences of endometriosis and of psychosocial care for endometriosis. Aust N Z J Obstet Gynaecol 2017;57:87-92.	Systematisk översikt

Hälsoekonomiska studier

Referens	Exklusionsorsak
AAGL Position Statement: Robotic-Assisted Laparoscopic Surgery in Benign Gynecology. <i>J Minim Invasive Gynecol</i> 2013;20:2-9.	Exkluderas då artikeln inte matchar någon frågeställning.
Ali AFFLAFMOED. Continuous oral contraception and Leuproidein the treatment of Endometriosis associated pelvic pain. <i>J Endometr</i> 2013;5.	Endast abstract med otillräcklig info.
Allphin C, Wagner CA, Gimpelson RJ, Levine D. The efficacy and cost effectiveness of a combined laparoscopic and hysteroscopic approach in the treatment of female infertility. <i>J Minim Invasive Gynecol</i> 2013;20:S66.	Matchar ej frågeställning. Endast abstract.
Anaf V, Sperduto N, Simon P, Noel JC, El Nakadi I. Laparoscopically assisted segmental sigmoid resection (LASSR) for sigmoid endometriosis. <i>Gynaecological Endoscopy</i> 2000;9:95-101.	Hälsoekonomisk analys saknas.
Andguladze M, Tevdorashvili G, Tevdorashvili D, Tevdorashvili M. Modern aspects of treatment for endometriosis and their pharmacological and economic assessment in the Caucasian Region. <i>Giornale Italiano di Ostetricia e Ginecologia</i> 2016;38:23-4.	Fel frågeställning, jämförelse.
Araujo D, Passos RBF, Souza CPR, Silva AP, Marques M. Cost effectiveness analysis of goserelin empiric therapy for deep endometriosis treatment. <i>Value in Health</i> 2009;12:A164.	Fel jämförelse, endast abstract.
Avxentyeva M. Cost-minimization analysis of dienogest versus gonadotrophinreleasing hormone analogues or dydrogesterone for endometriosis treatment in Russia. <i>Value in Health</i> 2013;16:A334.	Fel frågeställning, endast abstract.
Aygen MA, Atakul T, Oner G, Ozgun MT, Sahin Y, Ozturk F. A prospective trial comparing letrozole versus gonadotropins for ovulation induction in patients with histologically documented endometriosis. <i>Hum Reprod</i> 2010;25:i215.	Fel frågeställning, jämförelse, endast abstract.
Baird DT, Collins J, Cooke I, Glasier A, Jacobs HS, La Vecchia C, et al. Ovarian and endometrial function during hormonal contraception. <i>Hum Reprod</i> 2001;16:1527-35.	Review utan relevant frågeställning.
Banta HD. The cost-effectiveness of 10 selected applications in minimally invasive therapy. <i>Health Policy</i> 1993;23:135-51.	Före 2000. Review utan tydligt PICO. Adekvat HE saknas.
Bedaiwy MA, Forman R, Mousa NA, Al Inany HG, Casper RF. Cost-effectiveness of aromatase inhibitor co-treatment for controlled ovarian stimulation. <i>Hum Reprod</i> 2006;21:2838-44.	Fel jämförelse, intervention och kontrollgrupp.
Bedaiwy MA, Liu J. Long-term management of endometriosis: Medical therapy and treatment of infertility. <i>Sex Reprod Menopause</i> 2010;8:10-4.	Jämförande CEA saknas.

Referens	Exklusionsorsak
Bhattacharya S, Middleton LJ, Tsourapas A, Lee AJ, Champaneria R, Daniels JP, et al. Hysterectomy, endometrial ablation and mirena® for heavy menstrual bleeding: A systematic review of clinical effectiveness and cost-effectiveness analysis. <i>Health Technology Assessment</i> 2011;15:1-252.	Fel population.
Ceccaroni M, Roviglione G, Giampaolino P, Clarizia R, Bruni F, Ruffo G, et al. Laparoscopic surgical treatment of diaphragmatic endometriosis: a 7-year single-institution retrospective review. <i>Surg Endosc</i> 2013;27:625-32.	Adekvat HE-analys saknas.
Chang WC, Lee CC, Wu HC, Yeh LS. Laparoscopy-assisted vaginal hysterectomy clinical pathway: A multivariate analysis of impact on costs and quality of care. <i>Gynecol Obstet Invest</i> 2003;55:231-4.	Blandpopulation
Choi SE, Lim EA, Park JH, Lee MK, Jung SW, Cho HY. Economic evaluation of dienogest for endometriosis in the context of Korea national health insurance. <i>Value in Health</i> 2011;14:A402.	Fel population. Abstract.
Chu CM, Chang-Jackson SC, Nezhat FR. Retrospective study assessing laparoscopic versus robotic assisted laparoscopic treatment of severe endometriosis. <i>J Minim Invasive Gynecol</i> 2011;18:S101.	Fel jämförelse. Abstract.
Chvatal R, Reichert B, Renner S, Oppelt P. Cost of inpatient treatment for endometriosis in Germany: An analysis based on the G-DRG-coding. <i>Arch Gynecol Obstet</i> 2010;282:S192.	Abstract. Kostnadseffektivitetsanalys saknas.
Cobellis L, Razzi S, De Simone S, Sartini A, Fava A, Danero S, et al. The treatment with a COX-2 specific inhibitor is effective in the management of pain related to endometriosis. <i>Eur J Obstet Gynecol Reprod Biol</i> 2004;116:100-2.	Fel jämförelse (intervention och kontrollgrupp).
Colaiacovo R, Camunha MA, Assef MS, Valentino W, Klug W, Ribeiro PA, et al. The role of preoperative colonoscopy in patients with suspected bowel infiltrating endometriosis. <i>Gastrointestinal Endoscopy</i> 2010;71:AB333-AB334.	Abstract. fel frågeställning, HE saknas.
Farid Mohamed Ali A, Ali Farid L, Fouad M, El Daly O. Continuous oral contraception and Leuprorelin in the treatment of endometriosis-associated pelvic pain. <i>Eur J Contracept Reprod Health Care</i> 2013;18:S257.	Abstract. Kostnadseffektivitetsanalys saknas. Oklar population.
Ferracini M, Nakada CP. Cost minimization analysis of the dienogest use in patients with endometriosis under Brazilian public and private perspective. <i>Value in Health</i> 2013;16:A334-A335.	Fel frågeställning, oklart om population för de som får GnRH-a i andra hand jmf mot kirurgi/inget direkt. Abstract
Ferracini M, Nakada CP. Budget impact of dienogest in treating endometriosis associated pelvic pain in Brazil: A public perspective analysis. <i>Value in Health</i> 2013;16:A331-A332.	Abstract. Budget impact. Ingen kostnadseffektivitet.
Fuldeore M, Chwalisz K, Marx S, Wu N, Boulanger L, Ma L, et al. Surgical procedures and their cost estimates among women with newly diagnosed endometriosis: a US database study. <i>J Med Econ</i> 2011;14:115-23.	CEA, CMA saknas. Endast beräknade kostnader för olika kirurgiska ingrepp.

Referens	Exklusionsorsak
Gerli S, Casini ML, Unfer V, Costabile L, Bini V, Renzo GC. Recombinant versus urinary follicle-stimulating hormone in intrauterine insemination cycles: a prospective, randomized analysis of cost effectiveness (Structured abstract). <i>Fertil Steril</i> 2004;82:573-578.	Fel frågeställning. IC
Glasser M. The clinical and economic benefits of GnRH agonist in treating endometriosis. <i>Am J Manag Care</i> 1999;5:S316-26.	Intervju, ej studie.
Gomel V, Author A, University of British Columbia FoMO, and Gynecology VC, Correspondence A, V. Gomel UoBCFoMO, et al. Is there an added value for reproductive surgery in the era of IVF? - Yes. <i>Mol Hum Reprod</i> 2009;24:i39-i40.	HE saknas. Fel frågeställning.
Goodman MP, Johns DA, Levine RL, Reich H, Levinson CJ, Murphy AA, et al. Report of the study group: Advanced operative laparoscopy (Pelviscopy). <i>J Gynecol Surg</i> 1989;5:353-60.	Ålder. Kostnadsjämförelse. Blandpopulation, separata kostnadsdata för endometrios saknas.
Goverde AJ, McDonnell J, Vermeiden JP, Schats R, Rutten FF, Schoemake J. Intrauterine insemination or in-vitro fertilisation in idiopathic subfertility and male subfertility: a randomised trial and cost-effectiveness analysis (Structured abstract). <i>Lancet</i> 1999;355:13-8.	Fel frågeställning, intervention.
Guerriero S, Alcazar JL, Ajossa S, Melis GB. Modified ultrasound scanning is a cost-effective method for the detection of deep infiltrating endometriosis. <i>Fertil Steril</i> 2009;91:e38; author reply e39.	Letter to editor.
Guzick DS, Sullivan MW, Adamson GD, Cedars MI, Falk RJ, Peterson EP, et al. Efficacy of treatment for unexplained infertility. <i>Fertil Steril</i> 1998;70:207-13.	Fel interventioner.
Hickey M, Farquhar CM. Update on treatment of menstrual disorders. <i>Medical Journal of Australia</i> 2003;178:625-9.	Relevant HE-studie saknas.
Hirschowitz L. The cost of a hysterectomy in a UK hospital. <i>Journal of Obstetrics and Gynaecology</i> 2000;20:211.	Ej studie
Howard FM. An evidence-based medicine approach to the treatment of endometriosis-associated chronic pelvic pain: Placebo-controlled studies. <i>J Am Assoc Gynecol Laparosc</i> 2000;7:477-88.	HE saknas
Ikeda F, Vanni D, Vasconcelos A, Podgaec S, Abrao MS. Microlaparoscopy vs. conventional laparoscopy for the management of early-stage pelvic endometriosis: a comparison. <i>J Reprod Med</i> 2005;50:771-8.	Fel jämförelse
Jahan S, Das TR, Mahmud N, Mondol SK, Habib SH, Saha S, et al. A comparative study among laparoscopically assisted vaginal hysterectomy, vaginal hysterectomy and abdominal hysterectomy: Experience in a tertiary care hospital in Bangladesh. <i>J Obstet Gynaecol (Lahore)</i> 2011;31:254-7.	Relevant kontrollgrupp saknas.

Referens	Exklusionsorsak
Jahan S, Mahmud N, Akter L, Yasmin S, Nahar N, Habib SH, et al. Vaginal hysterectomy (nonprolapsed) and its impact on a patient with gynecologic menstrual disorders: Experience in a tertiary care hospital in Bangladesh. <i>J Gynecol Surg</i> 2011;27:129-32.	Relevant jämförelsearm saknas. HE saknas.
Kang JI, Wang Xx, Nie MI, Huang Xh. Efficacy of Gonadotropin-Releasing Hormone Agonist and an Extended-Interval Dosing Regimen in the Treatment of Patients with Adenomyosis and Endometriosis. <i>Gynecol Obstet Invest</i> 2009;69:73-7.	Fel jämförelse
Knight C, Colligs A, Lipinski J. A budget impact analysis of dienogest in treating endometriosis associated pelvic pain in Germany. <i>Value in Health</i> 2009;12:A291.	Abstract. Fel frågeställning
Kovacs P, Matyas S, Bernard A, Kaali SG. Comparison of clinical outcome and costs with CC plus gonadotropins and GnRH plus gonadotropins during IVF/ICSI cycles (Structured abstract). <i>J Assist Reprod Genet</i> 2004;21:197-202.	Fel jämförelse
Lalchandani S, Baxter A, Phillips K. Is helium thermal coagulator therapy for the treatment of women with minimal to moderate endometriosis cost-effective? A prospective randomised controlled trial. <i>Gynecological Surgery</i> 2005;2:255-8.	Fel population-jämförelsearmar.
Lanzarone V, Phua C. Ultrasound as a preoperative assessment of suspected deep infiltrative endometriosis. <i>BJOG</i> 2015;122:84.	Abstract. Fel population.
Lei L. Economic burden of surgery on endometriosis. <i>J Minim Invasive Gynecol</i> 2010;17:S101.	Abstract. Fel frågeställning, jämförelse.
Long CY, Fang JH, Chen WC, Su JH, Hsu SC. Comparison of total laparoscopic hysterectomy and laparoscopically assisted vaginal hysterectomy. <i>Gynecol Obstet Invest</i> 2002;53:214-9.	Relevant jämförelsearm (ingen hysterktomi t ex) saknas.
Lukac M, Knight C, Bielik J, Tomek D, Foltan V, Kovac A, et al. Cost-utility analysis of dienogest versus GnRH analogue in the treatment of endometriosis-associated pelvic pain in Slovakia. <i>Value in Health</i> 2011;14:A109.	Oklar population. Abstract.
Lukac M, Knight C, Bielik J, Tomek D, Petri JC, Bojnický M, et al. Endometriosis-associated pelvic pain treated with dienogest or GnRH analogues: Cost-utility comparison with 5 years time horizon. <i>Value in Health</i> 2011;14:A403.	Abstract. O tillräcklig beskrivning av population samt förefaller fel IC, och troligtvis P.
Lyttle-Nguesan C, Campbell ES. Cost-effectiveness of early detection of endometriosis: A systematic review. <i>Value in Health</i> 2014;17:A135.	Abstract. Review. Fel frågeställning.
Marana R, Paielli FV, Muzii L, Dell'Acqua S, Mancuso S. GnRH analogs versus expectant management in minimal and mild endometriosis-associated infertility. <i>Acta Eur Fertil</i> 1994;25:37-41.	Fel jämförelse
Marmarali B, Deger C, Memis SA, Parali E, Sumer F, Karakeben K, et al. Cost effectiveness comparison between dienogest and gonadotropin-releasing hormone analogs in Turkey. <i>Value in Health</i> 2012;15:A537.	Abstract. Oklar patientpopulation.

Referens	Exklusionsorsak
Mettler L, Maul LV. Impact of endometrioma surgery. <i>J Endometr</i> 2013;5:S21.	Fel frågeställning, abstract, ingen hälsoekonomisk analys
Moayeri SE, Lee HC, Lathi RB, Westphal LM, Milki AA, Garber AM. Laparoscopy in women with unexplained infertility: a cost-effectiveness analysis. <i>Fertil Steril</i> 2009;92:471-80.	Fel population, frågeställning.
Mol BWJ, Collins JA, Veen F, Bossuyt PMM. Cost-effectiveness of hysterosalpingography, laparoscopy, and chlamydia antibody testing in subfertile couples (Structured abstract). <i>Fertil Steril</i> 2001;75:571-80.	Fel frågeställning, interventioner.
Muneyyirci-Delale O, Karacan M. Effect of norethindrone acetate in the treatment of symptomatic endometriosis. <i>Int J Fertil Womens Med</i> 1998;43:24-7.	HE-analys saknas.
Parali E, Deger C, Marmarali B, Memis SA, Sumer F, Karakeben K, et al. Effects of different clinical practices of laparoscopic surgery for endometriosis treatment on cost of therapy. <i>Value in Health</i> 2012;15:A407.	Fel jämförelse. Abstract.
Philips Z, Barraza-Llorens M, Posnett J. Evaluation of the relative cost-effectiveness of treatments for infertility in the UK. <i>Hum Reprod</i> 2000;15:95-106.	Relevant kontrollarm saknas.
Plosker GL, Brogden RN. Leuprorelin. A review of its pharmacology and therapeutic use in prostatic cancer, endometriosis and other sex hormone-related disorders. <i>Drugs</i> 1994;48:930-67.	Review där hälsoekonomi saknas.
Rashid MR, Ong FB, Omar MH, Ng SP, Nurshaireen A, Sharifah-Teh NS, et al. GnRH agonist and GnRH antagonist in intracytoplasmic injection cycles. <i>Med J Malaysia</i> 2008;63:113-7.	Fel jämförelse
Razzi S, Luisi S, Ferretti C, Calonaci F, Gabbanini M, Mazzini M, et al. Use of a progestogen only preparation containing desogestrel in the treatment of recurrent pelvic pain after conservative surgery for endometriosis. <i>Eur J Obstet Gynecol Reprod Biol</i> 2007;135:188-90.	Fel jämförelse.
Romero Martin RM, Alvis Nelson AN, Alfonso Camilo AC, Karpf Elizabeth KE, Upegui Angie UA. Cost minimization analysis of the dienogest use in patients with endometriosis in Colombia and Argentina. <i>Value in Health</i> 2012;15:A195.	Oklar population. abstract.
Rosero EB, Kho K, Joshi G. Use and outcomes of robotic-assisted vs. Conventional laparoscopic hysterectomy for benign disease in the United States. <i>Anesthesia and Analgesia</i> 2013;116.	Abstract. Relevant kontrollgrupp saknas.
Roy S, Carlton R, Clark RS, Migliaccio-Walle K. Economic impact of the use of an absorbable adhesion barrier in preventing adhesions following open gynecologic surgeries. <i>Value in Health</i> 2013;16:A331.	Abstract. Ej relevant intervention-kontrollgrupp, frågeställning.
Roy S, Carlton R, Weisberg M, Clark R, Migliaccio-Walle K, Chapa H. Economic Impact of the Use of an Absorbable Adhesion Barrier in Preventing Adhesions Following Open Gynecologic Surgeries. <i>J Long Term Eff Med Implants</i> 2015;25:245-52.	Fel intervention-jämförelsearm.

Referens	Exklusionsorsak
Sambrook AM, Bain C, Parkin DE, Cooper KG. A randomised comparison of microwave endometrial ablation with transcervical resection of the endometrium: Follow up at a minimum of 10 years. <i>BJOG</i> 2009;116:1033-7.	Blandpopulation.
Sanghera S, Barton P, Bhattacharya S, Horne AW, Roberts TE. Pharmaceutical treatments to prevent recurrence of endometriosis following surgery: a model-based economic evaluation. <i>BMJ Open</i> 2016;6:e010580.	Fel population, jämförelsearm.
Saunders RD, Shwayder JM, Nakajima ST. Current methods of tubal patency assessment. <i>Fertil and Steril</i> 2011;95:2171-79.	Fel frågeställning.
Simoens S, Hummelshøj L, D'Hooghe T. Endometriosis: cost estimates and methodological perspective. <i>Hum Reprod Update</i> 2007;13:395-404.	Ingen CEA/CMA.
Soliman AM, Taylor HS, Bonafede M, Nelson JK, Castelli-Haley J, Winkel CA. Direct and indirect costs associated with endometriosis-related surgery among employed women in the US. <i>Fertil Steril</i> 2016;106:e93.	Ingen CEA/CMA.
Song X, Waters HC, Pan K, Subramanian D, Sedgley RC, Raff GJ. Laparoscopic supracervical hysterectomy versus laparoscopic-assisted vaginal hysterectomy. <i>J Sls</i> 2011;15:460-70.	Fel jämförelse
Sophonsritsuk A, Choktanasiri W, Weerakiet S, Rojanasakul A. Comparison of outcomes and direct cost between minimal stimulation and conventional protocols on ovarian stimulation in in vitro fertilization. <i>J Obstet Gynaecol Res</i> 2005;31:459-63.	Fel frågeställning
Sugimura K, Imaoka I, Okizuka H. Pelvic endometriosis: impact of magnetic resonance imaging on treatment decisions and costs. <i>Acad Radiol</i> 1996;3:S66-8.	Fel frågeställning, intervention.
Taipale K, Leminen A, Rasanen P, Heikkila A, Tapper AM, Sintonen H, et al. Costs and health-related quality of life effects of hysterectomy in patients with benign uterine disorders. <i>Acta Obstet Gynecol Scand</i> 2009;88:1402-10.	Fel PICO
Tauben D. Nonopioid Medications for Pain. <i>Phys Med Rehabil Clin N Am</i> 2015;26:219-48.	Fel frågeställning. Review av smärtläkemedel.
Tuletova A, Dochshanova A, Skakova R. Cost-Effectiveness Analysis of the Therapy of Endometriosis. <i>Value Health</i> 2014;17:A511.	Fel jämförelse. Abstract.
van der Houwen LE, Schreurs AM, Schats R, Lambalk CB, Hompes PG, Mijatovic V. Patient satisfaction concerning assisted reproductive technology treatments in moderate to severe endometriosis. <i>Gynecol Endocrinol</i> 2014;30:798-803.	Fel jämförelsearmar
Waters H, Song X, Pan K, Subramanian D, Sedgley R, Raff GJ. Laparoscopic supracervical hysterectomy versus laparoscopic-assisted vaginal hysterectomy: Post-surgical outcomes and costs. <i>Value in Health</i> 2011;14:A89.	Fel jämförelse

Referens	Exklusionsorsak
Vercellini P, Bracco B, Mosconi P, Roberto A, Alberico D, Dhouha D, et al. Norethindrone acetate or dienogest for the treatment of symptomatic endometriosis: a before and after study. <i>Fertil Steril</i> 2016;105:734-743.e733.	Abstract
Wessels PH, Cronje HS, Oosthuizen AP, Trumpelmann MD, Grobler S, Hamlett DK. Cost-effectiveness of gamete intrafallopian transfer in comparison with induction of ovulation with gonadotropins in the treatment of female infertility: a clinical trial. <i>Fertil Steril</i> 1992;57:163-7.	Fel intervention - kontrollgrupp.
Wong AY, Tang L. An open and randomized study comparing the efficacy of standard danazol and modified triptorelin regimens for postoperative disease management of moderate to severe endometriosis. <i>Fertil Steril</i> 2004;81:1522-7.	Fel jämförelse
Yap C, Furness S, Farquhar C. Pre and post operative medical therapy for endometriosis surgery. <i>Cochrane Database Syst Rev</i> 2004;0:Cd003678.	HE-analys saknas.
Yoost J. Understanding benefits and addressing misperceptions and barriers to intrauterine device access among populations in the United States. <i>Patient Preference and Adherence</i> 2014;8:947-57.	Review på fel intervention
Zhao SZ, Arguelles LM, Wong JM, Davis MB, Gersh GE, Struthers BJ. Cost comparisons between nafarelin and leuprolide in the treatment of endometriosis. <i>Clin Ther</i> 1998;20:592-602.	Fel IC, frågeställning.