



## Litteratursökning

PubMed via NLM 180216		
Antisocial behaviour and motivational interviewing/CBT		
	Search terms	Items found
Population:		
1.	(((((("Attention Deficit and Disruptive Behavior Disorders"[Mesh]) OR "Child Behavior Disorders"[Mesh]) OR "Child Development Disorders, Pervasive"[Mesh]) OR "Criminal Behavior"[Mesh:NoExp]) OR "Juvenile Delinquency"[Mesh]) OR "Runaway Behavior"[Mesh]) OR "Violence"[Mesh]) OR "Acting Out"[Mesh]) OR "Aggression"[Mesh])	187726
2.	("Criminal Behavior"[Title/Abstract] OR "Juvenile Delinquency"[Title/Abstract] OR "Runaway Behavior"[Title/Abstract] OR "Violence"[Title/Abstract] OR "Behavior Disorders"[Title/Abstract] OR "Addiction"[Title/Abstract] OR "Drug Abuse"[Title/Abstract] OR "Substance Use Disorder"[Title/Abstract] OR "Acting Out"[Title/Abstract] OR "Aggressive Behavior"[Title/Abstract] OR "Conduct Disorder"[Title/Abstract] OR "Autism Spectrum Disorders"[Title/Abstract] OR "Autistic Thinking"[Title/Abstract] OR "Attention Deficit Disorder"[Title/Abstract] OR "Attention Deficit Disorder with Hyperactivity"[Title/Abstract] OR "Oppositional Defiant Disorder"[Title/Abstract] OR "Deviant Behavior"[Title/Abstract] OR "Aspergers"[Title/Abstract] OR "Autism"[Title/Abstract] OR "Autistic"[Title/Abstract] OR "ADHD"[Title/Abstract] OR "PROBLEM children"[Title/Abstract] OR "DEVIANT behaviour"[Title/Abstract] OR "antisocial"[Title/Abstract] OR "anti-social"[Title/Abstract])	175084
3.	1 OR 2	285040
Intervention:		
4.	("Motivational Interviewing"[Mesh]) OR "Cognitive Therapy"[Mesh]	23847
5.	("CBT"[Title/Abstract] OR "COGNITIVE therapy"[Title/Abstract] OR "BEHAVIOUR therapy"[Title/Abstract] OR "COGNITIVE psychotherapy"[Title/Abstract] OR "COGNITIVE-behavior therapy"[Title/Abstract] OR "COGNITIVE-behaviour therapy"[Title/Abstract] OR "COGNITIVE-behavioral therapy"[Title/Abstract] OR "COGNITIVE-behavioural therapy"[Title/Abstract] OR "BEHAVIORAL therapy"[Title/Abstract] OR "BEHAVIOURAL therapy"[Title/Abstract] OR "BEHAVIOR therapy"[Title/Abstract] OR "MOTIVATIONAL counseling"[Title/Abstract] OR "MOTIVATIONAL enhancement"[Title/Abstract] OR "MOTIVATIONAL interviewing"[Title/Abstract] OR "MOTIVATIONAL interview"[Title/Abstract])	23375
6.	4 OR 5	37957
Study types:		
7.	Systematic [sb]	353031
Final	3 AND 6 AND 7	321

The search result, usually found at the end of the documentation, forms the list of abstracts

[MeSH] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

[MeSH:NoExp] = Does not include terms found below this term in the MeSH hierarchy

[MAJR] = MeSH Major Topic

[TIAB] = Title or abstract

[TI] = Title

[AU] = Author

[TW] = Text Word

Systematic[SB] = Filter for retrieving systematic reviews

\* = Truncation

“ “ = Citation Marks; searches for an exact phrase



SocINDEX with fulltext via ebsco.com 2017-12-18		
Antisocial behaviour and motivational interviewing/CBT		
	Search terms	Items found
Population:		
1.	((DE "DELINQUENT behavior" OR DE "DELINQUENT behavior in children") OR (DE "BEHAVIOR disorders" OR DE "ATTENTION-deficit hyperactivity disorder" OR DE "BEHAVIOR disorders in adolescence" OR DE "BEHAVIOR disorders in children" OR DE "CONDUCT disorders in adolescence" OR DE "CONDUCT disorders in children" OR DE "PROBLEM children")) OR (DE "DEVIANT behavior")	10 557
2.	(DE "AUTISM spectrum disorders" OR DE "AUTISM" OR DE "AUTISM spectrum disorders in women") OR (DE "AUTISTIC youth")	1 622
3.	TI "DELINQUENT behavior" OR TI "DELINQUENT behaviour" OR TI "BEHAVIOR disorder" OR TI "BEHAVIOUR disorder" OR TI "BEHAVIOR disorders" OR TI "BEHAVIOUR disorders" OR TI "ATTENTION-deficit hyperactivity disorder" OR TI "ADHD" OR TI "BEHAVIOR disorders" OR TI "BEHAVIOUR disorders" OR TI "CONDUCT disorders" OR TI "CONDUCT disorder"	2 017
4.	AB "DELINQUENT behavior" OR AB "DELINQUENT behaviour" OR AB "BEHAVIOR disorder" OR AB "BEHAVIOUR disorder" OR AB "BEHAVIOR disorders" OR AB "BEHAVIOUR disorders" OR AB "ATTENTION-deficit hyperactivity disorder" OR AB "ADHD" OR AB "BEHAVIOR disorders" OR AB "BEHAVIOUR disorders" OR AB "CONDUCT disorders" OR AB "CONDUCT disorder"	5 271
5.	TI "PROBLEM children" OR TI "DEVIANT behavior" OR TI "ACTING-out" OR TI "Juvenile DELINQUENCY" OR TI "JUVENILE crime" OR TI "AUTISM" OR TI "AUTISTIC" OR TI "antisocial" OR TI "anti-social"	5 826
6.	AB "PROBLEM children" OR AB "DEVIANT behavior" OR AB "ACTING-out" OR AB "Juvenile DELINQUENCY" OR AB "JUVENILE crime" OR AB "AUTISM" OR AB "AUTISTIC" OR AB "antisocial" OR AB "anti-social"	15 936
7.	1 OR 2 OR 3 OR 4 OR 5 OR 6	28 341
Intervention:		
8.	((DE "MOTIVATIONAL interviewing") OR (DE "BEHAVIOR therapy")) OR (DE "COGNITIVE therapy" OR DE "EXPOSURE therapy")	3 977
9.	TI "CBT" OR TI "COGNITIVE therapy" OR TI "BEHAVIOUR therapy" OR TI "COGNITIVE psychotherapy" OR TI "COGNITIVE-behavior therapy" OR TI "COGNITIVE-behaviour therapy" OR TI "COGNITIVE-behavioral therapy" OR TI "COGNITIVE-behavioural therapy" OR TI "BEHAVIORAL therapy" OR TI "BEHAVIOURAL therapy" OR TI "BEHAVIOR therapy"	900
10.	AB "CBT" OR AB "COGNITIVE therapy" OR AB "BEHAVIOUR therapy" OR AB "COGNITIVE psychotherapy" OR AB "COGNITIVE-behavior therapy" OR AB "COGNITIVE-behaviour therapy" OR AB "COGNITIVE-behavioral therapy" OR AB "COGNITIVE-behavioural therapy" OR AB "BEHAVIORAL therapy" OR AB "BEHAVIOURAL therapy" OR AB "BEHAVIOR therapy"	2 252
11.	TI "MOTIVATIONAL counseling" OR TI "MOTIVATIONAL enhancement" OR TI "MOTIVATIONAL interviewing" OR TI "MOTIVATIONAL interview"	268



12.	AB "MOTIVATIONAL counseling" OR AB "MOTIVATIONAL enhancement" OR AB "MOTIVATIONAL interviewing" OR AB "MOTIVATIONAL interview"	701
13.	8 OR 9 OR 10 OR 11 OR 12	5 374
Final	7 AND 13	375

The search result, usually found at the end of the documentation, forms the list of abstracts

AB = Abstract

AU = Author

DE = Term from the thesaurus

MH = Term from the "Cinahl Headings" thesaurus

MM = Major Concept

TI = Title

TX = All Text. Performs a keyword search of all the database's searchable fields

ZC = Methodology Index

\* = Truncation

“ “ = Citation Marks; searches for an exact phrase



PsycINFO via ebSCO.com 2017-12-18		
Antisocial behaviour and motivational interviewing/CBT Systematic reviews		
	Search terms	Items found
Population:		
1.	DE "Antisocial Behavior" OR DE "Criminal Behavior" OR DE "Juvenile Delinquency" OR DE "Runaway Behavior" OR DE "Violence" OR DE "Behavior Disorders" OR DE "Addiction" OR DE "Drug Abuse" OR DE "Substance Use Disorder" OR DE "Acting Out" OR DE "Aggressive Behavior" OR DE "Conduct Disorder" OR DE "Autism Spectrum Disorders" OR DE "Autistic Thinking" OR DE "Attention Deficit Disorder" OR DE "Attention Deficit Disorder with Hyperactivity" OR DE "Oppositional Defiant Disorder"	207 471
2.	TI ( "Criminal Behavior" OR "Juvenile Delinquency" OR "Runaway Behavior" OR "Violence" OR "Behavior Disorders" OR "Addiction" OR "Drug Abuse" OR "Substance Use Disorder" OR "Acting Out" OR "Aggressive Behavior" OR "Conduct Disorder" OR "Autism Spectrum Disorders" OR "Autistic Thinking" OR "Attention Deficit Disorder" OR "Attention Deficit Disorder with Hyperactivity" OR "Oppositional Defiant Disorder" ) OR TI "Deviant Behavior" OR TI Aspergers OR TI Autism OR TI Autistic OR TI ADHD OR TI "PROBLEM children" OR TI "DEVIANT behaviour" OR TI "antisocial" OR TI "anti-social"	92 905
3.	AB ( "Criminal Behavior" OR "Juvenile Delinquency" OR "Runaway Behavior" OR "Violence" OR "Behavior Disorders" OR "Addiction" OR "Drug Abuse" OR "Substance Use Disorder" OR "Acting Out" OR "Aggressive Behavior" OR "Conduct Disorder" OR "Autism Spectrum Disorders" OR "Autistic Thinking" OR "Attention Deficit Disorder" OR "Attention Deficit Disorder with Hyperactivity" OR "Oppositional Defiant Disorder" ) OR AB "Deviant Behavior" OR AB Aspergers OR AB Autism OR AB Autistic OR AB ADHD OR AB "PROBLEM children" OR AB "DEVIANT behaviour" OR AB "antisocial" OR AB "anti-social"	202 887
4.	1 OR 2 OR 3	295 010
Intervention:		
5.	(DE "Motivational Interviewing") OR (DE "Cognitive Behavior Therapy" OR DE "Acceptance and Commitment Therapy")	19 632
6.	TI "CBT" OR TI "COGNITIVE therapy" OR TI "BEHAVIOUR therapy" OR TI "COGNITIVE psychotherapy" OR TI "COGNITIVE-behavior therapy" OR TI "COGNITIVE-behaviour therapy" OR TI "COGNITIVE-behavioral therapy" OR TI "COGNITIVE-behavioural therapy" OR TI "BEHAVIORAL therapy" OR TI "BEHAVIOURAL therapy" OR TI "BEHAVIOR therapy"	12 853
7.	AB "CBT" OR AB "COGNITIVE therapy" OR AB "BEHAVIOUR therapy" OR AB "COGNITIVE psychotherapy" OR AB "COGNITIVE-behavior therapy" OR AB "COGNITIVE-behaviour therapy" OR AB "COGNITIVE-behavioral therapy" OR AB "COGNITIVE-behavioural therapy" OR AB "BEHAVIORAL therapy" OR AB "BEHAVIOURAL therapy" OR AB "BEHAVIOR therapy"	30 567
8.	TI "MOTIVATIONAL counseling" OR TI "MOTIVATIONAL enhancement" OR TI "MOTIVATIONAL interviewing" OR TI "MOTIVATIONAL interview"	1 439
9.	AB "MOTIVATIONAL counseling" OR AB "MOTIVATIONAL enhancement" OR AB "MOTIVATIONAL interviewing" OR AB "MOTIVATIONAL interview"	3 574
10.	5 OR 6 OR 7 OR 8 OR 9	41 128
Study types:		
11.	DE "Meta Analysis" OR ZC "systematic review" OR ZC "meta analysis"	34 432
12.	TX (systematic* N3 review*) OR TX (metaanaly* OR meta-analy* OR "meta analy*")	52 101
13.	TX ((systematic* n3 bibliographic*) OR (systematic* n3 literature) OR (comprehensive* n3 literature) OR (comprehensive* n3 bibliographic*) OR (integrative n3 review) OR (information n2 synthesis) OR (data n2 synthesis) OR (data n2 extract*)) OR JN ("Cochrane Database of Systematic Reviews")	16 236
14.	11 OR 12 OR 13	59 516
Final	4 AND 10 AND 14	206



Psychology and behavior via ebsco.com 2017-12-18		
Antisocial behaviour and motivational interviewing/CBT		
	Search terms	Items found
Population:		
1.	(((((DE "DELINQUENT behavior" OR DE "DELINQUENT behavior in children") OR (DE "BEHAVIOR disorders in children")) OR (DE "ATTENTION-deficit hyperactivity disorder" OR DE "ATTENTION-deficit disorder in adolescence" OR DE "ATTENTION-deficit disorder in adults")) OR (DE "ATTENTION-deficit-disordered youth")) OR (DE "ATTENTION-deficit-disordered children")) OR (DE "BEHAVIOR disorders in adolescence")) OR (DE "BEHAVIOR disorders in children")) OR (DE "CONDUCT disorders in children" OR DE "AGGRESSION (Psychology) in children" OR DE "JUVENILE delinquency" OR DE "JUVENILE homicide" OR DE "PYROMANIA in children")) OR (DE "OPPOSITIONAL defiant disorder in children")) OR (DE "PROBLEM children") OR (DE "PROBLEM youth" OR DE "AT-risk students")) OR (DE "AT-risk youth")	9 569
2.	(DE "AUTISM spectrum disorders" OR DE "ASPERGER'S syndrome" OR DE "AUTISM spectrum disorders in children") AND (DE "AUTISM" OR DE "ASPERGER'S syndrome" OR DE "AUTISM in adolescence" OR DE "AUTISM in children")	824
3.	TI ( "Criminal Behavior" OR "Juvenile Delinquency" OR "Runaway Behavior" OR "Violence" OR "Behavior Disorders" OR "Addiction" OR "Drug Abuse" OR "Substance Use Disorder" OR "Acting Out" OR "Aggressive Behavior" OR "Conduct Disorder" OR "Autism Spectrum Disorders" OR "Autistic Thinking" OR "Attention Deficit Disorder" OR "Attention Deficit Disorder with Hyperactivity" OR "Oppositional Defiant Disorder" ) OR TI "Deviant Behavior" OR TI Aspergers OR TI Autism OR TI Autistic OR TI ADHD OR TI "PROBLEM children" OR TI "DEVIANT behaviour" OR TI "antisocial" OR TI "anti-social"	18 287
4.	AB ( "Criminal Behavior" OR "Juvenile Delinquency" OR "Runaway Behavior" OR "Violence" OR "Behavior Disorders" OR "Addiction" OR "Drug Abuse" OR "Substance Use Disorder" OR "Acting Out" OR "Aggressive Behavior" OR "Conduct Disorder" OR "Autism Spectrum Disorders" OR "Autistic Thinking" OR "Attention Deficit Disorder" OR "Attention Deficit Disorder with Hyperactivity" OR "Oppositional Defiant Disorder" ) OR AB "Deviant Behavior" OR AB Aspergers OR AB Autism OR AB Autistic OR AB ADHD OR AB "PROBLEM children" OR AB "DEVIANT behaviour" OR AB "antisocial" OR AB "anti-social"	36 658
5.	1 OR 2 OR 3 OR 4	42 852
Intervention:		
6.	((DE "MOTIVATIONAL interviewing") AND (DE "BEHAVIOR therapy" OR DE "ACCEPTANCE & commitment therapy" OR DE "BEHAVIOR therapy for children")) OR (DE "COGNITIVE therapy")	3 656
7.	TI "CBT" OR TI "COGNITIVE therapy" OR TI "BEHAVIOUR therapy" OR TI "COGNITIVE psychotherapy" OR TI "COGNITIVE-behavior therapy" OR TI "COGNITIVE-behaviour therapy" OR TI "COGNITIVE-behavioral therapy" OR TI "COGNITIVE-behavioural therapy" OR TI "BEHAVIORAL therapy" OR TI "BEHAVIOURAL therapy" OR TI "BEHAVIOR therapy"	1 990
8.	AB "CBT" OR AB "COGNITIVE therapy" OR AB "BEHAVIOUR therapy" OR AB "COGNITIVE psychotherapy" OR AB "COGNITIVE-behavior therapy" OR AB "COGNITIVE-behaviour therapy" OR AB "COGNITIVE-behavioral therapy" OR AB "COGNITIVE-behavioural therapy" OR AB "BEHAVIORAL therapy" OR AB "BEHAVIOURAL therapy" OR AB "BEHAVIOR therapy"	4 621
9.	TI "MOTIVATIONAL counseling" OR TI "MOTIVATIONAL enhancement" OR TI "MOTIVATIONAL interviewing" OR TI "MOTIVATIONAL interview"	275
10.	AB "MOTIVATIONAL counseling" OR AB "MOTIVATIONAL enhancement" OR AB "MOTIVATIONAL interviewing" OR AB "MOTIVATIONAL interview"	633
11.	6 OR 7 OR 8 OR 9 OR 10	6 816
Final	5 AND 11	471



ASSIA via ProQuest 2018-02-02		
Antisocial behaviour and motivational interviewing/CBT		
	Search terms	Items found
Population:		
1.	(MAINSUBJECT.EXACT("Aggression") OR MAINSUBJECT.EXACT("Antisocial behaviour")) OR (MAINSUBJECT.EXACT("Conduct disorders") OR MAINSUBJECT.EXACT("Attention deficit hyperactivity disorder") OR MAINSUBJECT.EXACT("Oppositional defiant disorder") OR MAINSUBJECT.EXACT("Behaviour disorders") OR MAINSUBJECT.EXACT("Disruptive behaviour disorders") OR MAINSUBJECT.EXACT("Attention deficit disorder")) OR MAINSUBJECT.EXACT.EXPLODE("Autism")	18 503
2.	ab("DELINQUENT behavior") OR ab("DELINQUENT behaviour") OR ab("BEHAVIOR disorder") OR ab("BEHAVIOUR disorder") OR ab("BEHAVIOR disorders") OR ab("BEHAVIOUR disorders") OR ab("ATTENTION-deficit hyperactivity disorder") OR ab("adhd") OR ab("BEHAVIOR disorders") OR ab("BEHAVIOUR disorders")	9 321
3.	ti("DELINQUENT behavior") OR ti("DELINQUENT behaviour") OR ti("BEHAVIOR disorder") OR ti("BEHAVIOUR disorder") OR ti("BEHAVIOR disorders") OR ti("BEHAVIOUR disorders") OR ti("ATTENTION-deficit hyperactivity disorder") OR ti("adhd") OR ti("BEHAVIOR disorders") OR ti("BEHAVIOUR disorders")	6 054
4.	ti("CONDUCT disorders") OR ti("CONDUCT disorder") OR ti("PROBLEM children") OR ti("DEVIANT behavior") OR ti("anti-social") OR ti("JUVENILE DELINQUENCY") OR ti("JUVENILE crime") OR ti("AUTISM") OR ti("AUTISTIC") OR ti("antisocial")	13 530
5.	ab("CONDUCT disorders") OR ab("CONDUCT disorder") OR ab("PROBLEM children") OR ab("DEVIANT behavior") OR ab("anti-social") OR ab("JUVENILE DELINQUENCY") OR ab("JUVENILE crime") OR ab("AUTISM") OR ab("AUTISTIC") OR ab("antisocial")	20 000
6.	1 OR 2 OR 3 OR 4 OR 5	35 348
Intervention:		
7.	MAINSUBJECT.EXACT.EXPLODE("Motivational interviewing") OR MAINSUBJECT.EXACT.EXPLODE("Cognitive behaviour therapy")	
8.	ab("CBT") OR ab("COGNITIVE behavior therapy") OR ab("COGNITIVE behaviour therapy") OR ab("COGNITIVE psychotherapy") OR ab("COGNITIVE-behavior therapy") OR ab("COGNITIVE-behaviour therapy") OR ab("COGNITIVE-behavioral therapy") OR ab("COGNITIVE-behavioural therapy") OR ab("BEHAVIORAL therapy") OR ab("BEHAVIOURAL therapy")	
9.	ti("CBT") OR ti("COGNITIVE behavior therapy") OR ti("COGNITIVE behaviour therapy") OR ti("COGNITIVE psychotherapy") OR ti("COGNITIVE-behavior therapy") OR ti("COGNITIVE-behaviour therapy") OR ti("COGNITIVE-behavioral therapy") OR ti("COGNITIVE-behavioural therapy") OR ti("BEHAVIORAL therapy") OR ti("BEHAVIOURAL therapy")	
10.	ti("BEHAVIOR therapy") OR ti("BEHAVIOUR therapy") OR ti("COGNITIVE therapy") OR ti("MOTIVATIONAL counseling") OR ti("MOTIVATIONAL enhancement") OR ti("MOTIVATIONAL interviewing") OR ti("MOTIVATIONAL interview")	
11.	ab("BEHAVIOR therapy") OR ab("BEHAVIOUR therapy") OR ab("COGNITIVE therapy") OR ab("MOTIVATIONAL counseling") OR ab("MOTIVATIONAL enhancement") OR ab("MOTIVATIONAL interviewing") OR ab("MOTIVATIONAL interview")	
12.	7 OR 8 OR 9 OR 10 OR 11	10 072
Final	6 AND 12	440/332

AB = Abstract

AF = Author affiliation

All = Performs a keyword search in most of the database's searchable fields, except full text

AU = Author

SU.EXACT = Term from the Sociological thesaurus

SU.EXACT.EXPLODE = Includes terms found below this term in the Sociological thesaurus

TI = Title

\* = Truncation

“ “ = Citation Marks; searches for an exact phrase

? = Wildcard, used to replace any single character either inside or at the right end of a word



Sociological Abstracts via ProQuest 2018-02-02		
Antisocial behaviour and motivational interviewing/CBT		
	Search terms	Items found
Population:		
1.	MAINSUBJECT.EXACT("Deviant Behavior") OR (MAINSUBJECT.EXACT("Aggression") OR MAINSUBJECT.EXACT("Deviant Behavior") OR MAINSUBJECT.EXACT("Behavior Problems") OR MAINSUBJECT.EXACT("Attention Deficit Disorder")) OR MAINSUBJECT.EXACT("Autism")	
2.	ab("DELINQUENT behavior") OR ab("DELINQUENT behaviour") OR ab("BEHAVIOR disorder") OR ab("BEHAVIOUR disorder") OR ab("BEHAVIOR disorders") OR ab("BEHAVIOUR disorders") OR ab("ATTENTION-deficit hyperactivity disorder") OR ab("adhd")	
3.	ti("DELINQUENT behavior") OR ti("DELINQUENT behaviour") OR ti("BEHAVIOR disorder") OR ti("BEHAVIOUR disorder") OR ti("BEHAVIOR disorders") OR ti("BEHAVIOUR disorders") OR ti("ATTENTION-deficit hyperactivity disorder") OR ti("adhd")	
4.	ti("CONDUCT disorders") OR ti("CONDUCT disorder") OR ti("PROBLEM children") OR ti("DEVIANT behavior") OR ti("anti-social") OR ti("Juvenile DELINQUENCY") OR ti("JUVENILE crime") OR ti("AUTISM") OR ti("AUTISTIC") OR ti("antisocial")	
5.	ab("CONDUCT disorders") OR ab("CONDUCT disorder") OR ab("PROBLEM children") OR ab("DEVIANT behavior") OR ab("anti-social") OR ab("Juvenile DELINQUENCY") OR ab("JUVENILE crime") OR ab("AUTISM") OR ab("AUTISTIC") OR ab("antisocial")	
6.	1 OR 2 OR 3 OR 4 OR 5	26 036
Intervention:		
7.	MAINSUBJECT.EXACT.EXPLODE("Behavior Modification")	
8.	ab("CBT") OR ab("COGNITIVE behavior therapy") OR ab("COGNITIVE behaviour therapy") OR ab("COGNITIVE psychotherapy") OR ab("COGNITIVE-behavior therapy") OR ab("COGNITIVE-behaviour therapy") OR ab("COGNITIVE-behavioral therapy") OR ab("COGNITIVE-behavioural therapy") OR ab("BEHAVIORAL therapy") OR ab("BEHAVIOURAL therapy")	
9.	ti("CBT") OR ti("COGNITIVE behavior therapy") OR ti("COGNITIVE behaviour therapy") OR ti("COGNITIVE psychotherapy") OR ti("COGNITIVE-behavior therapy") OR ti("COGNITIVE-behaviour therapy") OR ti("COGNITIVE-behavioral therapy") OR ti("COGNITIVE-behavioural therapy") OR ti("BEHAVIORAL therapy") OR ti("BEHAVIOURAL therapy")	
10.	ti("BEHAVIOR therapy") OR ti("BEHAVIOUR therapy") OR ti("COGNITIVE therapy") OR ti("MOTIVATIONAL counseling") OR ti("MOTIVATIONAL enhancement") OR ti("MOTIVATIONAL interviewing") OR ti("MOTIVATIONAL interview")	
11.	ab("BEHAVIOR therapy") OR ab("BEHAVIOUR therapy") OR ab("COGNITIVE therapy") OR ab("MOTIVATIONAL counseling") OR ab("MOTIVATIONAL enhancement") OR ab("MOTIVATIONAL interviewing") OR ab("MOTIVATIONAL interview")	
12.	7 OR 8 OR 9 OR 10 OR 11	4 850
Final	6 AND 12	399

AB = Abstract

AF = Author affiliation

All = Performs a keyword search in most of the database's searchable fields, except full text

AU = Author

SU.EXACT = Term from the Sociological thesaurus

SU.EXACT.EXPLODE = Includes terms found below this term in the Sociological thesaurus

TI = Title

\* = Truncation

“ “ = Citation Marks; searches for an exact phrase

? = Wildcard, used to replace any single character either inside or at the right end of a word