

**Bilaga 6 Artiklar som experterna bedömt ej uppfyller specificerade  
relevans- respektive kvalitetskrav**

## **Artiklar som experterna bedömt ej uppfyller specificerade relevanskriterier**

Ett av de problem som vi hade i urvalsprocessen var att flera av de viktigaste studierna kunde ha flera artiklar som inkluderade liknande sambandsanalyser där en viss undersökningsgrupp följts under samma period, med samma exponeringsmått och samma utfall. Skillnaden mellan publikationerna har då till exempel bestått i att en artikel dessutom kombinerat med ett annat exponeringsmått eller att man gjort alternativa specialanalyser av olika avgränsningar av det som skulle definieras som exponering. Exempel på där detta har förekommit är den stora studien av statstjänstemän i England (Whitehall II study), ett par svenska studier (SHEEP och WOLF), en finsk studie av kommunanställda och en kanadensisk befolkningsstudie. När ett och samma expertpar ställts inför detta har en gallring ägt rum antingen i relevanssteget eller i kvalitetsbedömningen. Om sådana liknande artiklar bedömts i olika expertpar har alla utom en artikel sorterats bort i sista steget, före evidensgraderingen. Principen har varit att en viss kohort inte får vägas in flera gånger om en viss sambandsanalys förekommit flera gånger. Den skulle då ha kommit att få en oproportionerligt stor betydelse i evidensgraderingen.

### **Lista över artiklar i bokstavsordning**

Alfredsson, L., N. Hammar, E. Fransson, U. de Faire, J. Hallqvist, A. Knutsson, T. Nilsson, T. Theorell and P. Westerholm (2002). "Job strain and major risk factors for coronary heart disease among employed males and females in a Swedish study on work, lipids and fibrinogen." Scand J Work Environ Health 28(4): 238-248.

Andersen, L. B., P. Schnohr, M. Scroll, H. O. Hein, A. Correspondence and I. f. I. K. U. N. A. L.B. Andersen (2002). "Mortality associated with physical activity in leisure time, at work, in sports, and cycling to work." Ugeskrift for Laeger 164(11): 1501-1506.

Appels, A., J. Siegrist and Y. De Vos (1997). "'Chronic workload,' 'need for control,' and 'vital exhaustion' in patients with myocardial infarction and controls: A comparative test of cardiovascular risk profiles." Stress Medicine 13(2): 117-121.

Arnold, S. V., K. G. Smolderen, D. M. Buchanan, Y. Li and J. A. Spertus (2012). "Perceived stress in myocardial infarction: long-term mortality and health status outcomes." J Am Coll Cardiol 60(18): 1756-1763.

Atkov, O. Y. (2012). "Blood pressure in night shift workers: Circadian rhythms and levels and their seasonal differences." Human Physiology 38(1): 73-76.

Barclay, K. J. and K. Scott (2014). "Workplace sex composition and ischaemic heart disease: A longitudinal analysis using Swedish register data." Scandinavian Journal of Public Health 42(6): 525-533.

Bener, A., J. Gomes, M. F. B. Hamouda, A. Correspondence, D. o. C. M. F. o. M. H. A. Bener and U. A. E. U. P. O. B. A.-A. U. A. E. Sciences (1996). "Hypertension among workers occupationally exposed to hydrocarbons and organic solvents." Journal of Environmental Science and Health - Part A Environmental Science and Engineering and Toxic and Hazardous Substance Control 31(2): 291-303.

Bildt, C., L. Backstig and I.-L. A. Hjelm (2006). "Work and health in Gnosjö: A longitudinal study." Work: Journal of Prevention, Assessment & Rehabilitation 27(1): 29-43.

- Bjor, O., H. Jonsson, L. Damber, J. Wahlstrom and T. Nilsson (2013). "Reduced mortality rates in a cohort of long-term underground iron-ore miners." *Am J Ind Med* 56(5): 531-540.
- Borodulin, K., A. Karki, T. Laatikainen, M. Peltonen and R. Luoto (2014). "Daily Sedentary Time and Risk of Cardiovascular Disease: The National FINRISK 2002 Study." *J Phys Act Health*.
- Bursey, R. G. (1990). "A cardiovascular study of shift workers with respect to coronary artery disease risk factor prevalence." *J Soc Occup Med* 40(2): 65-67.
- Carpentier, P. H., C. Biro, M. Jiguet and H. R. Maricq (2009). "Prevalence, risk factors, and clinical correlates of ulnar artery occlusion in the general population." *J Vasc Surg* 50(6): 1333-1339.
- Chandola, T., A. Britton, E. Brunner, H. Hemingway, M. Malik, M. Kumari, E. Badrick, M. Kivimaki and M. Marmot (2008). "Work stress and coronary heart disease: what are the mechanisms?" *Eur Heart J* 29(5): 640-648.
- Chasan-Taber, L., M. Silveira, P. Pekow, B. Braun, J. E. Manson, C. G. Solomon and G. Markenson (2014). "Physical activity, sedentary behavior and risk of hypertensive disorders of pregnancy in Hispanic women." *Hypertens Pregnancy*: 1-16.
- Chen, J. D., T. J. Cheng, Y. C. Lin and S. T. Hsiao (2007). "Job categories and acute ischemic heart disease: a hospital-based, case-control study in Taiwan." *Am J Ind Med* 50(6): 409-414.
- Clougherty, J. E., E. A. Eisen, M. D. Slade, I. Kawachi and M. R. Cullen (2011). "Gender and sex differences in job status and hypertension." *Occup Environ Med* 68(1): 16-23.
- De Vogli, R., J. E. Ferrie, T. Chandola, M. Kivimaki and M. G. Marmot (2007). "Unfairness and health: evidence from the Whitehall II Study." *J Epidemiol Community Health* 61(6): 513-518.
- Erikssen, J., K. Knudsen, P. Mowinckel, T. Guthe, J. P. Holm, R. Brandtzaeg and K. Rodahl (1990). "[Blood pressure elevation among industrial workers exposed to stress]." *Tidsskr Nor Laegeforen* 110(22): 2873-2877.
- Ferrie, J. E., M. J. Shipley, S. A. Stansfeld, G. Davey Smith, M. Marmot, A. Correspondence, D. o. E. P. H. U. C. L. J.E. Ferrie, T. P. L. W. C. E. B. T. U. K. Medical School and j. f. p.-h. u. a. u. Email (2003). "Future uncertainty and socioeconomic inequalities in health: The Whitehall." *Social Science and Medicine* 57(4): 637-646.
- Ferrie, J. E., M. J. Shipley, S. A. Stansfeld, G. D. Smith and M. Marmot (2003). "Future uncertainty and socioeconomic inequalities in health: the Whitehall II study." *Soc Sci Med* 57(4): 637-646.
- Fogari, R., A. Zoppi, A. Vanasia, G. Marasi and G. Villa (1994). "Occupational noise exposure and blood pressure." *J Hypertens* 12(4): 475-479.
- Fornari, C., M. Ferrario, C. Menni, R. Sega, R. Facchetti and G. C. Cesana (2007). "Biological consequences of stress: conflicting findings on the association between job strain and blood pressure." *Ergonomics* 50(11): 1717-1726.
- Frayne, S. M., K. M. Skinner, L. M. Sullivan and K. M. Freund (2003). "Sexual assault while in the military: violence as a predictor of cardiac risk?" *Violence Vict* 18(2): 219-225.
- Ganguly, S. S., M. A. Al-Shafaee and A. A. Al-Maniri (2008). "Some Risk Factors for Coronary Heart Disease among Omani Males: A matched case-control study." *Sultan Qaboos Univ Med J* 8(1): 45-51.

- Holtermann, A., J. L. Marott, F. Gyntelberg, K. Sogaard, P. Suadicani, O. S. Mortensen, E. Prescott and P. Schnohr (2013). "Does the benefit on survival from leisure time physical activity depend on physical activity at work? A prospective cohort study." *PLoS One* 8(1): e54548.
- Holtermann, A., O. S. Mortensen, H. Burr, K. Sogaard, F. Gyntelberg and P. Suadicani (2010). "Fitness, work, and leisure-time physical activity and ischaemic heart disease and all-cause mortality among men with pre-existing cardiovascular disease." *Scand J Work Environ Health* 36(5): 366-372.
- House, J. S., V. Strecher, H. L. Metzner and C. A. Robbins (1986). "Occupational stress and health among men and women in the Tecumseh Community Health Study." *J Health Soc Behav* 27(1): 62-77.
- Houtman, I., M. Kornitzer, P. De Smet, R. Koyuncu, G. De Backer, E. Pelfrene, M. Romon, C. Boulenguez, M. Ferrario, G. Origgi, S. Sans, I. Perez, L. Wilhelmsen, A. Rosengren, S. O. Isacsson, P. O. Ostergren, A. Correspondence, T. N. O. W. I. Houtman, P. O. B. A. S. H. Employment and Netherlands (1999). "Job stress, absenteeism and coronary heart disease European cooperative study (the JACE study): Design of a multicentre prospective study." *European Journal of Public Health* 9(1): 52-57.
- Hu, G., J. Tuomilehto, K. Borodulin and P. Jousilahti (2007). "The joint associations of occupational, commuting, and leisure-time physical activity, and the Framingham risk score on the 10-year risk of coronary heart disease." *Eur Heart J* 28(4): 492-498.
- Hu, G. C., K. L. Chien, S. F. Hsieh, C. Y. Chen, W. H. Tsai and T. C. Su (2013). "Occupational Versus Leisure-Time Physical Activity in Reducing Cardiovascular Risks and Mortality Among Ethnic Chinese Adults in Taiwan." *Asia Pac J Public Health*.
- Jackson, C., K. Lewis, M. Conner, R. Lawton, R. R. C. McEachan, A. Correspondence, U. o. L. L. U. Institute of Psychological Sciences and Kingdom (2014). "Are incremental changes in physical activity and sedentary behaviours associated with improved employee health?: A 12-month prospective study in five organisations." *International Journal of Workplace Health Management* 7(1): 16-39.
- Janicki-Deverts, D., S. Cohen, K. A. Matthews, D. R. Jacobs, Jr. and N. E. Adler (2011). "Occupational mobility and carotid artery intima-media thickness: findings from the Coronary Artery Risk Development in Young Adults Study." *Psychosom Med* 73(9): 795-802.
- Juvani, A., T. Oksanen, P. Salo, M. Virtanen, M. Kivimaki, J. Pentti and J. Vahtera (2014). "Effort-reward imbalance as a risk factor for disability pension: the Finnish Public Sector Study." *Scand J Work Environ Health* 40(3): 266-277.
- Karasek, R. (1990). "Lower health risk with increased job control among white collar workers." *Journal of Organizational Behavior* 11(3): 171-185.
- Karpov, A. B., Y. V. Semenova, R. M. Takhauov, T. M. Litvinenko and D. E. Kalinkin (2012). "The risk of acute myocardial infarction and arterial hypertension in a cohort of male employees of a Siberian Group of Chemical Enterprises exposed to long-term irradiation." *Health Phys* 103(1): 15-23.
- Kayaba, K., Y. Yazawa, T. Natsume, T. Yaginuma, T. Hosaka, S. Hosoda and T. Tamada (1990). "The relevance of psychosocial factors in acute ischemic heart disease. A case-control study of a Japanese population." *Jpn Circ J* 54(4): 464-471.
- Kivimaki, M., G. David Batty, M. Hamer, J. E. Ferrie, J. Vahtera, M. Virtanen, M. G. Marmot, A. Singh-Manoux, M. J. Shipley, A. Correspondence, D. o. E. M. Kivimaki, U.

- Public Health, T. P. L. W. C. E. B. T. U. K. College London and m. k. u. a. u. Email (2011). "Using additional information on working hours to predict coronary heart disease." *Annals of Internal Medicine* 154(7): 457-463.
- Koskinen, H. L., T. Kauppinen and L. Tenkanen (2011). "Dual role of physical workload and occupational noise in the association of the metabolic syndrome with risk of coronary heart disease: findings from the Helsinki Heart Study." *Occup Environ Med* 68(9): 666-673.
- Lallukka, T., T. Chandola, H. Hemingway, M. Marmot, E. Lahelma and O. Rahkonen (2009). "Job strain and symptoms of angina pectoris among British and Finnish middle-aged employees." *J Epidemiol Community Health* 63(12): 980-985.
- Landsbergis, P. A., T. Janevic, L. Rothenberg, M. T. Adamu, S. Johnson and F. E. Mirer (2013). "Disability rates for cardiovascular and psychological disorders among autoworkers by job category, facility type, and facility overtime hours." *Am J Ind Med* 56(7): 755-764.
- Leander, K., B. Wiman, J. Hallqvist, T. Andersson, A. Ahlbom and U. de Faire (2007). "Primary risk factors influence risk of recurrent myocardial infarction/death from coronary heart disease: results from the Stockholm Heart Epidemiology Program (SHEEP)." *Eur J Cardiovasc Prev Rehabil* 14(4): 532-537.
- Ledesert, B., M. J. Saurel-Cubizolles, M. Bourgine, M. Kaminski, A. Touranchet and C. Verger (1994). "Risk factors for high blood pressure among workers in French poultry slaughterhouses and canneries." *Eur J Epidemiol* 10(5): 609-620.
- Macleod, J., G. Davey Smith, P. Heslop, C. Metcalfe, D. Carroll and C. Hart (2002). "Psychological stress and cardiovascular disease: empirical demonstration of bias in a prospective observational study of Scottish men." *Bmj* 324(7348): 1247-1251.
- Malinauskiene, V., R. Grazuleviciene, M. J. Nieuwenhuijsen and A. Azaraviciene (2002). "Myocardial infarction risk and occupational categories in Kaunas 25-64 year old men." *Occup Environ Med* 59(11): 745-750.
- Malinauskiene, V., T. Theorell, R. Grazuleviciene, R. Malinauskas and A. Azaraviciene (2004). "Low job control and myocardial infarction risk in the occupational categories of Kaunas men, Lithuania." *J Epidemiol Community Health* 58(2): 131-135.
- Murphy, L. R. (1991). "Job dimensions associated with severe disability due to cardiovascular disease." *J Clin Epidemiol* 44(2): 155-166.
- Niedhammer, I. and M. Chea (2003). "Psychosocial factors at work and self reported health: comparative results of cross sectional and prospective analyses of the French GAZEL cohort." *Occup Environ Med* 60(7): 509-515.
- Niedhammer, I., M. Goldberg, A. Leclerc, S. David, I. Bugel and M. F. Landre (1998). "Psychosocial work environment and cardiovascular risk factors in an occupational cohort in France." *J Epidemiol Community Health* 52(2): 93-100.
- Ostlin, P., A. Correspondence and U. o. U. U. Department of Social Medicine (1988). "Negative health selection into physically light occupations." *Journal of Epidemiology and Community Health* 42(2): 152-156.
- Park, J., Y. S. Cho, K. H. Yi, K. Y. Rhee, Y. Kim, Y. H. Moon, A. Correspondence, I. H. R. I. K. K.-D. J. Park and I. S. K. Pupyeong-Ku (1999). "Unexpected natural death among Korean workers." *Journal of Occupational Health* 41(4): 238-243.

- Poppius, E., L. Tenkanen, R. Kalimo and P. Heinsalmi (1999). "The sense of coherence, occupation and the risk of coronary heart disease in the Helsinki Heart Study." *Soc Sci Med* 49(1): 109-120.
- Rijs, K. J., S. van der Pas, G. A. Geuskens, R. Cozijnsen, L. L. Koppes, A. J. van der Beek and D. J. Deeg (2014). "Development and validation of a physical and psychosocial job-exposure matrix in older and retired workers." *Ann Occup Hyg* 58(2): 152-170.
- Rod, N. H., I. Andersen and E. Prescott (2011). "Psychosocial risk factors and heart failure hospitalization: a prospective cohort study." *Am J Epidemiol* 174(6): 672-680.
- Romelsjo, A., M. Branting, J. Hallqvist, L. Alfredsson, N. Hammar, A. Leifman and A. Ahlbom (2003). "Abstention, alcohol use and risk of myocardial infarction in men and women taking account of social support and working conditions: the SHEEP case-control study." *Addiction* 98(10): 1453-1462.
- Schnall, P. L., J. E. Schwartz, P. A. Landsbergis, K. Warren and T. G. Pickering (1992). "Relation between job strain, alcohol, and ambulatory blood pressure." *Hypertension* 19(5): 488-494.
- Selim, S., R. Rahman, R. Yasmin, N. Karim, S. H. Chowdhury, H. Lona, S. G. Nabi and T. Shafi (2013). "Risk factors of acute coronary syndrome among Bangladeshi people." *Mymensingh Med J* 22(3): 513-521.
- Smith, B. T., P. M. Smith, J. Etches and C. A. Mustard (2012). "Overqualification and risk of all-cause and cardiovascular mortality: evidence from the Canadian Census Mortality Follow-up Study (1991-2001)." *Can J Public Health* 103(4): e297-302.
- Stansfeld, S. A., R. Fuhrer, M. J. Shipley and M. G. Marmot (2002). "Psychological distress as a risk factor for coronary heart disease in the Whitehall II Study." *Int J Epidemiol* 31(1): 248-255.
- Stewart, P. A., C. Schairer, A. Blair, A. Correspondence, N. C. I. R. E. P. N. P.A. Stewart and M. D. U. S. Rockville (1990). "Comparison of jobs, exposures, and mortality risks for short-term and long-term workers." *Journal of Occupational Medicine* 32(8): 703-708.
- Suadicani, P., L. L. Andersen, A. Holtermann, O. S. Mortensen and F. Gyntelberg (2011). "Perceived psychological pressure at work, social class, and risk of stroke: a 30-year follow-up in Copenhagen male study." *J Occup Environ Med* 53(12): 1388-1395.
- Temcharoen, P., T. Vorapongsathorn, M. Pradipasen and P. Sritara (2002). "A longitudinal causal relationship among cardiovascular risk factors in the employees of the government savings bank." *J Med Assoc Thai* 85(8): 863-874.
- Theorell, T. (1986). "Stress at work and risk of myocardial infarction." *Postgrad Med J* 62(730): 791-795.
- Theorell, T., A. Hamsten, U. de Faire, K. Orth-Gomer and A. Perski (1987). "Psychosocial work conditions before myocardial infarction in young men." *Int J Cardiol* 15(1): 33-46.
- Thomas, C. and C. Power (2010). "Shift work and risk factors for cardiovascular disease: a study at age 45 years in the 1958 British birth cohort." *Eur J Epidemiol* 25(5): 305-314.
- Toivanen, S. and O. Hemstrom (2008). "Is the impact of job control on stroke independent from socioeconomic status?: a large-scale study of the Swedish working population." *Stroke* 39(4): 1321-1323.
- Tsutsumi, A., K. Kayaba, K. Kario and S. Ishikawa (2009). "Prospective study on occupational stress and risk of stroke." *Arch Intern Med* 169(1): 56-61.
- Tuomi, K. (1994). "Characteristics of work and life predicting coronary heart disease. Finnish

- research project on aging workers." *Soc Sci Med* 38(11): 1509-1519.
- Tuomi, K., J. Seitsamo and P. Huuhtanen (1999). "Stress management, aging, and disease." *Exp Aging Res* 25(4): 353-358.
- Uchiyama, S., T. Kurasawa, T. Sekizawa and H. Nakatsuka (2005). "Job strain and risk of cardiovascular events in treated hypertensive Japanese workers: hypertension follow-up group study." *J Occup Health* 47(2): 102-111.
- Wang, H. X., C. Leineweber, R. Kirkeeide, B. Svane, K. Schenck-Gustafsson, T. Theorell and K. Orth-Gomer (2007). "Psychosocial stress and atherosclerosis: family and work stress accelerate progression of coronary disease in women. The Stockholm Female Coronary Angiography Study." *J Intern Med* 261(3): 245-254.
- Wanner, M., S. Tarnutzer, B. W. Martin, J. Braun, S. Rohrmann, M. Bopp and D. Faeh (2014). "Impact of different domains of physical activity on cause-specific mortality: A longitudinal study." *Prev Med* 62: 89-95.
- Wennberg, P., B. Lindahl, G. Hallmans, T. Messner, L. Weinehall, L. Johansson, K. Boman and J. H. Jansson (2006). "The effects of commuting activity and occupational and leisure time physical activity on risk of myocardial infarction." *Eur J Cardiovasc Prev Rehabil* 13(6): 924-930.
- Westerlund, H., M. Kivimaki, J. E. Ferrie, M. Marmot, M. J. Shipley, J. Vahtera and J. Head (2009). "Does working while ill trigger serious coronary events? The Whitehall II study." *J Occup Environ Med* 51(9): 1099-1104.
- Wiernik, E., H. Nabi, B. Pannier, S. Czernichow, O. Hanon, T. Simon, J. M. Simon, F. Thomas, C. Ducolombier, N. Danchin, F. Limosin, S. M. Consoli and C. Lemogne (2014). "Perceived stress, sex and occupational status interact to increase the risk of future high blood pressure: the IPC cohort study." *J Hypertens* 32(10): 1979-1986; discussion 1986.
- Viitasalo, K., E. Kuosma, J. Laitinen and M. Harma (2008). "Effects of shift rotation and the flexibility of a shift system on daytime alertness and cardiovascular risk factors." *Scand J Work Environ Health* 34(3): 198-205.
- Wu, T. N., Y. C. Ko and P. Y. Chang (1987). "Study of noise exposure and high blood pressure in shipyard workers." *Am J Ind Med* 12(4): 431-438.
- Xu, W., Y. Zhao, L. Guo, Y. Guo and W. Gao (2009). "Job stress and coronary heart disease: a case-control study using a Chinese population." *J Occup Health* 51(2): 107-113.
- Yadegarf, G. and R. McNamee (2008). "The effect of shift work on ischaemic heart disease." *Occup Environ Med* 65(8): 575-576.

## **Artiklar som experterna bedömt ej uppfyller specificerade kvalitetskriterier**

Ett av de problem som vi hade i urvalsprocessen var att flera av de viktigaste studierna kunde ha flera artiklar som inkluderade liknande sambandsanalyser där en viss undersökningsgrupp följts under samma period, med samma exponeringsmått och samma utfall. Skillnaden mellan publikationerna har då till exempel bestått i att en artikel dessutom kombinerat med ett annat exponeringsmått eller att man gjort alternativa specialanalyser av olika avgränsningar av det som skulle definieras som exponering. Exempel på där detta har förekommit är den stora studien av statstjänstemän i England (Whitehall II study), ett par svenska studier (SHEEP och WOLF), en finsk studie av kommunanställda och en kanadensisk befolkningsstudie. När ett och samma expertpar ställts inför detta har en gallring ägt rum antingen i relevanssteget eller i kvalitetsbedömningen. Om sådana liknande artiklar bedömts i olika expertpar har alla utom en artikel sorterats bort i sista steget, före evidensgraderingen. Principen har varit att en viss kohort inte får vägas in flera gånger om en viss sambandsanalys förekommit flera gånger. Den skulle då ha kommit att få en oproportionerligt stor betydelse i evidensgraderingen.

### **Lista över artiklar i bokstavsordning**

- Alterman, T., R. B. Shekelle, S. W. Vernon and K. D. Burau (1994). "Decision latitude, psychologic demand, job strain, and coronary heart disease in the Western Electric Study." Am J Epidemiol 139(6): 620-627.
- Altieri, A., A. Tavani, S. Gallus and C. La Vecchia (2004). "Occupational and leisure time physical activity and the risk of nonfatal acute myocardial infarction in Italy." Ann Epidemiol 14(7): 461-466.
- Andersson, E., B. Persson, I. L. Bryngelsson, A. Magnuson, K. Toren, G. Wingren and H. Westberg (2007). "Cohort mortality study of Swedish pulp and paper mill workers-nonmalignant diseases." Scand J Work Environ Health 33(6): 470-478.
- Azizova, T. V., C. R. Muirhead, M. B. Druzhinina, E. S. Grigoryeva, E. V. Vlasenko, M. V. Sumina, J. A. O'Hagan, W. Zhang, R. G. E. Haylock, N. Hunter, A. Correspondence, S. U. B. I. O. s. T. V. Azizova, C. r. R. F. E. Ozyorsk and clinic@subi.su (2010). "Cardiovascular diseases in the cohort of workers first employed at mayak PA in 19481958." Radiation Research 174(2): 155-168.
- Bjor, B., L. Burstrom, T. Nilsson and C. Reuterwall (2006). "Vibration exposure and myocardial infarction incidence: the VHEEP case-control study." Occup Med (Lond) 56(5): 338-344.
- Bosma, H., M. G. Marmot, H. Hemingway, A. C. Nicholson, E. Brunner and S. A. Stansfeld (1997). "Low job control and risk of coronary heart disease in Whitehall II (prospective cohort) study." Bmj 314(7080): 558-565.
- Bosma, H., S. A. Stansfeld and M. G. Marmot (1998). "Job control, personal characteristics, and heart disease." J Occup Health Psychol 3(4): 402-409.
- Chapman, A., J. A. Mandryk, M. S. Frommer and B. V. Edye (1990). "Chronic perceived work stress and blood pressure among Australian government employees." Scandinavian Journal of Work, Environment & Health 16(4): 258-269.
- D'Avanzo, B., L. Santoro, C. La Vecchia, A. Maggioni, A. Nobili, G. Iacutti and S. Franceschi (1993). "Physical activity and the risk of acute myocardial infarction. GISSI-EFRIM Investigators. Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto-Epidemiologia dei Fattori di Rischio

- dell'Infarto Miocardico." *Ann Epidemiol* 3(6): 645-651.
- Eaton, C. B., J. H. Medalie, S. A. Flocke, S. J. Zyzanski, S. Yaari and U. Goldbourt (1995). "Self-reported physical activity predicts long-term coronary heart disease and all-cause mortalities. Twenty-one-year follow-up of the Israeli Ischemic Heart Disease Study." *Arch Fam Med* 4(4): 323-329.
- Ellingsen, T., A. Bener and A. A. Gehani (2007). "Study of shift work and risk of coronary events." *J R Soc Promot Health* 127(6): 265-267.
- Falger, P. R. and E. G. Schouten (1992). "Exhaustion, psychological stressors in the work environment, and acute myocardial infarction in adult men." *J Psychosom Res* 36(8): 777-786.
- Ferrie, J. E., M. J. Shipley, S. A. Stansfeld and M. G. Marmot (2002). "Effects of chronic job insecurity and change in job security on self reported health, minor psychiatric morbidity, physiological measures, and health related behaviours in British civil servants: The Whitehall II study." *Journal of Epidemiology and Community Health* 56(6): 450-454.
- Frost, L., P. Frost and P. Vestergaard (2005). "Work related physical activity and risk of a hospital discharge diagnosis of atrial fibrillation or flutter: the Danish Diet, Cancer, and Health Study." *Occup Environ Med* 62(1): 49-53.
- Gopinath, B., A. Thiagalingam, E. Teber and P. Mitchell (2011). "Exposure to workplace noise and the risk of cardiovascular disease events and mortality among older adults." *Prev Med* 53(6): 390-394.
- Guo, Y., Y. Liu, X. Huang, Y. Rong, M. He, Y. Wang, J. Yuan, T. Wu and W. Chen (2013). "The effects of shift work on sleeping quality, hypertension and diabetes in retired workers." *PLoS One* 8(8): e71107.
- Guseva Canu, I., J. P. Garsi, S. Caer-Lorho, S. Jacob, P. Collomb, A. Acker and D. Laurier (2012). "Does uranium induce circulatory diseases? First results from a French cohort of uranium workers." *Occup Environ Med* 69(6): 404-409.
- Habil, E., R. Faris, A. Magid and M. Rady (1999). "Predictive model of coronary heart disease in Egypt (a disease with multiple risk factors)." *J Egypt Public Health Assoc* 74(3-4): 297-312.
- Haelterman, E., S. Marcoux, A. Croteau and M. Dramaix (2007). "Population-based study on occupational risk factors for preeclampsia and gestational hypertension." *Scand J Work Environ Health* 33(4): 304-317.
- Hermansson, J., K. Gillander Gadin, B. Karlsson, B. Lindahl, B. Stegmayr and A. Knutsson (2007). "Ischemic stroke and shift work." *Scand J Work Environ Health* 33(6): 435-439.
- Holtermann, A., O. S. Mortensen, H. Burr, K. Sogaard, F. Gyntelberg and P. Suadicani (2010). "Physical work demands, hypertension status, and risk of ischemic heart disease and all-cause mortality in the Copenhagen Male Study." *Scand J Work Environ Health* 36(6): 466-472.
- Holtermann, A., O. S. Mortensen, H. Burr, K. Sogaard, F. Gyntelberg and P. Suadicani (2011). "Physical fitness and perceived psychological pressure at work: 30-year ischemic heart disease and all-cause mortality in the Copenhagen Male Study." *J Occup Environ Med* 53(7): 743-750.
- Ising, H., W. Babisch, T. Gunther, A. Correspondence and U. P. O. B. D. B. G. H. Ising (1999). "Work noise as a risk factor in myocardial infarction." *Journal of Clinical and Basic Cardiology* 2(1): 64-68.
- Itani, O., Y. Kaneita, M. Ikeda, S. Kondo, A. Murata and T. Ohida (2013). "Associations of work hours and actual availability of weekly

- rest days with cardiovascular risk factors." *J Occup Health* 55(1): 11-20.
- Ivanov, V. K., M. A. Maksioutov, S. Y. Chekin, A. V. Petrov, A. P. Biryukov, Z. G. Kruglova, V. A. Matyash, A. F. Tsyb, K. G. Manton and J. S. Kravchenko (2006). "The risk of radiation-induced cerebrovascular disease in Chernobyl emergency workers." *Health Phys* 90(3): 199-207.
- Kivimaki, M., D. Gimeno, J. E. Ferrie, G. D. Batty, T. Oksanen, M. Jokela, M. Virtanen, P. Salo, T. N. Akbaraly, M. Elovainio, J. Pentti and J. Vahtera (2009). "Socioeconomic position, psychosocial work environment and cerebrovascular disease among women: the Finnish public sector study." *Int J Epidemiol* 38(5): 1265-1271.
- Kivimaki, M., T. Theorell, H. Westerlund, J. Vahtera and L. Alfredsson (2008). "Job strain and ischaemic disease: does the inclusion of older employees in the cohort dilute the association? The WOLF Stockholm Study." *J Epidemiol Community Health* 62(4): 372-374.
- Kreuzer, M., B. Grosche, M. Schnelzer, A. Tschense, F. Dufey and L. Walsh (2010). "Radon and risk of death from cancer and cardiovascular diseases in the German uranium miners cohort study: follow-up 1946-2003." *Radiat Environ Biophys* 49(2): 177-185.
- Kreuzer, M., M. Kreisheimer, M. Kandel, M. Schnelzer, A. Tschense and B. Grosche (2006). "Mortality from cardiovascular diseases in the German uranium miners cohort study, 1946-1998." *Radiat Environ Biophys* 45(3): 159-166.
- Kristal-Boneh, E., G. Harari, S. Melamed and P. Froom (2000). "Association of physical activity at work with mortality in Israeli industrial employees: the CORDIS study." *J Occup Environ Med* 42(2): 127-135.
- Lin, S., B. Liu, C. Wu, H. Zhou, M. N. Courtice and D. Zhu (2014). "Interaction between occupational stress and GR gene polymorphisms on essential hypertension among railway workers." *J Occup Health* 55(5): 349-358.
- Liu, Y. and H. Tanaka (2002). "Overtime work, insufficient sleep, and risk of non-fatal acute myocardial infarction in Japanese men." *Occup Environ Med* 59(7): 447-451.
- Lynch, J., N. Krause, G. A. Kaplan, J. Tuomilehto and J. T. Salonen (1997). "Workplace conditions, socioeconomic status, and the risk of mortality and acute myocardial infarction: the Kuopio Ischemic Heart Disease Risk Factor Study." *Am J Public Health* 87(4): 617-622.
- McNamee, R., K. Binks, S. Jones, D. Faulkner, A. Slovak and N. M. Cherry (1996). "Shiftwork and mortality from ischaemic heart disease." *Occup Environ Med* 53(6): 367-373.
- Medin, J., K. Ekberg, A. Nordlund and J. Eklund (2008). "Organisational change, job strain and increased risk of stroke? A pilot study." *Work* 31(4): 443-449.
- Melamed, S., E. Kristal-Boneh and P. Froom (1999). "Industrial Noise Exposure and Risk Factors for Cardiovascular Disease: Findings from the CORDIS Study." *Noise Health* 1(4): 49-56.
- Menotti, A., M. Lanti, F. Seccareccia, S. Giampaoli and F. Dima (1993). "Multivariate prediction of the first major cerebrovascular event in an Italian population sample of middle-aged men followed up for 25 years." *Stroke* 24(1): 42-48.
- Merry, A. H., J. M. Boer, L. J. Schouten, E. J. Feskens, W. M. Verschuren, A. P. Gorgels and P. A. van den Brandt (2011). "Smoking, alcohol consumption, physical activity, and family history and the risks of acute myocardial infarction and unstable angina pectoris: a prospective cohort study." *BMC Cardiovasc Disord* 11: 13.

- Messner, T. and H. Sihm (1997). "Psychosocial risk factors for ischaemic heart disease among men in the subarctic area." *Int J Circumpolar Health* 56(1-2): 12-20.
- Netterstrom, B., T. S. Kristensen, G. Jensen and P. Schnor (2010). "Is the demand-control model still a useful tool to assess work-related psychosocial risk for ischemic heart disease? Results from 14 year follow up in the Copenhagen City Heart study." *Int J Occup Med Environ Health* 23(3): 217-224.
- Netterstrøm, B., T. S. Kristensen, G. Jensen and P. Schnor (2010). "Is the Demand-Control Model still a useful tool to assess work-related psychosocial risk for ischemic heart disease? Results from 14 year follow up in the Copenhagen City Heart Study." *International Journal of Occupational Medicine and Environmental Health* 23(3): 217-224.
- Orth-Gomer, K., A. Hamsten, A. Perski, A. Correspondence, F. National Institute for Psychosocial and S. Health (1986). "Type A behaviour, education and psychosocial work characteristics in relation to ischemic heart disease - A case control study of young survivors of myocardial infarction." *Journal of Psychosomatic Research* 30(6): 633-642.
- Orth-Gomer, K. and C. Leineweber (2005). "Multiple stressors and coronary disease in women. The Stockholm Female Coronary Risk Study." *Biol Psychol* 69(1): 57-66.
- Ostlin, P., L. Alfredsson, N. Hammar and C. Reuterwall (1997). "[Is gender minority at workplaces a risk of myocardial infarction?]." *Lakartidningen* 94(7): 529-533.
- Panagiotakos, D. B., C. Chrysohoou, C. Pitsavos, S. Antoniou, E. Vavouranakis, P. Stratopodis, A. D. Moraiti, I. Stefanadis Ch and P. K. Toutouzas (2003). "The association between occupational stress and the risk of developing acute coronary syndromes: the CARDIO2000 Study." *Cent Eur J Public Health* 11(1): 25-30.
- Peter, R., A. Hammarstrom, J. Hallqvist, J. Siegrist and T. Theorell (2006). "Does occupational gender segregation influence the association of effort-reward imbalance with myocardial infarction in the SHEEP study?" *Int J Behav Med* 13(1): 34-43.
- Petersen, C. B., L. Eriksen, J. S. Tolstrup, K. Sogaard, M. Gronbaek and A. Holtermann (2012). "Occupational heavy lifting and risk of ischemic heart disease and all-cause mortality." *BMC Public Health* 12: 1070.
- Piros, S., S. Karlehagen, G. Lappas and L. Wilhelmsen (2000). "Risk factors for myocardial infarction among Swedish railway engine drivers during 10 years follow-up." *J Cardiovasc Risk* 7(5): 395-400.
- Piros, S., S. Karlehagen, G. Lappas, L. Wilhelmsen, A. Correspondence, S. o. P. C. H. L. Wilhelmsen, I. Lung, D. S. E. G. S. E. Goteborg University and Iwilhelmsen@scandinaviancri.se (2000). "Psychosocial risk factors for myocardial infarction among Swedish railway engine drivers during 10 years follow-up." *Journal of Cardiovascular Risk* 7(5): 389-394.
- Ptitsyna, N. G., G. Villoresi, Y. A. Kopytenko, V. A. Kudrin, M. I. Tyasto, E. A. Kopytenko, N. Iucci, P. M. Voronov and D. B. Zaitsev (1996). "Coronary heart diseases: assessment of risk associated with work exposure to ultralow-frequency magnetic fields." *Bioelectromagnetics* 17(6): 436-444.
- Rauchenzauner, M., F. Ernst, F. Hintringer, H. Ulmer, C. F. Ebenbichler, M. T. Kasseroler and M. Joannidis (2009). "Arrhythmias and increased neuro-endocrine stress response during physicians' night shifts: a randomized cross-over trial." *Eur Heart J* 30(21): 2606-2613.
- Reed, D. M., A. Z. LaCroix, R. A. Karasek, D. Miller and C. A. MacLean (1989). "Occupational strain and the incidence of

- coronary heart disease." *Am J Epidemiol* 129(3): 495-502.
- Rothenbacher, D., A. Hoffmeister, H. Brenner and W. Koenig (2003). "Physical activity, coronary heart disease, and inflammatory response." *Arch Intern Med* 163(10): 1200-1205.
- Saftlas, A. F., N. Logsdon-Sackett, W. Wang, R. Woolson and M. B. Bracken (2004). "Work, leisure-time physical activity, and risk of preeclampsia and gestational hypertension." *Am J Epidemiol* 160(8): 758-765.
- Sihm, I., G. Dehlholm, E. S. Hansen, L. U. Gerdes and O. Faergeman (1991). "The psychosocial work environment of younger men surviving acute myocardial infarction." *Eur Heart J* 12(2): 203-209.
- Steenland, K. and L. Fine (1996). "Shift work, shift change, and risk of death from heart disease at work." *Am J Ind Med* 29(3): 278-281.
- Stender, M., H. W. Hense, A. Doring and U. Keil (1993). "Physical activity at work and cardiovascular disease risk: results from the MONICA Augsburg study." *Int J Epidemiol* 22(4): 644-650.
- Stokholm, Z. A., J. P. Bonde, K. L. Christensen, A. M. Hansen and H. A. Kolstad (2013). "Occupational noise exposure and the risk of hypertension." *Epidemiology* 24(1): 135-142.
- Suadicani, P., H. O. Hein and F. Gyntelberg (1993). "Are social inequalities as associated with the risk of ischaemic heart disease a result of psychosocial working conditions?" *Atherosclerosis* 101(2): 165-175.
- Szerencsi, K., L. van Amelsvoort, M. Prins and I. Kant (2014). "The prospective relationship between work stressors and cardiovascular disease, using a comprehensive work stressor measure for exposure assessment." *Int Arch Occup Environ Health* 87(2): 155-164.
- Szerencsi, K., L. van Amelsvoort, J. Serroyen, M. Prins, N. Jansen and I. Kant (2013). "The impact of personal attributes on the association between cumulative exposure to work stressors and cardiovascular disease." *J Psychosom Res* 75(1): 23-31.
- Thrift, A. G., G. A. Donnan and J. J. McNeil (2002). "Reduced risk of intracerebral hemorrhage with dynamic recreational exercise but not with heavy work activity." *Stroke* 33(2): 559-564.
- Toivanen, S. and O. Hemstrom (2006). "Income differences in cardiovascular disease: is the contribution from work similar in prevalence versus mortality outcomes?" *Int J Behav Med* 13(1): 89-100.
- Tuchsen, F. (1993). "Working hours and ischaemic heart disease in Danish men: a 4-year cohort study of hospitalization." *Int J Epidemiol* 22(2): 215-221.
- Tuchsen, F., H. Hannerz and H. Burr (2006). "A 12 year prospective study of circulatory disease among Danish shift workers." *Occup Environ Med* 63(7): 451-455.
- Yadegarfar, G. and R. McNamee (2008). "Shift work, confounding and death from ischaemic heart disease." *Occup Environ Med* 65(3): 158-163.