

Bilaga 2.30

1 (26)

Inventering av vetenskapliga kunskapsluckor inom psykisk ohälsa 2005–2020
- insatser för att utreda, diagnostisera, förebygga och behandla psykisk ohälsa,
inklusive stödjande och organisoriska åtgärder
rapport 335 (2021)

Bilaga 2.30 Organisation

Utdrag från DUET:s databas med vetenskapliga kunskapsluckor

Listan i denna bilaga innehåller följande information:

Populations-kategori	Titel	Insats-kategori	Källa (endast i DUETs)	Referens	Typ av kunskapslucka	Datum
Övergripande kategori för population	Kunskapsluckans titel	Övergripande kategori för insats	Internationell eller brittisk arbetsgrupp som tagit fram underlaget (t.ex. Cochrane, NICE, JLA, DUETs Mental Health Module editorial group)	Underlag som hämtats från luckan	Tre typer: - En systematisk översikt behövs - En uppdaterad systematisk översikt behövs - Fler primärstudier behövs	Datum för när den senaste versionen av kunskapsluckan publicerades De tre typerna återspeglar kunskapsläget sådant det såg ut vid tidpunkten för utredningen av kunskapsluckan.

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Neuropsykiatiska tillstånd	Homework, organisation, and planning skills (HOPS) for school children with attention deficit-hyperactivity disorder (ADHD)	Organisation, Stöd & Information	En systematisk översikt behövs	Evidence Update - attention deficit hyperactivity disorder		2013-05-13
Neuropsykiatiska tillstånd	Does training professionals to recognise signs and symptoms of autism lead to earlier assessment of needs and earlier diagnosis (and by implication reduce morbidity/improve health outcomes) among children and young people with suspected autism compared with no training?	Organisation	Fler primärstudier behövs	NICE Clinical Guideline Autism spectrum disorders in children and young people	<i>National Collaborating Centre for Women's and Children's Health (2011) Autism spectrum disorders in children and young people. Clinical Guideline. London: National Institute for Health and Clinical Excellence.</i>	2011-09-30
Neuropsykiatiska tillstånd	Are interventions to improve consistency of approach between agencies like health and education effective to improve behavioural problems in children with Autistic Spectrum Disorder (ASD)?	Organisation	En systematisk översikt behövs	JLA Survey		2014-06-23
Neuropsykiatiska tillstånd	Does routine additional information from educational settings (such as nursery or school) improve accuracy in diagnosing autism among children or young people up to the age of 19 compared with signs and symptoms alone?	Organisation, Diagnostik & Utredning	Fler primärstudier behövs	NICE Clinical Guideline Autism spectrum disorders in children and young people	<i>National Collaborating Centre for Women's and Children's Health (2011) Autism spectrum disorders in children and young people. Clinical Guideline. London: National Institute for Health and Clinical Excellence.</i>	2011-09-30
Affektiva tillstånd	Specialised collaborative care service for people admitted to hospital with bipolar disorder	Organisation	Fler primärstudier behövs	NICE CG. Bipolar disorder: the assessment and management of bipolar disorder in adults, children and young people in primary and secondary care. Clinical Guideline CG185. London: National Institute for Health and Clinical Excellence.		2014-11-19
Affektiva tillstånd	Comprehensive assessment versus a brief assessment conducted by mental health professional versus a brief assessment by conducted by a paraprofessional?	Diagnostik & Utredning, Vård- & Behandlingsalternativ, Organisation	Fler primärstudier behövs	NICE Clinical Guideline Common mental health disorders	<i>National Collaborating Centre for Mental Health (2011) Common mental health disorders. Clinical Guideline. London: The British Psychological Society & The Royal College of Psychiatrists.</i>	2011-05-31

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Affektiva tillstånd	Collaborative care for depression and anxiety problems	Organisation	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	Archer J, Bower P, Gilbody S, Lovell K, Richards D, Gask L, Dickens C, Coventry P. <i>Collaborative care for depression and anxiety problems. Cochrane Database of Systematic Reviews 2012, Issue 10. Art. No.: CD006525.</i>	2009-10-18
Affektiva tillstånd	Delivering services to people with social anxiety	Organisation	Fler primärstudier behövs	NICE Clinical Guideline Social anxiety disorder (CG159)	National Collaborating Centre for Mental Health (2013) <i>Social anxiety disorder (CG159). Clinical Guideline. London: The British Psychological Society & The Royal College of Psychiatrists.</i>	2013-07-12
Affektiva tillstånd	What is the best way of involving parents in the treatment of children and young people at different stages of development with social anxiety disorder?	Organisation	Fler primärstudier behövs	NICE Clinical Guideline Social anxiety disorder (CG159)	National Collaborating Centre for Mental Health (2013) <i>Social anxiety disorder (CG159). Clinical Guideline. London: The British Psychological Society & The Royal College of Psychiatrists.</i>	2013-07-12
Schizofreni & Psykotiska tillstånd	Treatments for primary delusional infestation	Vård- & Behandlingsalternativ, Organisation	En systematisk översikt behövs	Cochrane Schizophrenia Group		2014-11-18
Schizofreni & Psykotiska tillstånd	Implementation of treatment guidelines for specialist mental health care	Organisation	Fler primärstudier behövs	Cochrane Schizophrenia Group	Barbui C, Girlanda F, Ay E, Cipriani A, Becker T, Koesters M. <i>Implementation of treatment guidelines for specialist mental health care. Cochrane Database of Systematic Reviews 2014, Issue 1. Art. No.: CD009780.</i>	2014-02-10
Schizofreni & Psykotiska tillstånd	Collaborative care approaches for people with severe mental illness	Organisation	Fler primärstudier behövs	Cochrane Schizophrenia Group	Reilly S, Planner C, Gask L, Hann M, Knowles S, Druss B, Lester H. <i>Collaborative care approaches for people with severe mental illness. Cochrane Database of Systematic Reviews 2013, Issue 11. Art. No.: CD009531.</i>	2013-12-09
Schizofreni & Psykotiska tillstånd	Day hospital versus admission for acute psychiatric disorders	Organisation	Fler primärstudier behövs	Cochrane Schizophrenia Group	Marshall M, Crowther R, Sledge WH, Rathbone J, Soares-Weiser K. <i>Day hospital versus admission for acute psychiatric disorders. Cochrane Database of Systematic Reviews 2011, Issue 12. Art. No.: CD004026.</i>	2011-12-07
Schizofreni & Psykotiska tillstånd	Clinical and cost-effectiveness of monitoring the physical health of people with schizophrenia	Organisation	Fler primärstudier behövs	NICE guideline on core interventions in the treatment and management of schizophrenia	Tosh G, Clifton A, Mala S, Bachner M. <i>Physical health care monitoring for people with serious mental illness. Cochrane Database of Systematic Reviews 2010, Issue 3. Art. No.: CD008298.</i>	2011-02-17

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Schizofreni & Psykotiska tillstånd	Clinical, social and economic outcomes, including quality of life and the methods and effects of risk monitoring, of treatment by acute day hospitals, assertive outreach teams, in-patient units, and crisis resolution and home treatment teams	Organisation	Fler primärstudier behövs	NICE guideline on core interventions in the treatment and management of schizophrenia		2011-02-17
Schizofreni & Psykotiska tillstånd	Compulsory community and involuntary outpatient treatment for people with severe mental disorders	Organisation	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Kisely SR, Campbell LA. Compulsory community and involuntary outpatient treatment for people with severe mental disorders. Cochrane Database of Systematic Reviews 2011, Issue 2. Art. No.: CD004408.</i>	2011-02-16
Schizofreni & Psykotiska tillstånd	Assertive community treatment for people with severe mental disorders in the UK	Organisation	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Marshall M, Lockwood A. Assertive community treatment for people with severe mental disorders. Cochrane Database of Systematic Reviews 1998, Issue 2. Art. No.: CD001089.</i>	2010-01-22
Schizofreni & Psykotiska tillstånd	Inpatient admission versus day hospital for schizophrenia	Organisation	Fler primärstudier behövs	Mental Health Research Network Cymru	<i>Catty JS, Bunstead Z, Burns T, Comas A. Day centres for severe mental illness. Cochrane Database of Systematic Reviews 2007, Issue 1. Art. No.: CD001710.</i>	2008-02-13

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Schizofreni & Psykotiska tillstånd	Are there benefits of hospital treatment compared to home care treatment for psychotic episodes?	Organisation	Fler primärstudier behövs	Mind Cymru	<p>Marshall M, Crowther R, Almaraz-Serrano A, Creed F, Sledge W, Kluiter H, Roberts C, Hill E, Wiersma D. <i>Day hospital versus admission for acute psychiatric disorders. Cochrane Database of Systematic Reviews 2003, Issue 1.</i> Art. No.: CD004026.</p> <p>Marshall M, Lockwood A. <i>Assertive community treatment for people with severe mental disorders. Cochrane Database of Systematic Reviews 1998, Issue 2.</i> Art. No.: CD001089.</p> <p>Malone D, Newron-Howes G, Simmonds S, Marriot S, Tyrer P. <i>Community mental health teams (CMHTs) for people with severe mental illnesses and disordered personality. Cochrane Database of Systematic Reviews 2007, Issue 3.</i> Art. No.: CD000270.</p> <p>Kisely S, Campbell LA, Preston N. <i>Compulsory community and involuntary outpatient treatment for people with severe mental disorders. Cochrane Database of Systematic Reviews 2005, Issue 3.</i> Art. No.: CD004408.</p> <p>Joy CB, Adams CE, Rice K. <i>Crisis intervention for people with severe mental illnesses. Cochrane Database of Systematic Reviews 2006, Issue 4.</i> Art. No.: CD001087.</p>	2007-09-12
Schizofreni & Psykotiska tillstånd	Assertive Outreach Teams (AOT) for schizophrenia and other serious mental disorders in the UK	Organisation	Fler primärstudier behövs	National Institute for Health and Clinical Excellence research recommendation	Marshall M, Lockwood A. <i>Assertive community treatment for people with severe mental disorders. Cochrane Database of Systematic Reviews 1998, Issue 2.</i> Art. No.: CD001089.	2007-06-27
Schizofreni & Psykotiska tillstånd	A co-ordinated approach of primary and secondary care in the early diagnosis and management of schizophrenia	Organisation	Fler primärstudier behövs	National Institute for Health and Clinical Excellence research recommendation	Marshall M, Rathbone J. <i>Early Intervention for psychosis. Cochrane Database of Systematic Reviews 2006, Issue 4.</i> Art. No.: CD004718.	2007-06-18

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Schizofreni & Psykotiska tillstånd	Community Mental Health Teams trained to deliver specialist treatment, compared to specialist teams (e.g. Crisis Resolution, Home Treatment, and Early Intervention), for serious mental illness	Organisation	Fler primärstudier behövs	National Institute for Health and Clinical Excellence research recommendation	Joy CB, Adams CE, Rice K. <i>Crisis intervention for people with severe mental illnesses. Cochrane Database of Systematic Reviews 2006, Issue 4.</i> Art. No.: CD001087. Marshall M, Rathbone J. <i>Early Intervention for psychosis. Cochrane Database of Systematic Reviews 2006, Issue 4.</i> Art. No.: CD004718. Marshall M, Lockwood A. <i>Assertive community treatment for people with severe mental disorders. Cochrane Database of Systematic Reviews 1998, Issue 2.</i> Art. No.: CD001089. Tyrer P, Coid J, Simmonds S, Joseph P, Marriott S. <i>Community mental health teams (CMHTs) for people with severe mental illnesses and disordered personality. Cochrane Database of Systematic Reviews 1998, Issue 4.</i> Art. No.: CD000270. Marshall M, Gray A, Lockwood A, Green R. <i>Case management for people with severe mental disorders. Cochrane Database of Systematic Reviews 1998, Issue 2.</i> Art. No.: CD000050.	2007-06-18
Schizofreni & Psykotiska tillstånd	Different communication strategies for disclosing a diagnosis of schizophrenia and related disorders	Organisation	En systematisk översikt behövs	Cochrane Schizophrenia Group		2015-07-01
Schizofreni & Psykotiska tillstånd	Communication skills training for mental health professionals working with people with severe mental illness	Organisation	En systematisk översikt behövs	Cochrane Schizophrenia Group		2012-08-23
Schizofreni & Psykotiska tillstånd	Does staff training in cultural competence at an individual and organisational level improve the experience of care and chance of recovery from schizophrenia in Black and Minority Ethnic groups, and reduce staff burnout?	Organisation	En systematisk översikt behövs	Schizophrenia Core interventions in the treatment and management of schizophrenia in primary and secondary care (update)		2010-02-21

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Schizofreni & Psykotiska tillstånd	Pre-identification services, including assessment and diagnosis and early engagement, for racial and ethnic groups with schizophrenia	Organisation	En systematisk översikt behövs	Schizophrenia Core interventions in the treatment and management of schizophrenia in primary and secondary care (update)		2010-02-21
Schizofreni & Psykotiska tillstånd	Which ethnic, religious, language or racial identity factors hinder engagement for people with schizophrenia from Black and Minority Ethnic groupss?	Organisation	En systematisk översikt behövs	Schizophrenia Core interventions in the treatment and management of schizophrenia in primary and secondary care (update)		2010-02-20
Schizofreni & Psykotiska tillstånd	Intensive Case Management for severe mental illness	Organisation	En systematisk översikt behövs	Cochrane Schizophrenia Group		2010-01-11
Schizofreni & Psykotiska tillstånd	Environmental enrichment for schizophrenia	Organisation	En systematisk översikt behövs	Mental Health Research Network Cymru		2007-07-12
Schizofreni & Psykotiska tillstånd	Are general practice teams useful in crisis management of people with schizophrenia?	Organisation	En systematisk översikt behövs	National Institute for Health and Clinical Excellence research recommendation		2007-05-01
Schizofreni & Psykotiska tillstånd	Effective interventions for managing physical health of people with schizophrenia in general practice	Organisation	En systematisk översikt behövs	National Institute for Health and Clinical Excellence research recommendation		2007-05-01
Schizofreni & Psykotiska tillstånd	The role of case registers in the long term management of people with schizophrenia in general practice	Organisation	En systematisk översikt behövs	National Institute for Health and Clinical Excellence research recommendation		2007-05-01
Schizofreni & Psykotiska tillstånd	Can people with schizophrenia be diagnosed earlier by GPs, and can the management of first episode psychosis be carried out in general practice?	Organisation	En uppdaterad systematisk översikt behövs	Healthtalkonline Survey	Marshall M, Rathbone J. Early intervention for psychosis. Cochrane Database of Systematic Reviews 2011, Issue 6. Art. No.: CD004718.	2011-02-17

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Schizofreni & Psykotiska tillstånd	Ethnically specific and specialist services for people with schizophrenia	Organisation	En uppdaterad systematisk översikt behövs	Schizophrenia Core interventions in the treatment and management of schizophrenia in primary and secondary care (update)	<i>Shek E, Stein AT, Shansis FM, Marshall M, Crowther R, Tyrer P. Day hospital versus outpatient care for people with schizophrenia. Cochrane Database of Systematic Reviews: Reviews 2009 Issue 4 John Wiley & Sons, Ltd Chichester, UK.</i> <i>Dieterich M, Irving CB, Marshall M. Intensive Case Management for severe mental illness. Cochrane Database of Systematic Reviews: Protocols 2009 Issue 3 John Wiley & Sons, Ltd Chichester, UK.</i> <i>Macpherson R, Edwards TR, Chilvers R, David C, Elliott HJ. Twenty-four hour care for schizophrenia. Cochrane Database of Systematic Reviews: Reviews 2009 Issue 2 John Wiley & Sons, Ltd Chichester, UK.</i>	2010-02-21
Schizofreni & Psykotiska tillstånd	Acute day hospitals compared to other acute service provision, such as crisis resolution and home treatment teams for serious mental illness	Organisation	En uppdaterad systematisk översikt behövs	National Institute for Health and Clinical Excellence research recommendation	<i>Joy CB, Adams CE, Rice K. Crisis intervention for people with severe mental illnesses. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD001087.</i> <i>Marshall M, Lockwood A. Assertive community treatment for people with severe mental disorders. Cochrane Database of Systematic Reviews 1998, Issue 2. Art. No.: CD001089.</i> <i>Tyrer P, Coid J, Simmonds S, Joseph P, Marriott S. Community mental health teams (CMHTs) for people with severe mental illnesses and disordered personality. Cochrane Database of Systematic Reviews 1998, Issue 4. Art. No.: CD000270.</i> <i>Marshall M, Gray A, Lockwood A, Green R. Case management for people with severe mental disorders. Cochrane Database of Systematic Reviews 1998, Issue 2. Art. No.: CD000050.</i>	2007-06-18

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Schizofreni & Psykotiska tillstånd	Interventions to encourage uptake of cancer screening for people with severe mental illness	Organisation, Diagnostik & Utredning	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Barley E, Borschmann R, Walters P, Tylee A. Interventions to encourage uptake of cancer screening for people with severe mental illness. Cochrane Database of Systematic Reviews 2013, Issue 7. Art. No.: CD009641.</i>	2013-09-16
Schizofreni & Psykotiska tillstånd	Do Crisis or Outreach teams prevent relapse of psychosis?	Organisation, Prevention	Fler primärstudier behövs	Mind Cymru	<i>Joy CB, Adams CE, Rice K. Crisis intervention for people with severe mental illnesses. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD001087.</i>	2007-09-10
Schizofreni & Psykotiska tillstånd	Interventions for psychosis in adolescents	Organisation, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Cochrane Schizophrenia Group		2010-01-12
Schizofreni & Psykotiska tillstånd	Peer support interventions in people with psychosis and schizophrenia	Stöd & Information, Organisation	Fler primärstudier behövs	NICE Clinical Guideline Psychosis and schizophrenia in adults (CG178)	<i>National Collaborating Centre for Mental Health (2014) Psychosis and schizophrenia in adults (CG178). Clinical Guideline. London: The British Psychological Society & The Royal College of Psychiatrists.</i>	2014-03-25
Schizofreni & Psykotiska tillstånd	Does social support in the early acute phase of schizophrenia help reduce relapse?	Stöd & Information, Organisation	Fler primärstudier behövs	Mental Health Research Network Cymru	<i>Marshall M, Rathbone J. Early Intervention for psychosis. Cochrane Database of Systematic Reviews 2006, Issue 4.</i>	2007-11-09
Schizofreni & Psykotiska tillstånd	Peer support for schizophrenia	Stöd & Information, Organisation	En systematisk översikt behövs	Cochrane Schizophrenia Group		2014-01-10
Schizofreni & Psykotiska tillstånd	Peer support for improving service engagement for people with psychosis and coexisting substance misuse	Stöd & Information, Organisation	En systematisk översikt behövs	Evidence Update - Alcohol use disorders: harmful drinking and alcohol dependence		2012-11-05
Schizofreni & Psykotiska tillstånd	Are social activities beneficial for schizophrenia?	Sysselsättning & Färdighetsträning, Organisation	Fler primärstudier behövs	Mental Health Research Network Cymru	<i>He Y, Li C. Morita therapy for schizophrenia. Cochrane Database of Systematic Reviews 2007, Issue 1. Art. No.: CD006346.</i> <i>Crawford-Walker CJ, King A, Chan S. Distraction techniques for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 1. Art. No.: CD004717.</i>	2007-06-11
Schizofreni & Psykotiska tillstånd	Specialist interventions for homeless people with severe mental illness	Omsorg & Boende, Organisation	En systematisk översikt behövs	Cochrane Schizophrenia Group		2013-01-15

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Schizofreni & Psykotiska tillstånd	Length of hospitalisation for people with severe mental illness	Organisation	Fler primärstudier behövs	Cochrane Schizophrenia Group	Babalola O, Gormez V, Alwan NA, Johnstone P, Sampson S. Length of hospitalisation for people with severe mental illness. Cochrane Database of Systematic Reviews 2014, Issue 1. Art. No.: CD000384.	2014-02-14
Schizofreni & Psykotiska tillstånd	Physical health care monitoring for people with serious mental illness	Organisation	Fler primärstudier behövs	Cochrane Schizophrenia Group	Tosh G, Clifton AV, Xia J, White MM. Physical health care monitoring for people with serious mental illness. Cochrane Database of Systematic Reviews 2014, Issue 1. Art. No.: CD008298.	2014-02-14
Schizofreni & Psykotiska tillstånd	Containment strategies for people with serious mental illness	Organisation	Fler primärstudier behövs	Cochrane Schizophrenia Group	Muralidharan S, Fenton M. Containment strategies for people with serious mental illness. Cochrane Database of Systematic Reviews 2006, Issue 3. Art. No.: CD002084.	2008-02-28
Schizofreni & Psykotiska tillstånd	Screening programmes for helping mental health professionals to detect violent victimisation in people with severe mental illness	Organisation, Diagnostik & Utredning	En systematisk översikt behövs	Cochrane Schizophrenia Group		2014-04-08
Schizofreni & Psykotiska tillstånd	Illness management and recovery programme for people with severe mental illness	Vård- & Behandlingsalternativ, Organisation	En systematisk översikt behövs	Cochrane Schizophrenia Group		2014-05-19
Schizofreni & Psykotiska tillstånd	Is providing treatment for psychosis and substance misuse services within staffed accommodation more cost-effective than a combination of hospital and home treatment?	Omsorg & Boende, Organisation	Fler primärstudier behövs	NICE Clinical Guideline Psychosis with coexisting substance misuse	National Collaborating Centre for Mental Health (2011) <i>Psychosis with coexisting substance misuse. Clinical Guideline</i> . London: The British Psychological Society & The Royal College of Psychiatrists.	2011-03-31
Schizofreni & Psykotiska tillstånd	What service delivery models allow people with psychosis and coexisting substance misuse to remain living outside hospital?	Organisation	Fler primärstudier behövs	NICE Clinical Guideline Psychosis with coexisting substance misuse	National Collaborating Centre for Mental Health (2011) <i>Psychosis with coexisting substance misuse. Clinical Guideline</i> . London: The British Psychological Society & The Royal College of Psychiatrists.	2011-03-31
Schizofreni & Psykotiska tillstånd	Are environmental interventions clinically and cost effective when compared with standard care for people with psychosis and coexisting substance misuse?	Organisation, Omsorg & Boende	Fler primärstudier behövs	NICE Clinical Guideline Psychosis with coexisting substance misuse	National Collaborating Centre for Mental Health (2011) <i>Psychosis with coexisting substance misuse. Clinical Guideline</i> . London: The British Psychological Society & The Royal College of Psychiatrists.	2011-03-31

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Särskilda tillstånd	Inpatient versus outpatient care, partial hospitalisation and wait-list for people with eating disorders	Organisation	En systematisk översikt behövs	Cochrane Depression, Anxiety and Neurosis Group		2014-01-10
Särskilda tillstånd	Interventions for primary prevention of suicide in university and other post-secondary educational settings	Prevention, Stöd & Information, Organisation	Fler primärstudier behövs	Cochrane Injuries Group	<i>Harrod CS, Goss CW, Stallones L, DiGuiseppi C. Interventions for primary prevention of suicide in university and other post-secondary educational settings. Cochrane Database of Systematic Reviews 2014, Issue 10. Art. No.: CD009439.</i>	2014-11-13
Missbruk & Beroende	Do needle and syringe programmes for drug users have any unintended consequences?	Organisation	Fler primärstudier behövs	NICE Public Health Needle and syringe programmes (PH52)	<i>National Institute for Health and Clinical Excellence (2014) Needle and syringe programmes (PH52). Public Health PH52. London: National Institute for Health and Clinical Excellence.</i>	2014-06-27
Missbruk & Beroende	How can needle and syringe programmes encourage specific groups of people who inject drugs to use the service effectively?	Prevention, Medicinteknik & Kirurgi, Vård- & Behandlingsalternativ, Organisation	Fler primärstudier behövs	NICE Public Health Needle and syringe programmes (PH52)	<i>National Institute for Health and Clinical Excellence (2014) Needle and syringe programmes (PH52). Public Health PH52. London: National Institute for Health and Clinical Excellence.</i>	2014-06-27
Missbruk & Beroende	What type of behaviour-change interventions delivered by needle and syringe programmes are effective in promoting safer drug use practices and reducing the incidence of overdose?	Prevention, Organisation, Vård- & Behandlingsalternativ	Fler primärstudier behövs	NICE Public Health Needle and syringe programmes (PH52)	<i>National Institute for Health and Clinical Excellence (2014) Needle and syringe programmes (PH52). Public Health PH52. London: National Institute for Health and Clinical Excellence.</i>	2014-06-27
Missbruk & Beroende	What are the most effective and cost effective ways of delivering needle and syringe programmes to young people aged under 18 or users of image- and performance-enhancing drugs?	Vård- & Behandlingsalternativ, Organisation	Fler primärstudier behövs	NICE Public Health Needle and syringe programmes (PH52)	<i>National Institute for Health and Clinical Excellence (2014) Needle and syringe programmes (PH52). Public Health PH52. London: National Institute for Health and Clinical Excellence.</i>	2014-06-27
Demens & Äldre	Is telecare effective for maintaining independence in people with dementia living at home for as long as possible?	Medicinteknik & Kirurgi, Omsorg & Boende, Organisation	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	<i>Lins S, Hayder-Beichel D, Rücker G, Motschall E, Antes G, Meyer G, Langer G. Efficacy and experiences of telephone counselling for informal carers of people with dementia. Cochrane Database of Systematic Reviews 2014, Issue 9. Art. No.: CD009126.</i>	2015-10-29

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	Is it better for young/early onset patients with dementia to be cared for with other young/early onset patients instead of in care homes/units with more elderly patients in terms of quality of life and outcomes?	Omsorg & Boende, Organisation	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Are people with dementia better cared for in care homes/mental health units with other dementia patients or with non dementia sufferers for progression of the disease, quality of life?	Omsorg & Boende, Organisation, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Does a higher level of nursing staff in care homes improve quality of care, including medical care, for people with dementia?	Organisation	Fler primärstudier behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Does promoting independence of people with dementia by minimising help provided at home contribute to slower deterioration/better outcomes?	Organisation	Fler primärstudier behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	How can GPs be made more aware of the concerns of sufferers, potential sufferers and carers regarding a possible diagnosis of dementia?	Organisation	Fler primärstudier behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	How does the cost of paying for care/carers (including those at home/residential/nursing care) for those with sufficient assets impact on the emotional wellbeing/quality of life of person with dementia and their carers?	Organisation	Fler primärstudier behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What are effective methods to improve the awareness and attitudes of health and social care professionals in all settings and improve their understanding of the challenges faced by carers and families of people with dementia?	Organisation	Fler primärstudier behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	What interventions/techniques/facilities/staff training are of most benefit in improving the quality of life of people with dementia and their carers in all settings and at all stages of the disease?	Organisation	Fler primärstudier behövs	Dementia - A JLA Priority Setting Partnership	<i>Rolinski M, Fox C, Maidment I, McShane R. Cholinesterase inhibitors for dementia with Lewy bodies, Parkinson's disease dementia and cognitive impairment in Parkinson's disease. Cochrane Database of Systematic Reviews 2012, Issue 3. Art. No.: CD006504.</i> <i>Li Y, Hai S, Zhou Y, Dong BR. Cholinesterase inhibitors for rarer dementias associated with neurological conditions. Cochrane Database of Systematic Reviews 2015, Issue 3. Art. No.: CD009444.</i>	2015-10-29
Demens & Äldre	Case management approaches to home support for people with dementia	Organisation	Fler primärstudier behövs	Cochrane Dementia and Cognitive Improvement Group	<i>Reilly S, Miranda-Castillo C, Malouf R, Hoe J, Toot S, Challis D, Orrell M. Case management approaches to home support for people with dementia. Cochrane Database of Systematic Reviews 2015, Issue 1. Art. No.: CD008345.</i>	2015-02-24
Demens & Äldre	Efficacy and experiences of telephone counselling for informal carers of people with dementia	Organisation	Fler primärstudier behövs	Cochrane Dementia and Cognitive Improvement Group	<i>Lins S, Hayder-Beichel D, Rücker G, Motschall E, Antes G, Meyer G, Langer G. Efficacy and experiences of telephone counselling for informal carers of people with dementia. Cochrane Database of Systematic Reviews 2014, Issue 9. Art. No.: CD009126.</i>	2014-10-31
Demens & Äldre	What are the best ways to care for people from ethnic minority groups with dementia in all care settings?	Organisation	Fler primärstudier behövs	Dementia - A JLA Priority Setting Partnership		2013-08-21
Demens & Äldre	Organisational interventions for promoting person-centred care for people with dementia	Organisation	En systematisk översikt behövs	Cochrane Dementia and Cognitive Improvement Group		2015-12-22
Demens & Äldre	How can good practice in dementia treatment and care from other countries be evaluated and implemented where effective in the UK?	Organisation	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What individual characteristics of care staff predict the ability to provide high quality/person-centred care for dementia?	Organisation	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	Are home visits by GPs and specialists in dementia beneficial to the care/assessment/outcomes for patients with dementia and their carers?	Organisation	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Are person-centred approaches to care for people with dementia effective within acute psychiatric admission wards?	Organisation	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Are specialist secondary care teams effective in the management of dementia compared to usual GP care?	Organisation	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Can the prescription of medications, i.e. antipsychotics, tranquillisers and other drugs, for people with dementia be reduced by improving quality of care/meeting care needs more fully?	Organisation	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	Richter T, Meyer G, Möhler R, Köpke S. <i>Psychosocial interventions for reducing antipsychotic medication in care home residents.</i> <i>Cochrane Database of Systematic Reviews 2012;</i> (12).	2015-10-29
Demens & Äldre	Does the involvement of carers in treatment lead to better outcomes for people with dementia?	Organisation	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Does the level of support from health visitors/district nurses for people with dementia and their carers have an impact on hospital admission rates?	Organisation	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	How can best practice in dementia treatment and care (including medication) be standardised across all regions of the country (UK)?	Organisation	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	<i>Rolinski M, Fox C, Maidment I, McShane R. Cholinesterase inhibitors for dementia with Lewy bodies, Parkinson's disease dementia and cognitive impairment in Parkinson's disease. Cochrane Database of Systematic Reviews 2012, Issue 3. Art. No.: CD006504.</i> <i>da Gloria Portugal M, Marinho V, Laks J. Pharmacological treatment of frontotemporal lobar degeneration: systematic review. Revista Brasileira de Psiquiatria. 2011; 33(1):81-90 PMID: 21537725.</i> <i>Li Y, Hai S, Zhou Y, Dong BR. Cholinesterase inhibitors for rarer dementias associated with neurological conditions. Cochrane Database of Systematic Reviews 2015, Issue 3. Art. No.: CD009444.</i>	2015-10-29
Demens & Äldre	How can compliance with the NICE guidance protocols for referral be improved for people with dementia?	Organisation	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	How can services that help with the care of person with dementia at home best be coordinated to meet the needs of people with dementia and their carers (e.g. speed of access/help, one point of contact, improved communication)	Organisation	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	How does a formal diagnosis of dementia, compared to no diagnosis, impact on the nursing care needs for people with dementia?	Organisation	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	How does the input of professional care at night compared to care from family/carers alone affect outcomes/quality of life/ability to stay in own home in people with dementia living at home, and how does this impact on carers?	Organisation	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	How effective would better coordination and integration of health and social care services and other agencies be in meeting the needs of people with dementia and their carers?	Organisation	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	How effective would easier access to/more respite care in the home and in respite centres, to provide regular breaks for carers be in reducing stress and maintaining quality of life for carers of people with dementia?	Organisation	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	<i>Maayan N, Soares-Weiser K, Lee H. Respite care for people with dementia and their carers. Cochrane Database of Systematic Reviews 2014, Issue 1. Art. No.: CD004396.</i>	2015-10-29
Demens & Äldre	Is care from specialist dementia nurses provided to people with dementia at home effective in supporting people with dementia and their families to maintain quality of care and quality of life at all stages of the disease?	Organisation	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Is it appropriate to allow medication to be more readily available to carers (at home) to help to keep the person with dementia calm/manage behaviour?	Organisation	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Is it beneficial for patients, carers, health and social care professionals to have frequent monitoring and follow up as the disease progresses?	Organisation	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What are the best ways to care for people from ethnic minorities with dementia in all settings (home, residential/nursing care, hospital)?	Organisation	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What do services need in terms of education and tools to ensure people who have dementia are actively involved in all aspects of their care and planning?	Organisation	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	What impact does involvement of people with dementia in service evaluation, planning and delivery have on outcomes for the person with dementia and on services?	Organisation	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	<i>Robinson L, Dickinson C, Rousseau N, Beyer F, Clark A, Hughes J, et al. A systematic review of the effectiveness of advance care planning interventions for people with cognitive impairment and dementia. Age and Ageing. 2012; 41(2):263-9 PMID: 22156555.</i>	2015-10-29
Demens & Äldre	What is the effect of high quality care with genuine, kind, respectful, dignified caring from carers/care staff on the quality of life, outcomes, progression of the disease in people with dementia, and what are effective ways of to implement such high quality care in residential and nursing homes?	Organisation	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What is the impact of the for-profit care industry (compared to not-for-profit care) on the quality of life and quality of care for person with dementia?	Organisation	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	How can the best ways to care for people with dementia, including results from research findings, be effectively disseminated and implemented into care practice?	Organisation	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2013-08-21
Demens & Äldre	What are the most effective components of care for people with dementia that keep the person as independent as they can be at all stages of the disease in all care settings?	Organisation	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	<i>Lawrence V, Fossey J, Ballard C, Moniz-Cook E, Murray J. Improving quality of life for people with dementia in care homes: making psychosocial interventions work. British Journal of Psychiatry. 2012;201(5):344-51.</i>	2013-08-21
Demens & Äldre	What are the most effective management approaches and models of care for people with concurrent dementia and vision problems/sight loss in all settings and at all stages of the disease?	Organisation	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2013-08-21
Demens & Äldre	What is the best way to care for people with dementia when they have acute health care needs?	Organisation	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2013-08-21

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	Does the involvement of a mental health pharmacist in the treatment of people with dementia improve outcomes for people with dementia?	Organisation	En uppdaterad systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What is the best way to care for a person with dementia who is a carer for someone else?	Organisation	En uppdaterad systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What is the impact of frequent changes of care staff compared to consistent care staffing on the quality of care and quality of life for people with dementia?	Organisation	En uppdaterad systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	How can employers be better educated about dementia in their staff?	Organisation, Arbete & Arbetsmiljö	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Can clinics for Alzheimer's and dementia go around sheltered housing (mobile units) for early diagnosis?	Organisation, Diagnostik & Utredning	Fler primärstudier behövs	PEOPPLE project	Jackson TA, Naqvi SH, Sheehan B. Screening for dementia in general hospital inpatients: a systematic review and meta analysis of available instruments. <i>Age and Ageing</i> .2013;42(6):689-95 PMID: 24100618.	2013-03-13
Demens & Äldre	What are the most effective ways to encourage people with dementia to eat, drink and maintain nutritional intake?	Organisation, Diet & Nutrition	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	Gomes Jr CAR, Lustosa SAS, Matos D, Andriolo RB, Waisberg DR, Waisberg J. Percutaneous endoscopic gastrostomy versus nasogastric tube feeding for adults with swallowing disturbances. <i>Cochrane Database of Systematic Reviews</i> 2012, Issue 3. Art. No.: CD008096. Hanson LC, Ersek M, Gilliam R, Carey TS. Oral feeding options for people with dementia: a systematic review. <i>Journal of the American Geriatrics Society</i> . 2011;59(3):463-72.	2013-08-21
Demens & Äldre	How can the provision of suitable equipment for people with end stage dementia be made easier/more readily available e.g. profiling beds?	Organisation, Medicinteknik & Kirurgi	Fler primärstudier behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	How effective is training for carers/family at home in improving quality of care, quality of life, ability to stay in own home for people with dementia and their carers?	Organisation, Stöd & Information	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What techniques are effective to allow carers or care staff communicate most effectively with dementia sufferers and what is the effect on other outcomes?	Organisation, Stöd & Information	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Is advanced care planning for both the person with dementia and carers effective for outcomes for the person with dementia (including quality of life and acute events), and for good end of life care that meets the wishes of the person with dementia?	Organisation, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Is person-centred care the most effective approach to caring for people with dementia in all settings?	Organisation, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What are the most effective facilities/projects/models of care in the community to support people with dementia and their carers, mainstream and specialist projects, in enabling people with dementia to live at home for as long as possible?	Organisation, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	When is the optimal time to move a person with dementia into a care home setting and how can the standard of care be improved?	Organisation, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2013-08-21
Demens & Äldre	Is sedation at night for people with dementia, to allow carers to sleep, effective and what is the effect on behaviour/quality of life during the day, and time to institutionalisation?	Organisation, Vård- & Behandlingsalternativ	En uppdaterad systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	What are the most effective management approaches and models of care, including equipment, for people with concurrent dementia and hearing loss in all settings?	Organisation	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Enhanced rehabilitation and care models for adults with dementia following hip fracture surgery	Organisation	Fler primärstudier behövs	Cochrane Dementia and Cognitive Improvement Group	<i>Smith TO, Hameed YA, Cross JL, Henderson C, Sahota O, Fox C. Enhanced rehabilitation and care models for adults with dementia following hip fracture surgery. Cochrane Database of Systematic Reviews 2015, Issue 6. Art. No.: CD010569.</i>	2015-07-16
Demens & Äldre	What are the best models of palliative care for people who have learning difficulties?	Organisation	En systematisk översikt behövs	James Lind Alliance Palliative and end of life care Priority Setting Partnership		2015-09-08
Demens & Äldre	Respite care for people with dementia and their carers	Organisation	Fler primärstudier behövs	Cochrane Dementia and Cognitive Improvement Group	<i>Maayan N, Soares-Weiser K, Lee H. Respite care for people with dementia and their carers. Cochrane Database of Systematic Reviews 2014, Issue 1. Art. No.: CD004396.</i>	2014-02-14
Demens & Äldre	Educational interventions for improving the skills of medical practitioners to detect, diagnose, and manage people with cognitive impairment and dementia	Organisation	En systematisk översikt behövs	Cochrane Dementia and Cognitive Improvement Group		2013-07-24
Demens & Äldre	What are the most effective methods to improve the awareness and attitudes of all health and social care professionals towards people with dementia in all settings and improve their understanding of the challenges faced by carers and families?	Organisation	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		
Demens & Äldre	Does high quality care from carers/care staff improve outcomes for people with dementia?	Organisation	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2013-08-21

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Övrig psykisk ohälsa	Crisis interventions for people with borderline personality disorder	Organisation, Psykologiska & Psykoterapeutiska	Fler primärstudier behövs	Cochrane Developmental, Psychosocial and Learning Problems Group	Borschmann R, Henderson C, Hogg J, Phillips R, Moran P. <i>Crisis interventions for people with borderline personality disorder. Cochrane Database of Systematic Reviews 2012, Issue 6.</i> Art. No.: CD009353.	2012-06-28
Övrig psykisk ohälsa	What is the efficacy of combining treatment for mental health problems in parents with treatment for conduct disorders in their children?	Organisation, Vård- & Behandlingsalternativ, Stöd & Information	Fler primärstudier behövs	NICE Clinical Guideline Conduct disorders in children and young people (CG158)	National Institute for Health and Clinical Excellence (2013) <i>Conduct disorders in children and young people (CG158). Clinical Guideline CG158.</i> London: National Institute for Health and Clinical Excellence.	2013-04-15
Övrig psykisk ohälsa	What is the relationship between disease progression and carer utility (quality of life) for carers of people with Alzheimer's disease?	Organisation	Fler primärstudier behövs	NICE Technology Appraisal Alzheimer's disease - donepezil, galantamine, rivastigmine and memantine. <i>Technology Appraisal TA217.</i> London: National Institute for Health and Clinical Excellence.	National Institute for Health and Clinical Excellence (2011) <i>Alzheimer's disease - donepezil, galantamine, rivastigmine and memantine. Technology Appraisal TA217.</i> London: National Institute for Health and Clinical Excellence.	2011-03-31
Övrig psykisk ohälsa	Consultation liaison in primary care for people with mental disorders	Organisation	Fler primärstudier behövs	Cochrane Effective Practice and Organisation of Care Group	Gillies D, Buyx P, Parker AG, Hetrick SE. <i>Consultation liaison in primary care for people with mental disorders. Cochrane Database of Systematic Reviews 2015, Issue 9.</i> Art. No.: CD007193.	2015-10-08
Övrig psykisk ohälsa	Non-specialist health worker interventions for the care of mental, neurological and substance-abuse disorders in low- and middle-income countries	Organisation	Fler primärstudier behövs	Cochrane Effective Practice and Organisation of Care Group	van Ginneken N, Tharyan P, Lewin S, Rao GN, Meera S, Pian J, Chandrashekhar S, Patel V. <i>Non-specialist health worker interventions for the care of mental, neurological and substance-abuse disorders in low- and middle-income countries. Cochrane Database of Systematic Reviews 2013, Issue 11.</i> Art. No.: CD009149.	2013-12-09
Övrig psykisk ohälsa	Consumer-providers of care for adult clients of statutory mental health services	Organisation	Fler primärstudier behövs	Cochrane Consumers and Communication Group	Pitt V, Lowe D, Hill S, Prictor M, Hetrick SE, Ryan R, Berends L. <i>Consumer-providers of care for adult clients of statutory mental health services. Cochrane Database of Systematic Reviews 2013, Issue 3.</i> Art. No.: CD004807.	2013-04-04

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Övrig psykisk ohälsa	For people using adult mental health services, how is compulsory treatment and 'control and restraint' used in different settings and what is the impact on the service user?	Organisation	Fler primärstudier behövs	NICE Clinical Guideline Service user experience in adult mental health	<i>National Institute for Health and Clinical Excellence (2011) Service user experience in adult mental health. Guideline CG136. London: National Institute for Health and Clinical Excellence.</i>	2011-12-31
Övrig psykisk ohälsa	What are the best models of palliative care for people who have mental health issues?	Organisation	En systematisk översikt behövs	James Lind Alliance Palliative and end of life care Priority Setting Partnership		2015-09-08
Övrig psykisk ohälsa	Interventions to reduce experiences of stigma and discrimination of people with mental illness and their caregivers	Organisation, Stöd & Information	En systematisk översikt behövs	Cochrane Schizophrenia Group		2013-04-18
Övrig psykisk ohälsa	Does the way information is provided to patients with mental health conditions effect the outcome of treatment?	Organisation, Stöd & Information	En uppdaterad systematisk översikt behövs	Mind Cymru		2007-11-19
Övrig psykisk ohälsa	Routine use of patient reported outcome measures (PROMs) for improving treatment of common mental health disorders in adults	Organisation	En systematisk översikt behövs	Cochrane Depression, Anxiety and Neurosis Group		2014-07-10
Övrig psykisk ohälsa	When is the best time to introduce bereavement support, and for how long for palliative and end of life care patients? Should it be offered before the death of a loved one? How can this support be catered to individual needs, including access to 24-hour support?	Organisation, Vård- & Behandlingsalternativ	En systematisk översikt behövs	James Lind Alliance Palliative and end of life care Priority Setting Partnership		2015-09-08
Övrig psykisk ohälsa	Mass media interventions for reducing mental health-related stigma	Prevention, Organisation, Stöd & Information	Fler primärstudier behövs	Cochrane Consumers and Communication Group	<i>Clement S, Lassman F, Barley E, Evans-Lacko S, Williams P, Yamaguchi S, Slade M, Rüsch N, Thornicroft G. Mass media interventions for reducing mental health-related stigma. Cochrane Database of Systematic Reviews 2013, Issue 7. Art. No.: CD009453.</i>	2013-09-16

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Övrig psykisk ohälsa	Community mental health teams (CMHTs) for people with severe mental illnesses and disordered personality	Organisation	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Malone D, Marriott S, Newton-Howes G, Simmonds S, Tyrer P. Community mental health teams (CMHTs) for people with severe mental illnesses and disordered personality. Cochrane Database of Systematic Reviews 2007, Issue 3. Art. No.: CD000270.</i>	2008-02-28
Övrig psykisk ohälsa	Psychologically mediated effects of the physical healthcare environment on work-related outcomes of healthcare personnel	Arbete & Arbetsmiljö, Organisation	Fler primärstudier behövs	Cochrane Effective Practice and Organisation of Care Group	<i>Tanja-Dijkstra K, Pieterse ME. Psychologically mediated effects of the physical healthcare environment on work-related outcomes of healthcare personnel. Cochrane Database of Systematic Reviews 2010, Issue 12. Art. No.: CD006210.</i>	2011-04-28
Övrig psykisk ohälsa	Training programme for health and social care professionals for shared decision-making	Organisation	Fler primärstudier behövs	NICE Clinical Guideline Service user experience in adult mental health	<i>National Collaborating Centre for Mental Health (2011) Service user experience in adult mental health. Clinical Guideline. London: The British Psychological Society & The Royal College of Psychiatrists.</i>	2011-12-31
Övrig psykisk ohälsa	Activities and occupations on inpatient mental health wards	Organisation	Fler primärstudier behövs	NICE Clinical Guideline Service user experience in adult mental health	<i>National Institute for Health and Clinical Excellence (2011) Service user experience in adult mental health. Guideline CG136. London: National Institute for Health and Clinical Excellence.</i>	2011-12-31
Övrig psykisk ohälsa	Training in the use of the national quality standard and guidance on service user experience of care	Organisation	Fler primärstudier behövs	NICE Clinical Guideline Service user experience in adult mental health	<i>National Collaborating Centre for Mental Health (2011) Service user experience in adult mental health. Clinical Guideline. London: The British Psychological Society & The Royal College of Psychiatrists.</i>	2011-12-31
Övrig psykisk ohälsa	Training in assessment of health care staff who work with people who self-harm	Organisation	Fler primärstudier behövs	NICE Clinical Guideline Self-harm (longer term management)	<i>National Collaborating Centre for Mental Health (2011) Self-harm (longer term management). Clinical Guideline. London: The British Psychological Society & The Royal College of Psychiatrists.</i>	2011-11-30

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Övrig psykisk ohälsa	Consultation letters for medically unexplained physical symptoms in primary care	Organisation	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>Hoedeman R, Blankenstein AH, van der Feltz-Cornelis CM, Krol B, Stewart R, Grootenhoff JW. Consultation letters for medically unexplained physical symptoms in primary care. Cochrane Database of Systematic Reviews 2010, Issue 12. Art. No.: CD006524.</i>	2011-04-27
Övrig psykisk ohälsa	What and how should training be provided to healthcare professionals working with people with psychosis and substance misuse?	Organisation	Fler primärstudier behövs	NICE Clinical Guideline Psychosis with coexisting substance misuse	<i>National Collaborating Centre for Mental Health (2011) Psychosis with coexisting substance misuse. Clinical Guideline. London: The British Psychological Society & The Royal College of Psychiatrists.</i>	2011-03-31
Övrig psykisk ohälsa	What are the benefits of all health and social care staff having training in bereavement awareness and support? Is this possible?	Organisation	En systematisk översikt behövs	James Lind Alliance Palliative and end of life care Priority Setting Partnership		2015-09-08
Övrig psykisk ohälsa	Child protection training for professionals to improve reporting of child abuse and neglect	Organisation	En systematisk översikt behövs	Cochrane Developmental, Psychosocial and Learning Problems Group		2015-07-09
Övrig psykisk ohälsa	Will education and training of clinicians improve guideline adherence and outcomes for patients with attention deficit-hyperactivity disorder (ADHD)	Organisation	En systematisk översikt behövs	Evidence Update - attention deficit hyperactivity disorder 2013		2013-05-10
Övrig psykisk ohälsa	How can people who use secondary care services (particularly mental health services), staff and visitors, best be helped to temporarily abstain from smoking while in secondary care settings?	Levnadsvanor, Organisation	Fler primärstudier behövs	NICE Public Health Smoking cessation - acute, maternity and mental health services (PH48)	<i>National Institute for Health and Clinical Excellence (2013) Smoking cessation - acute, maternity and mental health services (PH48). Public Health PH48. London: National Institute for Health and Clinical Excellence.</i>	2014-02-13

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Övrig psykisk ohälsa	Advocacy interventions to reduce or eliminate violence and promote the physical and psychosocial well-being of women who experience intimate partner abuse	Organisation, Stöd & Information	Fler primärstudier behövs	Cochrane Developmental, Psychosocial and Learning Problems Group	Rivas C, Ramsay J, Sadowski L, Davidson LL, Dunne D, Eldridge S, Hegarty K, Taft A, Feder G. <i>Advocacy interventions to reduce or eliminate violence and promote the physical and psychosocial well-being of women who experience intimate partner abuse. Cochrane Database of Systematic Reviews 2015, Issue 12.</i> Art. No.: CD005043.	2016-01-12
Övrig psykisk ohälsa	Restorative justice conferencing for reducing recidivism in young offenders (aged 7 to 21)	Prevention, Organisation	Fler primärstudier behövs	Cochrane Developmental, Psychosocial and Learning Problems Group	Livingstone N, Macdonald G, Carr N. <i>Restorative justice conferencing for reducing recidivism in young offenders (aged 7 to 21). Cochrane Database of Systematic Reviews 2013, Issue 2.</i> Art. No.: CD008898.	2013-03-20
Övrig psykisk ohälsa	What organisational mechanisms can ensure interventions to improve the social and emotional wellbeing and 'readiness for school' of vulnerable children aged under 5 years are effectively implemented?	Organisation, Stöd & Information	Fler primärstudier behövs	NICE Public Health Guidance Social and emotional wellbeing - early years	National Institute for Health and Clinical Excellence (2012) <i>Social and emotional wellbeing - early years. Public Health Guidance PH40.</i> London: National Institute for Health and Clinical Excellence.	2013-01-26
Somatisk sjukdom	Enhanced care by generalists for functional somatic symptoms and disorders in primary care	Organisation	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	Rosendal M, Blankenstein AH, Morrise R, Fink P, Sharpe M, Burton C. <i>Enhanced care by generalists for functional somatic symptoms and disorders in primary care. Cochrane Database of Systematic Reviews 2013, Issue 10.</i> Art. No.: CD008142.	2013-11-15

