

Bilaga 2.8

1 (12)

Inventering av vetenskapliga kunskapsluckor inom psykisk ohälsa 2005–2020
- insatser för att utreda, diagnostisera, förebygga och behandla psykisk ohälsa,
inklusive stödjande och organatoriska åtgärder
rapport 335 (2021)

Bilaga 2.8 Medicinteknik och kirurgi

Utdrag från DUET:s databas med vetenskapliga kunskapsluckor

Listan i denna bilaga innehåller följande information:

Populations-kategori	Titel	Insats-kategori	Källa (endast i DUETs)	Referens	Typ av kunskapslucka	Datum
Övergripande kategori för population	Kunskapsluckans titel	Övergripande kategori för insats	Internationell eller brittisk arbetsgrupp som tagit fram underlaget (t.ex. Cochrane, NICE, JLA, DUETs Mental Health Module editorial group)	Underlag som hämtats från	Tre typer: <ul style="list-style-type: none">- En systematisk översikt behövs- En uppdaterad systematisk översikt behövs- Fler primärstudier behövs	Datum för när den senaste versionen av kunskapsluckan publicerades

De tre typerna återspeglar kunskapsläget sådant det såg ut vid tidpunkten för utredningen av kunskapsluckan.

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Neuropsykiatiska tillstånd	Acupuncture for Attention Deficit Hyperactivity Disorder (ADHD) in children and adolescents	Komplementärmedicin, Medicinteknik & Kirurgi	Fler primärstudier behövs	Developmental, Psychosocial and Learning Problems Group	<i>Li S, Yu B, Zhou D, He C, Kang L, Wang X, Jiang S, Chen X. Acupuncture for Attention Deficit Hyperactivity Disorder (ADHD) in children and adolescents. Cochrane Database of Systematic Reviews 2011, Issue 4. Art. No.: CD007839.</i>	2011-06-29
Neuropsykiatiska tillstånd	Telephone-based mental health interventions for children with attention deficit-hyperactivity disorder (ADHD)	Medicinteknik & Kirurgi	Fler primärstudier behövs	Evidence Update - attention deficit hyperactivity disorder		2013-05-13
Neuropsykiatiska tillstånd	Neurofeedback for attention deficit-hyperactivity disorder (ADHD)	Medicinteknik & Kirurgi, Psykologiska & Psykoterapeutiska	Fler primärstudier behövs	Evidence Update - attention deficit hyperactivity disorder 2013	<i>Sonuga-Barke EJ, Brandeis D, Cortese S, et al. (2013) Nonpharmacological Interventions for ADHD: Systematic Review and Meta-Analyses of Randomized Controlled Trials of Dietary and Psychological Treatments. Am J Psychiatry 170(3):275-89. PMID: 23360949.</i> <i>Lofthouse, Nicholas, Arnold, L. Eugene, Hersch, Sarah et al. (2012) A review of neurofeedback treatment for pediatric ADHD. Journal of attention disorders 16 (5): 351-372 PMID: 22090396.</i>	2013-05-09
Neuropsykiatiska tillstånd	Acupuncture for autism spectrum disorders (ASD)	Komplementärmedicin, Medicinteknik & Kirurgi	Fler primärstudier behövs	Cochrane Developmental, Psychosocial and Learning Problems Group	<i>Cheuk DKL, Wong V, Chen WX. Acupuncture for autism spectrum disorders (ASD). Cochrane Database of Systematic Reviews 2011, Issue 9. Art. No.: CD007849.</i>	2011-11-14
Neuropsykiatiska tillstånd	Intranasal oxytocin for autism spectrum disorders (ASD)	Läkemedel, Medicinteknik & Kirurgi	En systematisk översikt behövs	Cochrane Developmental, Psychosocial and Learning Problems Group		2014-02-17
Neuropsykiatiska tillstånd	Augmentative communication devices for adults with autism	Medicinteknik & Kirurgi	Fler primärstudier behövs	NICE Clinical guidelines Autism in adults.	<i>National Institute for Health and Clinical Excellence. 2012. Autism in adults. Clinical guidelines CG 142. London: National Institute for Health and Clinical Excellence.</i>	2012-07-31

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Neuropsykiatiska tillstånd	Hyperbaric oxygen therapy for autism spectrum disorder (ASD) in children and adults	Medicinteknik & Kirurgi	En systematisk översikt behövs	Cochrane Developmental, Psychosocial and Learning Problems Group		2014-02-17
Neuropsykiatiska tillstånd	Auditory integration training and other sound therapies for autism spectrum disorders	Psykologiska & Psykoterapeutiska, Medicinteknik & Kirurgi	Fler primärstudier behövs	Evidence Update - Autism in adults	<i>Sinha Y, Silove N, Wheeler D, Williams K. Auditory integration training and other sound therapies for autism spectrum disorders. Cochrane Database of Systematic Reviews 2011, Issue 12.</i>	2014-03-04
Neuropsykiatiska tillstånd	Information technology and electronic devices for people with autism spectrum conditions to improve social skills and other outcomes	Psykologiska & Psykoterapeutiska, Medicinteknik & Kirurgi	Fler primärstudier behövs	Evidence Update - Autism in adults	<i>Kagohara DM, van der Meer L, Ramdoss S, O'Reilly MF, Lancioni GE, Davis TN, et al. Using iPods(R) and iPads(R) in teaching programs for individuals with developmental disabilities: a systematic review. Research in Developmental Disabilities 2013; Vol. 34: No. 1. Ramdoss S, Machalicek W, Rispoli M, Mulloy A, Lang R, O'Reilly M. Computer-based interventions to improve social and emotional skills in individuals with autism spectrum disorders: a systematic review. Developmental neurorehabilitation 2012; Vol. 15: No. 2.</i>	2014-03-04
Affektiva tillstånd	Therapist-supported Internet cognitive behavioural therapy (CBT) for anxiety disorders in adults	Medicinteknik & Kirurgi	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>Olthuis JV, Watt MC, Bailey K, Hayden JA, Stewart SH. Therapist-supported Internet cognitive behavioural therapy for anxiety disorders in adults. Cochrane Database of Systematic Reviews 2015, Issue 3. Art. No.: CD011565.</i>	2015-04-22
Affektiva tillstånd	Technology-enhanced delivery of treatment for obsessive compulsive disorder	Medicinteknik & Kirurgi	Fler primärstudier behövs	Evidence update - Obsessive compulsive disorder	<i>Lovell, K. and Bee, P. (2011) Optimising treatment resources for OCD: a review of the evidence base for technology-enhanced delivery. Journal of Mental Health 20 (6): 525-542.</i>	2013-07-25
Affektiva tillstånd	Eye movement desensitisation and reprocessing (EMDR) in obsessive compulsive disorder	Medicinteknik & Kirurgi, Komplementärmedicin, Psykologiska & Psykoterapeutiska	En systematisk översikt behövs	Evidence update - Obsessive compulsive disorder		2013-07-25

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Affektiva tillstånd	Repetitive transcranial magnetic stimulation (rTMS) for panic disorder in adults	Medicinteknik & Kirurgi	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>Li H, Wang J, Li C, Xiao Z. Repetitive transcranial magnetic stimulation (rTMS) for panic disorder in adults. Cochrane Database of Systematic Reviews 2014, Issue 9. Art. No.: CD009083.</i>	2014-10-31
Affektiva tillstånd	Internet-based cognitive and behavioural therapies for post-traumatic stress disorder (PTSD) in adults	Medicinteknik & Kirurgi	En systematisk översikt behövs	Cochrane Depression, Anxiety and Neurosis Group		2015-07-01
Affektiva tillstånd	Face-to-face cognitive behavioural therapy (CBT) compared with internet-facilitated CBT in the long-term management of bipolar disorder	Medicinteknik & Kirurgi, Psykologiska & Psykoterapeutiska	Fler primärstudier behövs	NICE CG. Bipolar disorder: the assessment and management of bipolar disorder in adults, children and young people in primary and secondary care. Clinical Guideline CG185. London: National Institute for Health and Clinical Excellence.		2014-11-19
Affektiva tillstånd	Acupuncture for depression	Komplementärmedicin, Medicinteknik & Kirurgi	Fler primärstudier behövs	Mind Cymru		2007-08-20
Affektiva tillstånd	Alternating current cranial electrotherapy stimulation (CES) for depression	Medicinteknik & Kirurgi	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>Kavirajan HC, Lueck K, Chuang K. Alternating current cranial electrotherapy stimulation (CES) for depression. Cochrane Database of Systematic Reviews 2014, Issue 7. Art. No.: CD010521.</i>	2014-07-08
Affektiva tillstånd	The Randomised Evaluation of the Effectiveness and Acceptability of Computerised Therapy (REEACT) Trial with depression	Medicinteknik & Kirurgi	Fler primärstudier behövs	DUETs Mental Health Module Editorial Group	<i>Kaltenthaler E, Brazier J, De Negris E, Tumur I, Ferriter M, Beverley C, Parry G, Rooney G, Sutcliffe P. Computerised cognitive behaviour therapy for depression and anxiety update: a systematic review and economic evaluation. Health Technology Assessment.2006;10(33):1-186.</i>	2009-07-23
Affektiva tillstånd	Neurosurgery for depressive disorders	Medicinteknik & Kirurgi	En systematisk översikt behövs	DUETs Mental Health Module Editorial Group		2009-07-23
Affektiva tillstånd	Light therapy for preventing seasonal affective disorder	Medicinteknik & Kirurgi, Komplementärmedicin	En systematisk översikt behövs	Cochrane Depression, Anxiety and Neurosis Group		2014-10-10
Affektiva tillstånd	What are the long term effects of Deep Brain Stimulation (DBS) in patient with a mental health problem?	Medicinteknik & Kirurgi	En systematisk översikt behövs	Mental Health Research Network Cymru		2008-02-11

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Affektiva tillstånd	Is there any value in treatments such as Deep Brain Stimulation (DBS) or psychosurgery for people with severe mental illness?	Medicinteknik & Kirurgi	En systematisk översikt behövs	Mental Health Research Network Cymru		2007-04-23
Schizofreni & Psykotiska tillstånd	Voxel-based morphometry for separation of schizophrenia from other types of psychosis in first episode psychosis	Diagnostik & Utredning, Medicinteknik & Kirurgi	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Palaniyappan L, Maayan N, Bergman H, Davenport C, Adams CE, Soares-Weiser K. Voxel-based morphometry for separation of schizophrenia from other types of psychosis in first episode psychosis. Cochrane Database of Systematic Reviews 2015, Issue 8. Art. No.: CD011021.</i>	2015-09-17
Schizofreni & Psykotiska tillstånd	Voxel-based morphometry for separation of schizophrenia from other types of psychosis in first-episode psychosis	Diagnostik & Utredning, Medicinteknik & Kirurgi	En systematisk översikt behövs	Cochrane Schizophrenia Group		2014-04-08
Schizofreni & Psykotiska tillstånd	Acupuncture for schizophrenia	Komplementärmedicin, Medicinteknik & Kirurgi	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Shen X, Xia J, Adams CE. Acupuncture for schizophrenia. Cochrane Database of Systematic Reviews 2014, Issue 10. Art. No.: CD005475.</i>	2014-11-28
Schizofreni & Psykotiska tillstånd	Acupuncture for schizophrenia	Komplementärmedicin, Medicinteknik & Kirurgi	Fler primärstudier behövs	Hafal	<i>Rathbone J, Xia J. Acupuncture for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 4. Art. No.: CD005475.</i>	2007-09-11
Schizofreni & Psykotiska tillstånd	Acupuncture for schizophrenia	Komplementärmedicin, Medicinteknik & Kirurgi	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Rathbone J, Xia J. Acupuncture for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 4.</i>	2006-10-04
Schizofreni & Psykotiska tillstånd	Loxapine inhaler for psychosis-induced aggression or agitation	Läkemedel, Medicinteknik & Kirurgi	En systematisk översikt behövs	Cochrane Schizophrenia Group		2012-11-20
Schizofreni & Psykotiska tillstånd	Electroconvulsive therapy (ECT) for the depressed elderly	Medicinteknik & Kirurgi	Fler primärstudier behövs	DUETs Mental Health Module Editorial Group	<i>Stek ML, Wurff van der FFB, Hoogendoijk WJG, Beekman ATF. Electroconvulsive therapy for the depressed elderly. Cochrane Database of Systematic Reviews 2003, Issue 2. Art. No.: CD003593.</i>	2015-10-20

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Schizofreni & Psykotiska tillstånd	Is ECT over the long term effective in treating schizophrenia?	Medicinteknik & Kirurgi	Fler primärstudier behövs	Mind Cymru	<i>Tharyan P, Adams CE. Electroconvulsive therapy for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 2. Art. No.: CD000076.</i> <i>Chanpattana W, Andrade C. (2006). ECT for treatment-resistant schizophrenia: a response from the far East to the UK. NICE report</i> ShowDetailView&TermToSearch=16633199&ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum">http://www.ncbi.nlm.nih.gov/sites/entrez?Db=pubmed&Cmd>ShowDetailView&TermToSearch=16633199&ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum .	2008-02-11
Schizofreni & Psykotiska tillstånd	Transcranial magnetic stimulation (TMS) for schizophrenia	Medicinteknik & Kirurgi	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Dougall N, Maayan N, Soares-Weiser K, McDermott LM, McIntosh A. Transcranial magnetic stimulation (TMS) for schizophrenia. Cochrane Database of Systematic Reviews 2015, Issue 8. Art. No.: CD006081.</i>	2007-07-24
Schizofreni & Psykotiska tillstånd	Electroconvulsive therapy (ECT) for schizophrenia	Medicinteknik & Kirurgi	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Tharyan P, Adams CE. Electroconvulsive therapy for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 2. Art. No.: CD000076.</i>	2007-03-07
Schizofreni & Psykotiska tillstånd	ECT for schizophrenia	Medicinteknik & Kirurgi	Fler primärstudier behövs	Hafal	<i>Tharyan P, Adams CE. Electroconvulsive therapy for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 2. Art. No.: CD000076.</i>	
Schizofreni & Psykotiska tillstånd	Unilateral electroconvulsive therapy (ECT) versus bilateral electroconvulsive therapy for schizophrenia	Medicinteknik & Kirurgi	En systematisk översikt behövs	Cochrane Schizophrenia Group		2015-12-22
Schizofreni & Psykotiska tillstånd	Transcranial magnetic stimulation (TMS) for schizophrenia	Medicinteknik & Kirurgi	En systematisk översikt behövs	Cochrane Schizophrenia Group		2015-09-17
Schizofreni & Psykotiska tillstånd	Treatment delivery using information and communication technology for people with schizophrenia	Medicinteknik & Kirurgi	En systematisk översikt behövs	Cochrane Schizophrenia Group		2010-01-12
Schizofreni & Psykotiska tillstånd	Electroconvulsive therapy (ECT) for treatment-resistant schizophrenia	Medicinteknik & Kirurgi	En systematisk översikt behövs	Cochrane Schizophrenia Group		2009-07-23

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Schizofreni & Psykotiska tillstånd	What is the benefit of Transcranial Magnetic Stimulation (TMS) for schizophrenia?	Medicinteknik & Kirurgi	En systematisk översikt behövs	Mental Health Research Network Cymru		2008-02-11
Schizofreni & Psykotiska tillstånd	Is ECT advised to treat mood disorders in people with schizophrenia?	Medicinteknik & Kirurgi	En uppdaterad systematisk översikt behövs	Mental Health Research Network Cymru		2007-09-12
Schizofreni & Psykotiska tillstånd	Avatar therapy for schizophrenia or related disorders	Medicinteknik & Kirurgi, Psykologiska & Psykoterapeutiska	En systematisk översikt behövs	Cochrane Schizophrenia Group		2015-10-20
Schizofreni & Psykotiska tillstånd	Virtual reality for treatment compliance for people with serious mental illness	Medicinteknik & Kirurgi	Fler primärstudier behövs	Cochrane Schizophrenia Group	Välimäki M, Hätkönen HM, Lahti ME, Kurki M, Hottinen A, Metsäranta K, Riihimäki T, Adams CE. <i>Virtual reality for treatment compliance for people with serious mental illness. Cochrane Database of Systematic Reviews 2014, Issue 10.</i> Art. No.: CD009928.	2014-11-13
Schizofreni & Psykotiska tillstånd	Information and communication technology based prompting for treatment compliance for people with serious mental illness	Medicinteknik & Kirurgi	Fler primärstudier behövs	Cochrane Schizophrenia Group	Kauppi K, Välimäki M, Hätkönen HM, Kuosmanen LM, Warwick-Smith K, Adams CE. <i>Information and communication technology based prompting for treatment compliance for people with serious mental illness. Cochrane Database of Systematic Reviews 2014, Issue 6.</i> Art. No.: CD009960.	2014-07-24
Schizofreni & Psykotiska tillstånd	Information and communication technology-based cognitive remediation for supporting treatment compliance for people with serious mental illness	Medicinteknik & Kirurgi	En systematisk översikt behövs	Cochrane Schizophrenia Group		2012-05-30
Missbruk & Beroende	What types of injecting equipment paraphernalia and non-injecting equipment effectively and cost effectively reduce the harm associated with injecting drug use?	Prevention, Medicinteknik & Kirurgi, Vård- & Behandlingsalternativ	Fler primärstudier behövs	NICE Public Health Needle and syringe programmes (PH52)	<i>National Institute for Health and Clinical Excellence (2014) Needle and syringe programmes (PH52). Public Health PH52. London: National Institute for Health and Clinical Excellence.</i>	2014-06-27
Missbruk & Beroende	How can needle and syringe programmes encourage specific groups of people who inject drugs to use the service effectively?	Prevention, Medicinteknik & Kirurgi, Vård- & Behandlingsalternativ, Organisation	Fler primärstudier behövs	NICE Public Health Needle and syringe programmes (PH52)	<i>National Institute for Health and Clinical Excellence (2014) Needle and syringe programmes (PH52). Public Health PH52. London: National Institute for Health and Clinical Excellence.</i>	2014-06-27

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	Regional Cerebral Blood Flow (rCBF) Single Photon Emission Computed Tomography (SPECT) for detection of Frontotemporal dementia in people with suspected dementia	Diagnostik & Utredning, Medicinteknik & Kirurgi	Fler primärstudier behövs	Cochrane Dementia and Cognitive Improvement Group	<i>Archer HA, Smailagic N, John C, Holmes RB, Takwoingi Y, Coulthard EJ, Cullum S. Regional Cerebral Blood Flow Single Photon Emission Computed Tomography for detection of Frontotemporal dementia in people with suspected dementia. Cochrane Database of Systematic Reviews 2015, Issue 6. Art. No.: CD010896.</i>	2015-07-16
Demens & Äldre	18F-FDG PET for the early diagnosis of Alzheimer's disease dementia and other dementias in people with mild cognitive impairment (MCI)	Diagnostik & Utredning, Medicinteknik & Kirurgi	Fler primärstudier behövs	Cochrane Dementia and Cognitive Improvement Group	<i>Smailagic N, Vacante M, Hyde C, Martin S, Ukoumunne O, Sachpekidis C. 18F-FDG PET for the early diagnosis of Alzheimer's disease dementia and other dementias in people with mild cognitive impairment (MCI). Cochrane Database of Systematic Reviews 2015, Issue 1. Art. No.: CD010632.</i>	2015-02-24
Demens & Äldre	11C-PIB-PET for the early diagnosis of Alzheimer's disease dementia and other dementias in people with mild cognitive impairment (MCI)	Diagnostik & Utredning, Medicinteknik & Kirurgi	Fler primärstudier behövs	Cochrane Dementia and Cognitive Improvement Group	<i>Zhang S, Smailagic N, Hyde C, Noel-Storr AH, Takwoingi Y, McShane R, Feng J. 11C-PIB-PET for the early diagnosis of Alzheimer's disease dementia and other dementias in people with mild cognitive impairment (MCI). Cochrane Database of Systematic Reviews 2014, Issue 7. Art. No.: CD010386.</i>	2013-04-18
Demens & Äldre	Plasma and Cerebrospinal fluid (CSF) Abeta42 for the differential diagnosis of Alzheimer's disease dementia in participants diagnosed with any dementia subtype in a specialist care setting	Diagnostik & Utredning, Medicinteknik & Kirurgi	En systematisk översikt behövs	Cochrane Dementia and Cognitive Improvement Group		2014-02-17
Demens & Äldre	rCBF SPECT for detection of frontotemporal dementia in people with suspected dementia	Diagnostik & Utredning, Medicinteknik & Kirurgi	En systematisk översikt behövs	Cochrane Dementia and Cognitive Improvement Group		2014-01-10
Demens & Äldre	Dopamine transporter imaging for the diagnosis of dementia with Lewy bodies	Diagnostik & Utredning, Medicinteknik & Kirurgi	En systematisk översikt behövs	Cochrane Dementia and Cognitive Improvement Group		2013-08-14

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	Hyperbaric oxygen therapy for vascular dementia	Medicinteknik & Kirurgi	Fler primärstudier behövs	Cochrane Dementia and Cognitive Improvement Group	Xiao Y, Wang J, Jiang S, Luo H. <i>Hyperbaric oxygen therapy for vascular dementia. Cochrane Database of Systematic Reviews 2012, Issue 7.</i> Art. No.: CD009425.	2012-07-25
Demens & Äldre	Is oxygen therapy effective for the management of dementia?	Medicinteknik & Kirurgi	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	Xiao Y, Wang J, Jiang S, Luo H. <i>Hyperbaric oxygen therapy for vascular dementia. Cochrane Database of Systematic Reviews 2012, Issue 7.</i> Art. No.: CD009425.	2015-10-29
Demens & Äldre	Light therapy for improving cognition, activities of daily living, sleep, challenging behaviour, and psychiatric disturbances in dementia	Medicinteknik & Kirurgi, Komplementärmedicin	Fler primärstudier behövs	Cochrane Dementia and Cognitive Improvement Group	Forbes D, Blake CM, Thiessen EJ, Peacock S, Hawranik P. <i>Light therapy for improving cognition, activities of daily living, sleep, challenging behaviour, and psychiatric disturbances in dementia. Cochrane Database of Systematic Reviews 2014, Issue 2.</i> Art. No.: CD003946.	2014-03-17
Demens & Äldre	Is light therapy effective for the management of dementia?	Medicinteknik & Kirurgi, Komplementärmedicin	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	Forbes D, Blake CM, Thiessen EJ, Peacock S, Hawranik P. <i>Light therapy for improving cognition, activities of daily living, sleep, challenging behaviour, and psychiatric disturbances in dementia. Cochrane Database of Systematic Reviews 2014, Issue 2.</i> Art. No.: CD003946.	2015-10-29
Demens & Äldre	Can the provision of safe glasses, specially designed to minimise accidents, be beneficial for maintaining sight in people with dementia, compared to removal of glasses to avoid accidents?	Medicinteknik & Kirurgi, Omsorg & Boende	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Is telecare effective for maintaining independence in people with dementia living at home for as long as possible?	Medicinteknik & Kirurgi, Omsorg & Boende, Organisation	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	Lins S, Hayder-Beichel D, Rücker G, Motschall E, Antes G, Meyer G, Langer G. <i>Efficacy and experiences of telephone counselling for informal carers of people with dementia. Cochrane Database of Systematic Reviews 2014, Issue 9.</i> Art. No.: CD009126.	2015-10-29

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	Non-pharmacological interventions that allow safe wandering for people with dementia	Omsorg & Boende, Medicinteknik & Kirurgi	Fler primärstudier behövs	Health Technology Assessment	Hermans D, Htay UH, McShane R. Non-pharmacological interventions for wandering of people with dementia in the domestic setting. Cochrane Database of Systematic Reviews 2007, Issue 1. Art. No.: CD005994.	2009-09-10
Demens & Äldre	What are the most effective ways to manage wandering in people with dementia?	Omsorg & Boende, Medicinteknik & Kirurgi	En uppdaterad systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	How can the provision of suitable equipment for people with end stage dementia be made easier/more readily available e.g. profiling beds?	Organisation, Medicinteknik & Kirurgi	Fler primärstudier behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Are stem cells effective for the prevention or treatment of dementia?	Prevention, Medicinteknik & Kirurgi	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	For those with a family history of dementia or genetic risk factors is gene therapy effective in preventing or delaying the onset of dementia?	Prevention, Medicinteknik & Kirurgi	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Can the removal of dental amalgam from teeth be effective to help prevent/delay onset of dementia?	Prevention, Medicinteknik & Kirurgi, Omsorg & Boende	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What strategies are effective for prevention of falls in people with dementia (in all settings)?	Prevention, Medicinteknik & Kirurgi, Omsorg & Boende	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Does intervention to correct vision problems/sight loss in people with dementia improve cognition and quality of life?	Medicinteknik & Kirurgi, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Övrig psykisk ohälsa	Acupuncture for insomnia	Komplementärmedicin, Medicinteknik & Kirurgi	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	Cheuk DKL, Yeung W-F, Chung K, Wong V. Acupuncture for insomnia. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD005472.	2012-09-13

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Övrig psykisk ohälsa	Web-based stress management for preventing stress and reducing sick leave in workers	Prevention, Medicinteknik & Kirurgi, Arbete & Arbetsmiljö, Psykologiska & Psykoterapeutiska	En systematisk översikt behövs	Cochrane Work Group		2015-11-09
Oönskade effekter	Does ECT for depression cause memory loss?	Medicinteknik & Kirurgi	Fler primärstudier behövs	DUETs Mental Health Module Editorial Group		2007-09-11
Oönskade effekter	Are there long term adverse effects of ECT for schizo-affective disorders	Medicinteknik & Kirurgi	Fler primärstudier behövs	Mind Cymru	Tharyan P, Adams CE. <i>Electroconvulsive therapy for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 2.</i>	2007-09-11
Oönskade effekter	Does ECT for schizophrenia cause memory loss?	Medicinteknik & Kirurgi	Fler primärstudier behövs	Mind Cymru	Tharyan P, Adams CE. <i>Electroconvulsive therapy for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 2. Art. No.: CD000076.</i>	2007-09-11
Somatisk sjukdom	Bright light therapy for patients at risk of delirium	Medicinteknik & Kirurgi, Prevention, Komplementärmedicin	Fler primärstudier behövs	Evidence Update - Delirium	Ono H, Taguchi T, Kido Y, Fujino Y, Doki Y. <i>The usefulness of bright light therapy for patients after oesophagectomy. Intensive Crit Care Nurs.</i> 2011 Jun;27(3):158-66. Forbes D, Culum I, Lischka AR, Morgan DG, Peacock S, Forbes J, Forbes S. <i>Light therapy for managing cognitive, sleep, functional, behavioural, or psychiatric disturbances in dementia. Cochrane Database of Systematic Reviews 2009, Issue 4. Art. No.: CD003946.</i>	2012-02-27